

# NW TechGlass

*Individualized service at competitive prices*

**Glassware, glass repair,  
and custom glass fabrication**



-Lab equipment:

Incubators, ovens, refrigerators, freezers and more

-Pipettors and bottle-top dispensers

-Digital and liquid-in-glass thermometers

**[sales@nwtechglass.com](mailto:sales@nwtechglass.com)**

**503-348-3024**

**2026**

# **Index**

**So much more is available, please contact us  
if you need something you don't see here!**

# **2026**

|                                                         |              |                                                                                                                                                                        |              |
|---------------------------------------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| <b>Beakers:</b> glass, PP, PMP, stainless steel, PTFE   | <b>1-4</b>   | <b>Funnels:</b>                                                                                                                                                        |              |
| <b>Watch glass</b>                                      | <b>5</b>     | Buchner, glass                                                                                                                                                         | <b>31</b>    |
| <b>Bench top equipment and accessories:</b>             | <b>5-8</b>   | Glass, liquid and powder                                                                                                                                               | <b>32-33</b> |
| Desiccator, heat & heat/stir plates, jacks, stir bars,  |              | Buchner, porcelain                                                                                                                                                     | <b>33</b>    |
| water bath, vortex mixer, <b>glass roving/wool</b> ,    |              | PTFE                                                                                                                                                                   | <b>34</b>    |
| lab scoops                                              |              | Separatory, & replacement stopcocks                                                                                                                                    | <b>34-35</b> |
| <b>Burets &amp; buret holder</b>                        | <b>8-9</b>   | <b>Liquid handling:</b>                                                                                                                                                |              |
| <b>Columns, chromatography</b>                          | <b>9</b>     | <b>Dispensers, bottle-top</b>                                                                                                                                          | <b>35</b>    |
| <b>Concentration:</b>                                   |              | Carousel stand for Nichiryo pipets                                                                                                                                     | <b>36</b>    |
| Keck/joint clips                                        | <b>10</b>    | Controller, pipet                                                                                                                                                      | <b>36</b>    |
| Micro distilling column                                 | <b>10</b>    | Syringe dispenser                                                                                                                                                      | <b>36</b>    |
| Snyder columns                                          | <b>10-11</b> | Pipet, glass; serological and volumetric                                                                                                                               | <b>36-37</b> |
| Kuderna-Danish flasks and receivers                     | <b>11</b>    | Pipetter, digital                                                                                                                                                      | <b>37-38</b> |
| Concentrator tubes:                                     | <b>12</b>    | Tips                                                                                                                                                                   | <b>38</b>    |
| TurboVap, <b>Buchi Syncore Analyst</b> , PowerVap       |              | Dispenser, tilting (glass)                                                                                                                                             | <b>38</b>    |
| <b>Condensers:</b> Allihn and Graham                    | <b>12-13</b> | <b>Pipets, Pasteur</b>                                                                                                                                                 | <b>38</b>    |
| <b>Containers:</b> Bottles and carboys                  | <b>13-14</b> | <b>Lab rack/lattice systems and clamps:</b>                                                                                                                            | <b>39-40</b> |
| <b>Crucibles &amp; Corning drying dishes:</b>           | <b>14-15</b> | <b>Purge and trap</b>                                                                                                                                                  | <b>41</b>    |
| Borosilicate, Gooch, alumina, porcelain, quartz, SS     |              | <b>Stoppers- glass and PTFE</b>                                                                                                                                        | <b>41-42</b> |
| <b>Cylinders, graduated/hydrometer:</b> glass & plastic | <b>16-18</b> | <b>Thermometers &amp; dataloggers:</b>                                                                                                                                 |              |
| <b>Digestion, TKN:</b>                                  | <b>18</b>    | (There are so many products that can't be shown<br>here- please go to <a href="https://thermcoproducts.com/">https://thermcoproducts.com/</a> for more<br>information) |              |
| Kjeldahl flask; tubes for Foss/Tecator, Gerhardt,       |              | Dataloggers/digital thermometers                                                                                                                                       | <b>42-43</b> |
| Labconco, Buchi, Lachat, manifold, condenser            |              | ASTM liquid-in-glass                                                                                                                                                   | <b>44-45</b> |
| <b>Distillation adapters</b>                            | <b>19</b>    | <b>Chamber verification, liquid-in-glass (bottle)</b>                                                                                                                  | <b>45</b>    |
| <b>Distillation glassware- Ammonia, Phenol, Cyanide</b> | <b>19-20</b> | Certified, NIST traceable liquid-in-glass                                                                                                                              | <b>45-46</b> |
| <b>Chemistry kits- educational</b>                      | <b>20-21</b> | SAMA precision liquid-in-glass                                                                                                                                         | <b>46-47</b> |
| <b>Equipment:</b>                                       | <b>21-23</b> | <b>Tube- culture/test, Nessler</b>                                                                                                                                     | <b>47-48</b> |
| Ovens, freezers, incubators, refrigerators              |              |                                                                                                                                                                        |              |
| <b>Extraction:</b>                                      | <b>24</b>    |                                                                                                                                                                        |              |
| Soxtherm, liquid/liquid, Soxhlet                        |              |                                                                                                                                                                        |              |
| <b>Filtration, SPE/micro</b>                            | <b>24-25</b> |                                                                                                                                                                        |              |
| <b>Flasks:</b>                                          |              |                                                                                                                                                                        |              |
| Boiling                                                 | <b>25-27</b> |                                                                                                                                                                        |              |
| Side-arm distilling                                     | <b>27</b>    |                                                                                                                                                                        |              |
| Erlenmeyer                                              | <b>27-28</b> |                                                                                                                                                                        |              |
| Filtration                                              | <b>28-29</b> |                                                                                                                                                                        |              |
| Volumetric                                              | <b>29-31</b> |                                                                                                                                                                        |              |

# **NWTechGlass**

**[sales@nwtechglass.com](mailto:sales@nwtechglass.com)**

**503-348-3024**

## Beaker, Glass; Corning

Corning beaker, with spout; manufactured with uniform wall thickness. 250 through 4000 mL beakers have a double graduated metric scale. All sizes have an extra large marking spot.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume  | Sale Qty. | Pk Price        | Code |
|-----------------|----------------|-----------|-----------------|------|
| <u>1000-10</u>  | <u>10 ml</u>   | <u>48</u> | <u>\$247.52</u> |      |
| <u>1000-20</u>  | <u>20 ml</u>   | <u>48</u> | <u>\$200.63</u> |      |
| <u>1000-30</u>  | <u>30 ml</u>   | <u>48</u> | <u>\$158.28</u> |      |
| <u>1000-50</u>  | <u>50 ml</u>   | <u>48</u> | <u>\$158.28</u> |      |
| <u>1000-100</u> | <u>100 ml</u>  | <u>48</u> | <u>\$154.59</u> |      |
| <u>1000-150</u> | <u>150 ml</u>  | <u>48</u> | <u>\$151.91</u> |      |
| <u>1000-250</u> | <u>250 ml</u>  | <u>48</u> | <u>\$185.11</u> |      |
| <u>1000-400</u> | <u>400 ml</u>  | <u>48</u> | <u>\$217.54</u> |      |
| <u>1000-600</u> | <u>600 ml</u>  | <u>36</u> | <u>\$179.48</u> |      |
| <u>1000-800</u> | <u>800 ml</u>  | <u>24</u> | <u>\$165.31</u> |      |
| <u>1000-1L</u>  | <u>1000 ml</u> | <u>24</u> | <u>\$225.53</u> |      |
| <u>1000-2L</u>  | <u>2000 ml</u> | <u>8</u>  | <u>\$143.34</u> |      |
| <u>1000-3L</u>  | <u>3000 ml</u> | <u>6</u>  | <u>\$192.24</u> |      |
| <u>1000-4L</u>  | <u>4000 ml</u> | <u>6</u>  | <u>\$408.88</u> |      |

## Beaker, Glass; Heavy Duty; DIN. Economy- Eisco

DIN- German standard (fewer grads). Heavy duty beakers with a *single* graduated metric scale and a marking area. Tolerance is approximately  $\pm 5\%$ . Dimensions may not match ASTM beakers. Beaker wall is considerably thicker than Corning's heavyweight beakers but the Corning beakers have a thicker bead/rim.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #              | Size / Volume  | Sale Qty. | Pk Price        | Code      |
|---------------------|----------------|-----------|-----------------|-----------|
| <u>CH200000PK12</u> | <u>50 ml</u>   | <u>12</u> | <u>\$44.15</u>  | <u>EI</u> |
| <u>CH200001PK12</u> | <u>100 ml</u>  | <u>12</u> | <u>\$50.71</u>  | <u>EI</u> |
| <u>CH200002PK12</u> | <u>250 ml</u>  | <u>12</u> | <u>\$106.97</u> | <u>EI</u> |
| <u>CH200003PK6</u>  | <u>400 ml</u>  | <u>6</u>  | <u>\$83.40</u>  | <u>EI</u> |
| <u>CH200004PK6</u>  | <u>600 ml</u>  | <u>6</u>  | <u>\$106.79</u> | <u>EI</u> |
| <u>CH200005PK6</u>  | <u>1000 ml</u> | <u>6</u>  | <u>\$144.94</u> | <u>EI</u> |

## Beaker, Glass; Heavy Duty. Corning

Corning heavy duty beakers specifically designed to offer the best mechanical strength under harsh conditions. For convenience, the 250 through 4000 mL beakers have a double graduated metric scale. All sizes have an extra large marking spot.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume  | Sale Qty. | Pk Price        | Code |
|-----------------|----------------|-----------|-----------------|------|
| <u>1003-150</u> | <u>150 ml</u>  | <u>48</u> | <u>\$302.53</u> |      |
| <u>1003-250</u> | <u>250 ml</u>  | <u>48</u> | <u>\$298.73</u> |      |
| <u>1003-400</u> | <u>400 ml</u>  | <u>48</u> | <u>\$389.47</u> |      |
| <u>1003-600</u> | <u>600 ml</u>  | <u>36</u> | <u>\$340.33</u> |      |
| <u>1003-1L</u>  | <u>1000 ml</u> | <u>24</u> | <u>\$432.97</u> |      |
| <u>1003-2L</u>  | <u>2000 ml</u> | <u>8</u>  | <u>\$295.04</u> |      |
| <u>1003-4L</u>  | <u>4000 ml</u> | <u>4</u>  | <u>\$343.50</u> |      |

## Beaker, Glass; Heavy Duty. Economy- United Scientific

Heavy-duty ASTM beakers feature a *double* graduated metric scale and a marking area. Tolerance is approximately  $\pm 5\%$ . Beaker wall is considerably thicker than Corning's heavyweight beakers but the Corning beakers have a thicker bead/rim.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price        | Code      |
|--------------------|----------------|-----------|-----------------|-----------|
| <u>BG1003-100</u>  | <u>100 ml</u>  | <u>12</u> | <u>\$60.40</u>  | <u>US</u> |
| <u>BG1003-150</u>  | <u>150 ml</u>  | <u>12</u> | <u>\$70.80</u>  | <u>US</u> |
| <u>BG1003-250</u>  | <u>250 ml</u>  | <u>12</u> | <u>\$82.00</u>  | <u>US</u> |
| <u>BG1003-400</u>  | <u>400 ml</u>  | <u>12</u> | <u>\$105.20</u> | <u>US</u> |
| <u>BG1003-600</u>  | <u>600 ml</u>  | <u>6</u>  | <u>\$71.00</u>  | <u>US</u> |
| <u>BG1003-1000</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$16.52</u>  | <u>US</u> |
| <u>BG1003-2000</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$40.12</u>  | <u>US</u> |
| <u>BG1003-4000</u> | <u>4000 ml</u> | <u>1</u>  | <u>\$100.40</u> | <u>US</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Beaker, Glass; Philips Form. Economy-Eisco

Borosilicate glass, Conical Form with Spout. Eisco Labs



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume | Sale Qty. | Pk Price       | Code      |
|----------------|---------------|-----------|----------------|-----------|
| <u>CH0128A</u> | <u>250 ml</u> | <u>1</u>  | <u>\$10.56</u> | <u>EI</u> |
| <u>CH0128B</u> | <u>500 ml</u> | <u>1</u>  | <u>\$12.53</u> | <u>EI</u> |

## Beaker, Glass; Tall Form (Berzelius). Economy- United Scientific

Tall form Berzelius beakers include a spout (except BG1040 series). United Scientific beakers feature heavy and uniform wall thickness, spouts designed for easy pouring, and beaded tops. Also include white printed graduations and a marking area. Tolerance for beakers is approximately +/- 5%.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #               | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|----------------------|----------------|-----------|----------------|-----------|
| <u>BG1060-100</u>    | <u>100 ml</u>  | <u>12</u> | <u>\$39.38</u> | <u>US</u> |
| <u>BG1060-200</u>    | <u>200 ml</u>  | <u>12</u> | <u>\$40.95</u> | <u>US</u> |
| <u>BG1060-250</u>    | <u>250 ml</u>  | <u>12</u> | <u>\$40.60</u> | <u>US</u> |
| <u>BG1060-300</u>    | <u>300 ml</u>  | <u>12</u> | <u>\$54.74</u> | <u>US</u> |
| <u>BG1060-400</u>    | <u>400 ml</u>  | <u>6</u>  | <u>\$31.57</u> | <u>US</u> |
| <u>BG1060-500</u>    | <u>500 ml</u>  | <u>6</u>  | <u>\$31.08</u> | <u>US</u> |
| <u>BG1060-600</u>    | <u>600 ml</u>  | <u>6</u>  | <u>\$68.81</u> | <u>US</u> |
| <u>BG1060-1000</u>   | <u>1000 ml</u> | <u>6</u>  | <u>\$68.88</u> | <u>US</u> |
| <b>Without spout</b> |                |           |                |           |
| <u>BG1040-100</u>    | <u>100 ml</u>  | <u>12</u> | <u>\$38.82</u> | <u>US</u> |
| <u>BG1040-250</u>    | <u>250 ml</u>  | <u>12</u> | <u>\$43.50</u> | <u>US</u> |
| <u>BG1040-500</u>    | <u>500 ml</u>  | <u>6</u>  | <u>\$33.53</u> | <u>US</u> |

## Beaker, Glass. Economy- Eisco

Beakers - borosilicate glass, ASTM Low Form, with spout. Dual scale graduated.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #               | Size / Volume  | Sale Qty. | Pk Price        | Code      |
|----------------------|----------------|-----------|-----------------|-----------|
| <u>CH0124A10PK12</u> | <u>10 ml</u>   | <u>12</u> | <u>\$26.66</u>  | <u>EI</u> |
| <u>CH0124A20PK12</u> | <u>20 ml</u>   | <u>12</u> | <u>\$30.45</u>  | <u>EI</u> |
| <u>CH0124A30PK12</u> | <u>30 ml</u>   | <u>12</u> | <u>\$30.45</u>  | <u>EI</u> |
| <u>CH0124BPK12</u>   | <u>50 ml</u>   | <u>12</u> | <u>\$27.60</u>  | <u>EI</u> |
| <u>CH0124CPK12</u>   | <u>100 ml</u>  | <u>12</u> | <u>\$43.30</u>  | <u>EI</u> |
| <u>CH0124DPK12</u>   | <u>150 ml</u>  | <u>12</u> | <u>\$47.35</u>  | <u>EI</u> |
| <u>CH0124EPK12</u>   | <u>250 ml</u>  | <u>12</u> | <u>\$72.84</u>  | <u>EI</u> |
| <u>CH0124FPK6</u>    | <u>400 ml</u>  | <u>6</u>  | <u>\$52.07</u>  | <u>EI</u> |
| <u>CH0124GPK6</u>    | <u>600 ml</u>  | <u>6</u>  | <u>\$68.64</u>  | <u>EI</u> |
| <u>CH0124IPK6</u>    | <u>1000 ml</u> | <u>6</u>  | <u>\$121.44</u> | <u>EI</u> |
| <u>CH0124J</u>       | <u>2000 ml</u> | <u>1</u>  | <u>\$32.45</u>  | <u>EI</u> |

## Beaker, Glass. Economy- United Scientific

Beakers - borosilicate glass, ASTM Low Form, with spout. Dual scale graduated.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|--------------------|----------------|-----------|----------------|-----------|
| <u>BG1000-5</u>    | <u>5 ml</u>    | <u>12</u> | <u>\$24.49</u> | <u>US</u> |
| <u>BG1000-10</u>   | <u>10 ml</u>   | <u>12</u> | <u>\$26.63</u> | <u>US</u> |
| <u>BG1000-20</u>   | <u>20 ml</u>   | <u>12</u> | <u>\$32.55</u> | <u>US</u> |
| <u>BG1000-25</u>   | <u>25 ml</u>   | <u>12</u> | <u>\$30.30</u> | <u>US</u> |
| <u>BG1000-30</u>   | <u>30 ml</u>   | <u>12</u> | <u>\$38.25</u> | <u>US</u> |
| <u>BG1000-50</u>   | <u>50 ml</u>   | <u>12</u> | <u>\$30.83</u> | <u>US</u> |
| <u>BG1000-100</u>  | <u>100 ml</u>  | <u>12</u> | <u>\$32.36</u> | <u>US</u> |
| <u>BG1000-150</u>  | <u>150 ml</u>  | <u>12</u> | <u>\$34.61</u> | <u>US</u> |
| <u>BG1000-250</u>  | <u>250 ml</u>  | <u>12</u> | <u>\$37.39</u> | <u>US</u> |
| <u>BG1000-400</u>  | <u>400 ml</u>  | <u>12</u> | <u>\$47.06</u> | <u>US</u> |
| <u>BG1000-500</u>  | <u>500 ml</u>  | <u>6</u>  | <u>\$25.84</u> | <u>US</u> |
| <u>BG1000-600</u>  | <u>600 ml</u>  | <u>6</u>  | <u>\$34.35</u> | <u>US</u> |
| <u>BG1000-800</u>  | <u>800 ml</u>  | <u>6</u>  | <u>\$62.20</u> | <u>US</u> |
| <u>BG1000-1000</u> | <u>1000 ml</u> | <u>6</u>  | <u>\$55.50</u> | <u>US</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Beaker, Glass. Economy- United Scientific (continued)

| Part #              | Size / Volume   | Sale Qty. | Pk Price        | Code      |
|---------------------|-----------------|-----------|-----------------|-----------|
| <u>BG1000-1500</u>  | <u>1500 ml</u>  | <u>4</u>  | <u>\$69.60</u>  | <u>US</u> |
| <u>BG1000-2000</u>  | <u>2000 ml</u>  | <u>1</u>  | <u>\$17.40</u>  | <u>US</u> |
| <u>BG1000-3000</u>  | <u>3000 ml</u>  | <u>1</u>  | <u>\$28.76</u>  | <u>US</u> |
| <u>BG1000-4000</u>  | <u>4000ml</u>   | <u>1</u>  | <u>\$52.31</u>  | <u>US</u> |
| <u>BG1000-5000</u>  | <u>5000 ml</u>  | <u>1</u>  | <u>\$57.38</u>  | <u>US</u> |
| <u>BG1000-10000</u> | <u>10000 ml</u> | <u>1</u>  | <u>\$259.60</u> | <u>US</u> |

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



## Beaker, New Style; Polypropylene. United Scientific

Beakers, molded in polypropylene, have excellent clarity and very good chemical resistance. They are autoclavable and feature raised graduations on the outer surface. New Style beakers feature oversized, tapered spouts for easier pouring of solutions.

| Part #       | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|--------------|----------------|-----------|----------------|-----------|
| <u>11110</u> | <u>25 ml</u>   | <u>12</u> | <u>\$39.48</u> | <u>US</u> |
| <u>11111</u> | <u>50 ml</u>   | <u>12</u> | <u>\$39.99</u> | <u>US</u> |
| <u>11112</u> | <u>100 ml</u>  | <u>12</u> | <u>\$40.47</u> | <u>US</u> |
| <u>11113</u> | <u>250 ml</u>  | <u>6</u>  | <u>\$17.07</u> | <u>US</u> |
| <u>11114</u> | <u>500 ml</u>  | <u>4</u>  | <u>\$11.93</u> | <u>US</u> |
| <u>11115</u> | <u>1000 ml</u> | <u>3</u>  | <u>\$8.78</u>  | <u>US</u> |
| <u>11116</u> | <u>2000 ml</u> | <u>3</u>  | <u>\$12.77</u> | <u>US</u> |
| <u>11117</u> | <u>5000 ml</u> | <u>4</u>  | <u>\$22.88</u> | <u>US</u> |

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



## Beaker, PTFE

Made from Virgin PTFE Teflon, Isostatically molded with a pouring spout and machine finished to a smooth surface. Working temperature range is from cryogenic to 280°C (500°F).

| Part #            | Size / Volume  | Sale Qty. | Pk Price        | Code      |
|-------------------|----------------|-----------|-----------------|-----------|
| <u>SM-3750-01</u> | <u>1 ml</u>    | <u>1</u>  | <u>\$15.35</u>  | <u>SM</u> |
| <u>SM-3750-02</u> | <u>5 ml</u>    | <u>1</u>  | <u>\$18.69</u>  | <u>SM</u> |
| <u>SM-3750-03</u> | <u>10 ml</u>   | <u>1</u>  | <u>\$19.84</u>  | <u>SM</u> |
| <u>SM-3750-04</u> | <u>25 ml</u>   | <u>1</u>  | <u>\$25.17</u>  | <u>SM</u> |
| <u>SM-3750-05</u> | <u>50 ml</u>   | <u>1</u>  | <u>\$30.29</u>  | <u>SM</u> |
| <u>SM-3750-06</u> | <u>100 ml</u>  | <u>1</u>  | <u>\$31.53</u>  | <u>SM</u> |
| <u>SM-3750-07</u> | <u>150 ml</u>  | <u>1</u>  | <u>\$48.37</u>  | <u>SM</u> |
| <u>SM-3750-08</u> | <u>250 ml</u>  | <u>1</u>  | <u>\$51.56</u>  | <u>SM</u> |
| <u>SM-3750-09</u> | <u>400 ml</u>  | <u>1</u>  | <u>\$96.92</u>  | <u>SM</u> |
| <u>SM-3750-10</u> | <u>500 ml</u>  | <u>1</u>  | <u>\$97.34</u>  | <u>SM</u> |
| <u>SM-3750-11</u> | <u>600 ml</u>  | <u>1</u>  | <u>\$130.74</u> | <u>SM</u> |
| <u>SM-3750-12</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$185.99</u> | <u>SM</u> |
| <u>SM-3750-13</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$336.28</u> | <u>SM</u> |
| <u>SM-3750-14</u> | <u>5000 ml</u> | <u>1</u>  | <u>\$642.15</u> | <u>SM</u> |

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



## Beaker, PTFE; Heatable, With Blended PTFE and Carbon Base

Made from Virgin Teflon, Isostatically molded PTFE body with a specially formulated stabilized PTFE – Carbon base as a single molding to give an improved heat transfer. It can be heated to 270°C without distortion.

| Part #            | Size / Volume | Sale Qty. | Pk Price        | Code |
|-------------------|---------------|-----------|-----------------|------|
| <u>SM-3751-01</u> | <u>100 ml</u> | <u>1</u>  | <u>\$98.86</u>  |      |
| <u>SM-3751-02</u> | <u>250 ml</u> | <u>1</u>  | <u>\$117.45</u> |      |
| <u>SM-3751-03</u> | <u>400 ml</u> | <u>1</u>  | <u>\$170.24</u> |      |

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Beaker, Stainless Steel; With Handle. Economy- United Scientific

Manufactured from 304 Stainless Steel, United Scientific REUZ™ ("re-use") Beakers with Handles feature graduations stamped into the inside wall for easy reading of volumes in milliliters or ounces. Include a pouring spout and large, comfortable stainless steel handle.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|--------------------|----------------|-----------|----------------|-----------|
| <u>UN3003-250</u>  | <u>250 ml</u>  | <u>1</u>  | <u>\$21.08</u> | <u>US</u> |
| <u>UN3003-500</u>  | <u>500 ml</u>  | <u>1</u>  | <u>\$28.16</u> | <u>US</u> |
| <u>UN3003-1000</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$34.92</u> | <u>US</u> |

## Beaker, Stainless Steel. Economy- United Scientific

Corrosion-resistant 304 stainless construction includes rolled top rims, smooth edges and radiused corners for easy, thorough cleaning. These beakers do not contain graduation markings - designed to be filled to the brim to realize full vessel capacity. Wall thickness is 1 mm.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|--------------------|----------------|-----------|----------------|-----------|
| <u>UN3007-100</u>  | <u>100 ml</u>  | <u>1</u>  | <u>\$17.33</u> | <u>US</u> |
| <u>UN3007-250</u>  | <u>250 ml</u>  | <u>1</u>  | <u>\$17.81</u> | <u>US</u> |
| <u>UN3007-500</u>  | <u>500 ml</u>  | <u>1</u>  | <u>\$27.00</u> | <u>US</u> |
| <u>UN3007-1000</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$34.28</u> | <u>US</u> |
| <u>UN3007-2000</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$43.88</u> | <u>US</u> |
| <u>UN3007-3000</u> | <u>3000 ml</u> | <u>1</u>  | <u>\$52.88</u> | <u>US</u> |
| <u>UN3007-5000</u> | <u>5000 ml</u> | <u>1</u>  | <u>\$66.94</u> | <u>US</u> |

## Beaker, With Handle And Printed Graduations; PMP (TPX)

Polymethylpentene (PMP, TPX) beakers with pouring spouts are ideal for general laboratory use. Includes rectangular handle for easy carrying and pouring. All sizes have easy to read silk-screened graduations. Autoclavable. PMP has excellent transparency, rigidity and resistance to chemicals and high temperatures.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #        | Size / Volume   | Sale Qty. | Pk Price        | Code      |
|---------------|-----------------|-----------|-----------------|-----------|
| <u>P50902</u> | <u>100 ml</u>   | <u>6</u>  | <u>\$39.73</u>  | <u>US</u> |
| <u>P50903</u> | <u>250 ml</u>   | <u>6</u>  | <u>\$45.85</u>  | <u>US</u> |
| <u>P50904</u> | <u>500 ml</u>   | <u>6</u>  | <u>\$78.58</u>  | <u>US</u> |
| <u>P50905</u> | <u>1000 ml</u>  | <u>4</u>  | <u>\$71.05</u>  | <u>US</u> |
| <u>P50906</u> | <u>2000 ml</u>  | <u>4</u>  | <u>\$100.80</u> | <u>US</u> |
| <u>P50907</u> | <u>5000 ml</u>  | <u>2</u>  | <u>\$87.85</u>  | <u>US</u> |
| <u>P50908</u> | <u>10000 ml</u> | <u>1</u>  | <u>\$92.75</u>  | <u>US</u> |

## Beaker, With Handle And Printed Graduations; Polypropylene

Polypropylene beakers with pouring spouts are ideal for general laboratory use. Includes rectangular handle for easy carrying and pouring. All sizes have easy to read silk-screened graduations. Autoclavable. Also available with raised graduations.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #        | Size / Volume   | Sale Qty. | Pk Price       | Code      |
|---------------|-----------------|-----------|----------------|-----------|
| <u>P50802</u> | <u>100 ml</u>   | <u>6</u>  | <u>\$16.45</u> | <u>US</u> |
| <u>P50803</u> | <u>250 ml</u>   | <u>6</u>  | <u>\$20.76</u> | <u>US</u> |
| <u>P50804</u> | <u>500 ml</u>   | <u>6</u>  | <u>\$28.84</u> | <u>US</u> |
| <u>P50805</u> | <u>1000 ml</u>  | <u>4</u>  | <u>\$31.71</u> | <u>US</u> |
| <u>P50806</u> | <u>2000 ml</u>  | <u>4</u>  | <u>\$46.55</u> | <u>US</u> |
| <u>P50807</u> | <u>5000 ml</u>  | <u>2</u>  | <u>\$71.40</u> | <u>US</u> |
| <u>P50808</u> | <u>10000 ml</u> | <u>1</u>  | <u>\$63.00</u> | <u>US</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Watch Glass. Economy- United Scientific

Made from clear flint glass (1.8 to 2.0mm thick), fine ground and polished edges.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #        | Size / Volume | Sale Qty. | Pk Price        | Code      |
|---------------|---------------|-----------|-----------------|-----------|
| <u>WGL025</u> | <u>25 mm</u>  | <u>12</u> | <u>\$4.20</u>   | <u>US</u> |
| <u>WGL040</u> | <u>40 mm</u>  | <u>12</u> | <u>\$4.99</u>   | <u>US</u> |
| <u>WGL050</u> | <u>50 mm</u>  | <u>12</u> | <u>\$5.81</u>   | <u>US</u> |
| <u>WGL065</u> | <u>65 mm</u>  | <u>12</u> | <u>\$7.50</u>   | <u>US</u> |
| <u>WGL075</u> | <u>75 mm</u>  | <u>12</u> | <u>\$9.75</u>   | <u>US</u> |
| <u>WGL090</u> | <u>90 mm</u>  | <u>12</u> | <u>\$13.69</u>  | <u>US</u> |
| <u>WGL100</u> | <u>100 mm</u> | <u>12</u> | <u>\$15.30</u>  | <u>US</u> |
| <u>WGL125</u> | <u>125 mm</u> | <u>12</u> | <u>\$18.53</u>  | <u>US</u> |
| <u>WGL150</u> | <u>150 mm</u> | <u>12</u> | <u>\$25.58</u>  | <u>US</u> |
| <u>WGL200</u> | <u>200 mm</u> | <u>12</u> | <u>\$35.48</u>  | <u>US</u> |
| <u>WGL250</u> | <u>250 mm</u> | <u>12</u> | <u>\$78.56</u>  | <u>US</u> |
| <u>WGL300</u> | <u>300 mm</u> | <u>12</u> | <u>\$117.75</u> | <u>US</u> |

## Desiccator, Glass; Non Vacuum. Economy- United Scientific

Manufactured from borosilicate glass; includes a borosilicate glass lid (use grease to seal) with a molded-in knob and a perforated porcelain desiccator plate. May be autoclaved.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #                                  | Size / Volume    | Sale Qty. | Pk Price        | Code      |
|-----------------------------------------|------------------|-----------|-----------------|-----------|
| <b>Top chamber diameter/height (mm)</b> |                  |           |                 |           |
| <u>DSGL150</u>                          | <u>150 / 90</u>  | <u>1</u>  | <u>\$83.31</u>  | <u>US</u> |
| <u>DSGL210</u>                          | <u>200 / 105</u> | <u>1</u>  | <u>\$130.20</u> | <u>US</u> |
| <u>DSGL300</u>                          | <u>300 / 125</u> | <u>1</u>  | <u>\$223.59</u> | <u>US</u> |
| <b>Replacement lids</b>                 |                  |           |                 |           |
| <u>DSGL150-L</u>                        |                  | <u>1</u>  | <u>\$20.66</u>  |           |
| <u>DSGL210-L</u>                        |                  | <u>1</u>  | <u>\$22.24</u>  |           |
| <u>DSGL300-L</u>                        |                  | <u>1</u>  | <u>\$42.11</u>  |           |

## Heat / Stir Plate, Digital; Corning

PC-420D Corning® Stirring Hot Plate. 120V/60Hz. Also available in a kit: external temperature controller and other accessories. Corning digital hot plates, stirrers, and stirring hot plates are made with the same durability and quality Corning has been putting into Pyroceram® top products since 1964. All models include a Pyroceram top and a two-year warranty.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #           | Size / Volume           | Sale Qty. | Pk Price        | Code |
|------------------|-------------------------|-----------|-----------------|------|
| <u>6795-420D</u> | <u>5 x 7 Inch Top</u>   | <u>1</u>  | <u>\$547.47</u> |      |
| <u>6795-620D</u> | <u>10 x 10 Inch Top</u> | <u>1</u>  | <u>\$713.75</u> |      |

## Heat / Stir Plate, Digital. Glassco Brand

With double PT sensors, the unit is designed with a one-knob digital controller for temperature, RPM and time, each with an independent LED display. For enhanced safety and ease of unsupervised operation, a built-in alarm audibly signals the completion of the user-allotted time cycle. 6"x6" plate. Includes: SS rod, PT100 sensor probe, magnetic stir bar, and boss head clamp.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #                                                                                                                                           | Size / Volume                                                  | Sale Qty. | Pk Price        | Code      |
|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-----------|-----------------|-----------|
| <u>HOTPDG</u>                                                                                                                                    | <u>With SS rod, PT100 sensor</u><br><u>boss clamp, stirbar</u> | <u>1</u>  | <u>\$636.00</u> | <u>US</u> |
| <a href="http://www.unitedsci.com/digital-hot-plate-magnetic-stirrer-csa.html">www.unitedsci.com/digital-hot-plate-magnetic-stirrer-csa.html</a> |                                                                |           |                 |           |
| -Maximum stir speed of 1500 RPM                                                                                                                  |                                                                |           |                 |           |
| -Heat output of 650 W                                                                                                                            |                                                                |           |                 |           |
| -0-350°C temperature range                                                                                                                       |                                                                |           |                 |           |
| -Hot top indicator for temperatures above 50°C, even when switched off                                                                           |                                                                |           |                 |           |
| -Adjustable safety cutoff range of 50                                                                                                            |                                                                |           |                 |           |
| -Designed for use with beakers/flasks up to 2000ml in capacity                                                                                   |                                                                |           |                 |           |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
 NW TechGlass 503-348-3024

## Heat / Stir Plate; Digital. Eisco Brand

Back-lit display for temperature and RPM.  
 Plate Material: Ceramic coated Metal  
 Plate Dimensions: 190 x 190 mm  
 Heater Power: 650 W  
 Max. Plate Temperature: 400 degrees  
 Stirrer Speed: 100 - 2000 rpm  
 Max Stirring Capacity: 5000 ml



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #                                                                          | Size / Volume                           | Sale Qty. | Pk Price        | Code      |
|---------------------------------------------------------------------------------|-----------------------------------------|-----------|-----------------|-----------|
| <u>MGST2V1</u>                                                                  | <u>7.5" square ceramic-coated plate</u> | <u>1</u>  | <u>\$985.22</u> | <u>EI</u> |
| <u>Includes Rod &amp; Clamp Assembly,</u><br><u>Temperature Probe, Stir Bar</u> |                                         |           |                 |           |

## Hot Plate; Corning® Digital

Corning® 10 x 10 and 5 x 7 inch top hot plates with digital display, 120V/60Hz. Corning digital hot plates, stirrers, and stirring hot plates are made with the same durability and quality Corning has been putting into Pyroceram® top products since 1964. All models include a Pyroceram top and a two-year warranty.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #           | Size / Volume       | Sale Qty. | Pk Price        | Code |
|------------------|---------------------|-----------|-----------------|------|
| <u>6795-400D</u> | <u>5 x 7" top</u>   | <u>1</u>  | <u>\$320.81</u> |      |
| <u>6795-600D</u> | <u>10 x 10" top</u> | <u>1</u>  | <u>\$548.90</u> |      |

## Jacks, Laboratory; Aluminum And Stainless Steel

Laboratory support jacks are constructed of painted aluminum and stainless steel.

<https://www.unitedsci.com/laboratory-jacks-0.html>



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #                                           | Size / Volume                    | Sale Qty. | Pk Price        | Code      |
|--------------------------------------------------|----------------------------------|-----------|-----------------|-----------|
| <u>Plate size / max. ht. / max load (static)</u> |                                  |           |                 |           |
| <u>LBJK44</u>                                    | <u>4" x 4" / 6" / 10kg</u>       | <u>1</u>  | <u>\$57.00</u>  | <u>US</u> |
| <u>LBJK66</u>                                    | <u>6" x 6" / 10.5" / 20kg</u>    | <u>1</u>  | <u>\$82.13</u>  | <u>US</u> |
| <u>LBJK88</u>                                    | <u>8" x 8" / 11.75" / 25kg</u>   | <u>1</u>  | <u>\$103.88</u> | <u>US</u> |
| <u>LBJK12</u>                                    | <u>12" x 12" / 19.75" / 45kg</u> | <u>1</u>  | <u>\$257.20</u> | <u>US</u> |

## Jacks, Laboratory; Stainless Steel

-Stainless Steel Construction  
 -Slip Proof Rubber Feet  
 -Smooth, Easy Movements



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #                                           | Size / Volume                       | Sale Qty. | Pk Price          | Code      |
|--------------------------------------------------|-------------------------------------|-----------|-------------------|-----------|
| <u>Plate size / max. ht. / max load (static)</u> |                                     |           |                   |           |
| <u>SSJCT10</u>                                   | <u>8 x 7.3 cm / 15 cm / 15 kg</u>   | <u>1</u>  | <u>\$240.18</u>   | <u>EI</u> |
| <u>SSJCT20</u>                                   | <u>16.5 x 13 cm / 28 cm / 30 kg</u> | <u>1</u>  | <u>\$357.25</u>   | <u>EI</u> |
| <u>SSJCT30</u>                                   | <u>20 x 20 cm / 28 cm / 30 kg</u>   | <u>1</u>  | <u>\$445.85</u>   | <u>EI</u> |
| <u>SSJCT40</u>                                   | <u>25 x 25 cm / 33 cm / 30 kg</u>   | <u>1</u>  | <u>\$556.82</u>   | <u>EI</u> |
| <u>SSJCT50</u>                                   | <u>30 x 30 cm / 48 cm / 30 kg</u>   | <u>1</u>  | <u>\$1,012.47</u> | <u>EI</u> |
| <u>SSJCT60</u>                                   | <u>40 x 40 cm / 50 cm / 30 kg</u>   | <u>1</u>  | <u>\$1,141.63</u> | <u>EI</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
 NW TechGlass 503-348-3024

## Mixer, Vortex; Corning

Variable speed LSE Vortex Mixer provides fast, efficient mixing with minimal vibration. The unit features a powerful, counter-balanced motor drive, continuous or "touch" mix modes. A range of accessories are available for all common sample tubes and containers.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume                              | Sale Qty. | Pk Price        | Code |
|-------------|--------------------------------------------|-----------|-----------------|------|
| <u>6775</u> | <u>Corning LSE with standard tube head</u> | <u>1</u>  | <u>\$257.49</u> |      |

## Roving (wool), Corning

This fiber glass is manufactured from No. 9989 glass containing minimal heavy metals and is suitable for use as a filtering medium. It is supplied in the form of roving approximately 2 inches in diameter by 22 ft. long and packaged in 0.23 kg (½ lb.) bags. This product is only sold in a case qty 12 lbs. contained in 24 bags total).



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume | Sale Qty. | Pk Price          | Code |
|-------------|---------------|-----------|-------------------|------|
| <u>3950</u> | <u>6 lbs.</u> | <u>12</u> | <u>\$1,427.18</u> |      |

## Scoop, Stainless Steel

Manufactured from 304 Stainless Steel, United Scientific REUZ™ ("re-use")

Scoops are suitable for use with powders and granules in a variety of environments. Rounded bowls of the scoops are completely seamless for easy cleaning.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #            | Size / Volume | Sale Qty. | Pk Price       | Code      |
|-------------------|---------------|-----------|----------------|-----------|
| <u>UN5002-100</u> | <u>100 ml</u> | <u>1</u>  | <u>\$27.88</u> | <u>US</u> |
| <u>UN5002-200</u> | <u>200 ml</u> | <u>1</u>  | <u>\$30.52</u> | <u>US</u> |
| <u>UN5002-250</u> | <u>250 ml</u> | <u>1</u>  | <u>\$33.45</u> | <u>US</u> |
| <u>UN5002-350</u> | <u>350 ml</u> | <u>1</u>  | <u>\$37.53</u> | <u>US</u> |
| <u>UN5002-500</u> | <u>500 ml</u> | <u>1</u>  | <u>\$47.81</u> | <u>US</u> |

## Stir Bars, Magnetic. Economy- United Scientific

These magnetic stir bars are constructed of high quality magnets coated with PTFE. Along with individual sizes of polygon, octagon, and egg-shaped, two convenient assortments and stir bar retrievers are also available.

<https://www.unitedsci.com/magnetic-stir-bars.html>



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #        | Size / Volume                         | Sale Qty. | Pk Price       | Code      |
|---------------|---------------------------------------|-----------|----------------|-----------|
| <u>MSB15</u>  | <u>W/ PIVOT. (OCT.) 15MM X 7.5MM</u>  | <u>1</u>  | <u>\$4.27</u>  | <u>US</u> |
| <u>MSB25</u>  | <u>W/ PIVOT. (OCTAGON) 25MM X</u>     | <u>1</u>  | <u>\$5.36</u>  | <u>US</u> |
| <u>MSB35</u>  | <u>W/ PIVOT. (OCTAGON) 35MM X</u>     | <u>1</u>  | <u>\$7.84</u>  | <u>US</u> |
| <u>MSB40</u>  | <u>W/ PIVOT. (OCTAGON) 40MM X</u>     | <u>1</u>  | <u>\$8.19</u>  | <u>US</u> |
| <u>MSB48</u>  | <u>W/ PIVOT. (OCT.) 48.5MM X 10MM</u> | <u>1</u>  | <u>\$10.61</u> | <u>US</u> |
| <u>MSZ12</u>  | <u>W/O PIVOT RING. (POLY) 12MM X</u>  | <u>1</u>  | <u>\$4.46</u>  | <u>US</u> |
| <u>MSZ25</u>  | <u>W/O PIVOT RING. (POLY) 25MM X</u>  | <u>1</u>  | <u>\$5.93</u>  | <u>US</u> |
| <u>MSZ40</u>  | <u>W/O PIVOT RING. (POLY) 40MM X</u>  | <u>1</u>  | <u>\$9.86</u>  | <u>US</u> |
| <u>MSZ70</u>  | <u>W/O PIVOT RING. (POLY) 70MM X</u>  | <u>1</u>  | <u>\$18.00</u> | <u>US</u> |
| <u>MSHL15</u> | <u>EGG. BLUNT EDGE. 15MM X 7MM</u>    | <u>1</u>  | <u>\$5.44</u>  | <u>US</u> |
| <u>MSHL30</u> | <u>EGG. BLUNT EDGE. 30MM X 13MM</u>   | <u>1</u>  | <u>\$14.24</u> | <u>US</u> |
| <u>MSHL50</u> | <u>EGG. BLUNT EDGE. 50MM X 20MM</u>   | <u>1</u>  | <u>\$24.96</u> | <u>US</u> |
| <u>MXB38</u>  | <u>CROSS-SHAPED. 38 X 38MM</u>        | <u>1</u>  | <u>\$8.68</u>  | <u>US</u> |
| <u>MXB42</u>  | <u>CROSS-SHAPED. 42X 42MM</u>         | <u>1</u>  | <u>\$9.20</u>  | <u>US</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

Page 7

## Water Bath, Digital; Corning.

Corning LSE Digital 6L Water Bath- Compact design  
Stainless steel chamber and cover - Powerful 500W heater  
programmed by LED digital controller - Precise  
temperature control by hydraulic thermostat. **Corning full  
case orders receive free shipping.**



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume  | Sale Qty. | Pk Price        | Code |
|-------------|----------------|-----------|-----------------|------|
| <u>6783</u> | <u>6 Liter</u> | <u>1</u>  | <u>\$865.40</u> |      |

## Buret, Class A Glass Buret With PTFE Stopcock Plug & Dust Cover. Corning

Class A Corning Pyrex buret calibrated in accordance with  
ASTM E-542- batch certified. **Sold by the case.**



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume | Sale Qty. | Pk Price        | Code |
|-----------------|---------------|-----------|-----------------|------|
| <u>2103-10</u>  | <u>10 ml</u>  | <u>1</u>  | <u>\$179.88</u> |      |
| <u>2103-25</u>  | <u>25 ml</u>  | <u>1</u>  | <u>\$192.31</u> |      |
| <u>2103-50</u>  | <u>50 ml</u>  | <u>1</u>  | <u>\$205.94</u> |      |
| <u>2103-100</u> | <u>100 ml</u> | <u>1</u>  | <u>\$260.74</u> |      |

## Buret, Class A. Economy- United Scientific

Class A, ASTM E287, meets USP standards, batch or  
individually certified. Waiting time of 30 seconds.  
Manufactured from precision bore tubing and calibrated To  
Deliver (TD, Ex) on computer-controlled machines.  
Includes PTFE straight bore stopcock.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                         | Size / Volume | Sale Qty. | Pk Price        | Code      |
|--------------------------------|---------------|-----------|-----------------|-----------|
| <b>Batch certified:</b>        |               |           |                 |           |
| <u>BR2129-10</u>               | <u>10 ml</u>  | <u>1</u>  | <u>\$51.75</u>  | <u>US</u> |
| <u>BR2129-25</u>               | <u>25 ml</u>  | <u>1</u>  | <u>\$51.75</u>  | <u>US</u> |
| <u>BR2129-50</u>               | <u>50 ml</u>  | <u>1</u>  | <u>\$53.44</u>  | <u>US</u> |
| <b>Individually certified:</b> |               |           |                 |           |
| <u>BR2128-10</u>               | <u>10 ml</u>  | <u>1</u>  | <u>\$113.03</u> | <u>US</u> |
| <u>BR2128-25</u>               | <u>25 ml</u>  | <u>1</u>  | <u>\$113.03</u> | <u>US</u> |
| <u>BR2128-50</u>               | <u>50 ml</u>  | <u>1</u>  | <u>\$114.68</u> | <u>US</u> |

## Buret, Class A. Economy- United Scientific

Class A, ASTM E287, meets USP standards, batch or  
serialized and certified. Waiting time of 30 seconds.  
Manufactured from precision bore tubing and calibrated To  
Deliver (TD, Ex) on computer-controlled machines.  
Includes PTFE screw thread stopcock.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                         | Size / Volume | Sale Qty. | Pk Price       | Code      |
|--------------------------------|---------------|-----------|----------------|-----------|
| <b>Batch certified:</b>        |               |           |                |           |
| <u>BR2121-10</u>               | <u>10 ml</u>  | <u>1</u>  | <u>\$40.12</u> | <u>US</u> |
| <u>BR2121-25</u>               | <u>25 ml</u>  | <u>1</u>  | <u>\$40.12</u> | <u>US</u> |
| <u>BR2121-50</u>               | <u>50 ml</u>  | <u>1</u>  | <u>\$43.44</u> | <u>US</u> |
| <b>Individually certified:</b> |               |           |                |           |
| <u>BR2120-10</u>               | <u>10 ml</u>  | <u>1</u>  | <u>\$80.40</u> | <u>US</u> |
| <u>BR2120-25</u>               | <u>25 ml</u>  | <u>1</u>  | <u>\$80.40</u> | <u>US</u> |
| <u>BR2120-50</u>               | <u>50 ml</u>  | <u>1</u>  | <u>\$81.19</u> | <u>US</u> |

Order minimums- combine with other products within the same  
code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

## Buret, Self-Zeroing. Class A. Economy-United Scientific

Self-zeroing burette mounts on a glass bottle (sold separately). Includes a PTFE needle valve stopcock, intermediate stopcock and rubber bellows. Glassco brand.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #           | Size / Volume                       | Sale Qty. | Pk Price        | Code      |
|------------------|-------------------------------------|-----------|-----------------|-----------|
| <u>BRA217-10</u> | 10 ml - use bottle BRB0500: 500ml   | <u>1</u>  | <u>\$203.25</u> | <u>US</u> |
| <u>BRA217-25</u> | 25 ml - use bottle BRB2000: 2000ml  | <u>1</u>  | <u>\$258.75</u> | <u>US</u> |
| <u>BRA217-50</u> | 50 ml - use bottle BRB2000: 2000ml  | <u>1</u>  | <u>\$263.63</u> | <u>US</u> |
| <u>BRB0500</u>   | Bottle, 500 ml- use with 10ml buret | <u>1</u>  | <u>\$21.88</u>  | <u>US</u> |
| <u>BRB2000</u>   | Bottle, 2000 ml- use with 25, 50 ml | <u>1</u>  | <u>\$40.92</u>  | <u>US</u> |

-Class A, ASTM E-287, meets USP standards, individually serialized and certified.

-Includes Schellbach backing for easy reading of liquid levels.

-Amber graduations.

## Clamp, Buret; Double. Rod, And Base

Eisco Labs burette/tube clamp, double. High strength alloy. Spring loaded jaws; 7/8" width capacity. Max 16mm rod.

**Rod:** Stainless steel rod, L 75cm, Dia 12mm. Other sizes/dimensions are available. Eisco.

**Base w/ rod:** Rectangular base w/ two holes.

6 x 11"- heavy duty steel w/ enamel finish. United Scientific  
Other sizes available



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                         | Size / Volume                                   | Sale Qty. | Pk Price       | Code      |
|--------------------------------|-------------------------------------------------|-----------|----------------|-----------|
| <b>Clamp</b>                   |                                                 |           |                |           |
| <u>CH0258A</u>                 | Single clamp only                               | <u>1</u>  | <u>\$23.13</u> | <u>EI</u> |
| <u>CH0258B</u>                 | Double clamp only                               | <u>1</u>  | <u>\$26.32</u> |           |
| <b>Stainless steel Rod</b>     |                                                 |           |                |           |
| <u>CH0659C</u>                 | Rod only                                        | <u>1</u>  | <u>\$19.29</u> | <u>EI</u> |
|                                |                                                 | <u>1</u>  | <u>\$19.29</u> |           |
| <b>Base w/ zinc-coated rod</b> |                                                 |           |                |           |
| <u>SSB6X1-H2</u>               | Base: 11" x 6" Rod: 36"                         | <u>1</u>  | <u>\$26.32</u> | <u>US</u> |
|                                | Two holes- on center, and centered at short end |           |                |           |

## Column, Chromatography; Straight

Straight column, with or without stopcocks and frits. Built to order, with any dimensions.

Check with us for additional styles/volumes/frits.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                    | Size / Volume                | Sale Qty. | Pk Price        | Code |
|---------------------------|------------------------------|-----------|-----------------|------|
| <u>2438</u>               | 18mm OD, 15 mm ID x 300 mm L | <u>1</u>  | <u>\$16.00</u>  |      |
| <u>1649</u>               | 25mm OD, 22 mm ID x 300 mm L | <u>1</u>  | <u>\$26.60</u>  |      |
| <b>With 2 mm stopcock</b> |                              |           |                 |      |
| <u>2440</u>               | 11 mm OD x 250 mm length     | <u>1</u>  | <u>\$112.50</u> |      |
| <u>2441</u>               | 22 mm OD x 300 mm length.    | <u>1</u>  | <u>\$157.00</u> |      |
|                           | with coarse frit             |           |                 |      |

## Column, Chromatography; With Reservoir

With reservoir and 2 mm PTFE stopcock (except 2409). Without frit (frits available).

Check with us for additional styles/volumes.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume                                                                           | Sale Qty. | Pk Price        | Code |
|-------------|-----------------------------------------------------------------------------------------|-----------|-----------------|------|
| <u>1231</u> | 19 mm ID x 300 mm L                                                                     | <u>1</u>  | <u>\$118.25</u> |      |
| <u>1377</u> | 22 mm ID x 350 mm L                                                                     | <u>1</u>  | <u>\$118.25</u> |      |
| <u>2549</u> | 10mm ID x 300 mm L<br>300 ml reservoir                                                  | <u>1</u>  | <u>\$118.25</u> |      |
| <u>2409</u> | 11 mm ID , 300 mm L<br>250 ml reservoir                                                 | <u>1</u>  | <u>\$80.00</u>  |      |
|             | Without stopcock- end is tooled to accept detachable Kimble Lubri-flo stopcock 41006F-2 |           |                 |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

Page 9

## Clip, Joint / Keck

Made of UHMW (ultra high molecular weight polyethylene)- an extremely tough plastic with high abrasion and wear resistance. Color coded; other colors may be available.

Some clips may be available in stock locally, with no minimum purchase charge.  
Please inquire.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #            | Size / Volume           | Sale Qty. | Pk Price       | Code      |
|-------------------|-------------------------|-----------|----------------|-----------|
| <u>SM-4225-11</u> | <u>#10, light green</u> | <u>10</u> | <u>\$22.95</u> | <u>SM</u> |
| <u>SM-4225-12</u> | <u>#12, violet</u>      | <u>10</u> | <u>\$22.95</u> | <u>SM</u> |
| <u>SM-4225-14</u> | <u>#14, yellow</u>      | <u>10</u> | <u>\$22.95</u> | <u>SM</u> |
| <u>SM-4225-18</u> | <u>#19, black</u>       | <u>10</u> | <u>\$26.02</u> | <u>SM</u> |
| <u>SM-4225-20</u> | <u>#24, blue</u>        | <u>10</u> | <u>\$30.59</u> | <u>SM</u> |
| <u>SM-4225-22</u> | <u>#29, purple</u>      | <u>10</u> | <u>\$33.67</u> | <u>SM</u> |
| <u>SM-4225-24</u> | <u>#34, orange</u>      | <u>10</u> | <u>\$36.74</u> | <u>SM</u> |
| <u>SM-4225-26</u> | <u>#40, yellow</u>      | <u>10</u> | <u>\$39.80</u> | <u>SM</u> |
| <u>SM-4225-28</u> | <u>#45, brown</u>       | <u>10</u> | <u>\$51.44</u> | <u>SM</u> |

## Clip, Joint / Keck. Economy- United Scientific

Plastic joint clips are designed to securely hold jointed glassware together. These are non-corrosive, and will not scratch glassware. Manufactured from polypropylene.

Outstanding chemical resistance.  
Maximum operating temperature  
of 135° C. Autoclavable



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #              | Size / Volume             | Sale Qty. | Pk Price       | Code      |
|---------------------|---------------------------|-----------|----------------|-----------|
| <u>CLJP1423PK10</u> | <u>#14 joints, yellow</u> | <u>10</u> | <u>\$9.68</u>  | <u>US</u> |
| <u>CLJP1926PK10</u> | <u>#19 joints, blue</u>   | <u>10</u> | <u>\$11.68</u> | <u>US</u> |
| <u>CLJP24-PK/10</u> | <u>#24 joints, green</u>  | <u>10</u> | <u>\$11.68</u> | <u>US</u> |
| <u>CLJP2932PK10</u> | <u>#29 joints, red</u>    | <u>10</u> | <u>\$15.00</u> | <u>US</u> |

## Column, Micro Distilling

3 chambers, ball-less; 19/22 joint, 150mm length.

Other dimensions also available- made to order.

2 column minimum purchase, please



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume        | Sale Qty. | Pk Price       | Code |
|-------------|----------------------|-----------|----------------|------|
| <u>1675</u> | <u>150 mm length</u> | <u>1</u>  | <u>\$36.50</u> |      |

## Column, Micro Snyder

No hooks, 19/22 bottom joint. 12 mm OD.

Other dimensions also available- made to order.

2 column minimum purchase, please



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume                          | Sale Qty. | Pk Price       | Code |
|-------------|----------------------------------------|-----------|----------------|------|
| <u>1674</u> | <u>2-ball, 170 mm length, 12 mm OD</u> | <u>1</u>  | <u>\$55.00</u> |      |
| <u>2116</u> | <u>3-ball, 170 mm length, 12 mm OD</u> | <u>1</u>  | <u>\$60.00</u> |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

## Column, Snyder, One Joint; Two Or Three Balls

One 24/40 joint, without hooks

| Part #         | Size / Volume                 | Sale Qty. | Pk Price       | Code |
|----------------|-------------------------------|-----------|----------------|------|
| <b>3 balls</b> |                               |           |                |      |
| <u>1269</u>    | <u>3 balls, 250 mm length</u> | <u>1</u>  | <u>\$67.00</u> |      |
| <u>1268</u>    | <u>3 balls, 300 mm length</u> | <u>1</u>  | <u>\$67.00</u> |      |
| <b>2 balls</b> |                               |           |                |      |
| <u>2223</u>    | <u>2 balls, 250 mm length</u> | <u>1</u>  | <u>\$60.00</u> |      |
| <u>2434</u>    | <u>2 balls, 300 mm length</u> | <u>1</u>  | <u>\$60.00</u> |      |

2 column minimum purchase, please

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



## Column, Snyder, Two Joints; Two Or Three Balls

Two 24/40 joints, without hooks

| Part #         | Size / Volume                 | Sale Qty. | Pk Price       | Code |
|----------------|-------------------------------|-----------|----------------|------|
| <b>3 balls</b> |                               |           |                |      |
| <u>1001</u>    | <u>3 balls, 250 mm length</u> | <u>1</u>  | <u>\$75.00</u> |      |
| <u>1003</u>    | <u>3 balls, 300 mm length</u> | <u>1</u>  | <u>\$75.00</u> |      |
| <b>2 balls</b> |                               |           |                |      |
| <u>1658</u>    | <u>2 balls, 250 mm length</u> | <u>1</u>  | <u>\$70.00</u> |      |
| <u>2433</u>    | <u>2 balls, 300 mm length</u> | <u>1</u>  | <u>\$70.00</u> |      |

2 column minimum purchase, please

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



## Flask, Kuderna Danish

Without hooks. 24/40 & 19/22 joints.

| Part #      | Size / Volume | Sale Qty. | Pk Price       | Code |
|-------------|---------------|-----------|----------------|------|
| <u>1012</u> | <u>250 ml</u> | <u>1</u>  | <u>\$60.00</u> |      |
| <u>1154</u> | <u>500 ml</u> | <u>1</u>  | <u>\$65.00</u> |      |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Receiver, Concentrator; Standard Or Insulated / Jacketed Tip

With or without graduations / hooks. 19/22 joint. **Available with insulated/jacketed tip.**

| Part #      | Size / Volume                                  | Sale Qty. | Pk Price       | Code |
|-------------|------------------------------------------------|-----------|----------------|------|
| <u>1025</u> | <u>10 ml</u>                                   | <u>1</u>  | <u>\$38.50</u> |      |
| <u>1222</u> | <u>10ml, ungraduated</u>                       | <u>1</u>  | <u>\$35.00</u> |      |
| <u>1247</u> | <u>10ml, insulated/jacketed tip</u>            | <u>1</u>  | <u>\$65.00</u> |      |
| <u>1221</u> | <u>15 ml. Graduated to 10 ml. line at 15</u>   | <u>1</u>  | <u>\$37.00</u> |      |
| <u>1224</u> | <u>25 ml. Graduated to 10 ml. line at 25ml</u> | <u>1</u>  | <u>\$38.85</u> |      |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

Page 11

## Tube, Evaporator; Buchi Syncore Analyst

Tube, evaporator; for Buchi Syncore Analyst. 48mm OD;  
tip graduated @1ml or 3ml. 2 tube minimum purchase.

| Part #      | Size / Volume   | Sale Qty. | Pk Price       | Code |
|-------------|-----------------|-----------|----------------|------|
| <u>2273</u> | <u>1 ml tip</u> | <u>1</u>  | <u>\$60.00</u> |      |
| <u>2410</u> | <u>3 ml tip</u> | <u>1</u>  | <u>\$60.00</u> |      |

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



## Tube, Evaporator; PowerVap by FMS


1ml tip or screw thread connection for Teflon GC vial union.  
Not graduated; custom graduations available.

Racks are also available.

| Part #      | Size / Volume                                                     | Sale Qty. | Pk Price       | Code |
|-------------|-------------------------------------------------------------------|-----------|----------------|------|
| <u>2252</u> | <u>1 ml tip, no graduations</u>                                   | <u>1</u>  | <u>\$32.00</u> |      |
| <u>2253</u> | <u>Screw thread connection</u><br><u>for Teflon GC vial union</u> | <u>1</u>  | <u>\$35.00</u> |      |
| <u>2312</u> | <u>Heavy-walled with beaded top,</u><br><u>1ml tip.</u>           | <u>1</u>  | <u>\$37.00</u> |      |

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



## Tube, Evaporator; Turbo-Vap

Custom sizes, tips, graduations, and racks are also  
available- made to order.

| Part #      | Size / Volume                                                          | Sale Qty. | Pk Price       | Code |
|-------------|------------------------------------------------------------------------|-----------|----------------|------|
|             | <b>200ml</b>                                                           |           |                |      |
| <u>1243</u> | <u>1 ml tip, no graduations</u>                                        | <u>1</u>  | <u>\$34.50</u> |      |
| <u>1244</u> | <u>1 ml tip, lines at 1 &amp; at 200 ml</u>                            | <u>1</u>  | <u>\$38.00</u> |      |
| <u>2550</u> | <u>1ml tip; lines at 1, 10, &amp; 200 ml</u>                           | <u>1</u>  | <u>\$41.00</u> |      |
| <u>2553</u> | <u>1ml tip; lines at 1, 10, &amp; 200 ml</u><br><u>with beaded top</u> | <u>1</u>  | <u>\$45.00</u> |      |
| <u>2077</u> | <u>.5 ml tip, no graduations</u>                                       | <u>1</u>  | <u>\$34.50</u> |      |
| <u>1802</u> | <u>.5 ml tip, lines at .5 &amp; 200 ml</u>                             | <u>1</u>  | <u>\$38.00</u> |      |
|             | <b>50ml</b>                                                            |           |                |      |
| <u>2450</u> | <u>1 ml tip, line at 1 ml</u>                                          | <u>1</u>  | <u>\$32.00</u> |      |

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge




## Condenser, Allihn

Many other condensers available- made to order.  
Please call or write

| Part #      | Size / Volume      | Sale Qty. | Pk Price        | Code |
|-------------|--------------------|-----------|-----------------|------|
| <u>1481</u> | <u>34/45 joint</u> | <u>1</u>  | <u>\$120.00</u> |      |
| <u>1004</u> | <u>45/50 joint</u> | <u>1</u>  | <u>\$140.00</u> |      |
| <u>1480</u> | <u>55/50 joint</u> | <u>1</u>  | <u>\$175.00</u> |      |
| <u>2532</u> | <u>71/60 joint</u> | <u>1</u>  | <u>\$285.00</u> |      |

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



Order minimums- combine with other products within the same  
code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

## Condenser, Graham

19/38 joint top, drip tip bottom



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume        | Sale Qty. | Pk Price        | Code |
|-------------|----------------------|-----------|-----------------|------|
| <u>1698</u> | <u>300 mm jacket</u> | <u>1</u>  | <u>\$135.00</u> |      |

## Bottle, Media; Clear & Amber. Economy-United Scientific

Autoclavable borosilicate glass media bottles with permanent graduations & marking spots. W/ GL 45 cap & drip-free ring; autoclavable to 140°C. Maximum use temperature of bottles is 450°C. Simax brand



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume         | Sale Qty. | Pk Price        | Code      |
|----------------|-----------------------|-----------|-----------------|-----------|
| <u>BM0100</u>  | <u>Clear 100 ml</u>   | <u>10</u> | <u>\$94.40</u>  | <u>US</u> |
| <u>BM0250</u>  | <u>Clear 250 ml</u>   | <u>10</u> | <u>\$106.40</u> | <u>US</u> |
| <u>BM0500</u>  | <u>Clear 500 ml</u>   | <u>10</u> | <u>\$115.20</u> | <u>US</u> |
| <u>BM1000</u>  | <u>Clear 1000 ml</u>  | <u>10</u> | <u>\$164.80</u> | <u>US</u> |
| <u>BM2000</u>  | <u>Clear 2000 ml</u>  | <u>4</u>  | <u>\$148.00</u> | <u>US</u> |
| <u>BM5000</u>  | <u>Clear 5000 ml</u>  | <u>1</u>  | <u>\$103.50</u> | <u>US</u> |
| <u>BM10000</u> | <u>Clear 10000 ml</u> | <u>1</u>  | <u>\$180.96</u> | <u>US</u> |
| <u>BM20000</u> | <u>Clear 20000 ml</u> | <u>1</u>  | <u>\$270.48</u> | <u>US</u> |
| <u>BMA0100</u> | <u>Amber 100 ml</u>   | <u>10</u> | <u>\$164.80</u> | <u>US</u> |
| <u>BMA0250</u> | <u>Amber 250 ml</u>   | <u>10</u> | <u>\$202.80</u> | <u>US</u> |
| <u>BMA0500</u> | <u>Amber 500 ml</u>   | <u>10</u> | <u>\$320.00</u> | <u>US</u> |
| <u>BMA1000</u> | <u>Amber 1000 ml</u>  | <u>10</u> | <u>\$479.20</u> | <u>US</u> |

## Bottle, Media; Clear. Corning

Includes linerless, one-piece autoclavable PP plug seal cap with drip free pouring rings (no rings on 25ml). Amber bottles and color-coded polypropylene caps in other colors are available. **Sold by the case.**



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume   | Sale Qty. | Pk Price        | Code |
|-----------------|-----------------|-----------|-----------------|------|
| <u>1395-25</u>  | <u>25 ml</u>    | <u>10</u> | <u>\$95.21</u>  |      |
| <u>1395-50</u>  | <u>50 ml</u>    | <u>10</u> | <u>\$97.59</u>  |      |
| <u>1395-100</u> | <u>100 ml</u>   | <u>10</u> | <u>\$97.28</u>  |      |
| <u>1395-150</u> | <u>150 ml</u>   | <u>10</u> | <u>\$99.67</u>  |      |
| <u>1395-250</u> | <u>250 ml</u>   | <u>10</u> | <u>\$108.08</u> |      |
| <u>1395-500</u> | <u>500 ml</u>   | <u>10</u> | <u>\$129.08</u> |      |
| <u>1395-750</u> | <u>750 ml</u>   | <u>10</u> | <u>\$133.10</u> |      |
| <u>1395-1L</u>  | <u>1000 ml</u>  | <u>10</u> | <u>\$158.53</u> |      |
| <u>1395-2L</u>  | <u>2000 ml</u>  | <u>10</u> | <u>\$417.49</u> |      |
| <u>1395-3X</u>  | <u>3500 ml</u>  | <u>1</u>  | <u>\$132.66</u> |      |
| <u>1395-5L</u>  | <u>5000 ml</u>  | <u>1</u>  | <u>\$140.96</u> |      |
| <u>1395-10L</u> | <u>10000 ml</u> | <u>1</u>  | <u>\$221.06</u> |      |

## Bottles, Wide Mouth; Polypropylene. Economy- United Scientific

These high density polyethylene wide mouth bottles are translucent, rigid, and have excellent strength. Include polypropylene caps.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #            | Size / Volume  | Sale Qty.  | Pk Price        | Code      |
|-------------------|----------------|------------|-----------------|-----------|
| <u>33406</u>      | <u>60 ml</u>   | <u>12</u>  | <u>\$13.13</u>  | <u>US</u> |
| <u>33406-BULK</u> | <u>60 ml</u>   | <u>500</u> | <u>\$298.13</u> | <u>US</u> |
| <u>33407</u>      | <u>125 ml</u>  | <u>12</u>  | <u>\$15.61</u>  | <u>US</u> |
| <u>33407-BULK</u> | <u>125 ml</u>  | <u>500</u> | <u>\$361.50</u> | <u>US</u> |
| <u>33408</u>      | <u>250 ml</u>  | <u>12</u>  | <u>\$23.35</u>  | <u>US</u> |
| <u>33408-BULK</u> | <u>250 ml</u>  | <u>250</u> | <u>\$303.41</u> | <u>US</u> |
| <u>33409</u>      | <u>500 ml</u>  | <u>12</u>  | <u>\$27.13</u>  | <u>US</u> |
| <u>33409-BULK</u> | <u>500 ml</u>  | <u>125</u> | <u>\$252.75</u> | <u>US</u> |
| <u>33410</u>      | <u>1000 ml</u> | <u>6</u>   | <u>\$22.44</u>  | <u>US</u> |
| <u>33410-BULK</u> | <u>1000 ml</u> | <u>50</u>  | <u>\$115.64</u> | <u>US</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Carboy, With Stopcock; Polypropylene. Economy- United Scientific

These polypropylene, autoclavable carboys are equipped with a preassembled leak-proof stopcock. Ideal for storing and dispensing various laboratory solutions. Threads should be completely disengaged before autoclaving.




Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                                 | Size / Volume                | Sale Qty. | Pk Price       | Code      |
|----------------------------------------|------------------------------|-----------|----------------|-----------|
| <b>Volume / OD x Height / Mouth ID</b> |                              |           |                |           |
| <u>34051</u>                           | <u>10 L / 250 x 430 / 67</u> | <u>1</u>  | <u>\$51.64</u> | <u>US</u> |
| <u>34052</u>                           | <u>20 L / 300 x 542 / 67</u> | <u>1</u>  | <u>\$73.15</u> | <u>US</u> |

## Container, Barrier; Multican

MultiCan® Barrier Containers offer a six-layer tech, a perfect fit for oxygen-sensitive contents and for liquids that tend to permeate, such as non-polar hydrocarbon compounds. EVOH barrier containers are particularly suitable for flavors and fragrances, but also for alcohols, paints and coatings, additives, as well as solvents and cleaning agents.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #              | Size / Volume                           | Sale Qty. | Pk Price       | Code |
|---------------------|-----------------------------------------|-----------|----------------|------|
| <u>405404-0005</u>  | <u>5 L, 55 mm cap</u>                   | <u>1</u>  | <u>\$19.61</u> |      |
| <u>405404-0010</u>  | <u>10 L, 55 mm cap</u>                  | <u>1</u>  | <u>\$29.03</u> |      |
| <u>405404-0020</u>  | <u>20 L, 55 mm cap</u>                  | <u>1</u>  | <u>\$49.09</u> |      |
| <u>405404-9990</u>  | <u>Multican Spout Cap, 90 Degree</u>    | <u>1</u>  | <u>\$20.81</u> |      |
| <u>405404-9999</u>  | <u>Multican Wrench, DIN61</u>           | <u>1</u>  | <u>\$44.58</u> |      |
| <u>405404-DIN61</u> | <u>Closure, TE DIN61 Black, HDPE 55</u> | <u>1</u>  | <u>\$3.52</u>  |      |
|                     | <u>-415mm</u>                           |           |                |      |

Prices subject to market volatility

## Crucible, Gooch Type. Economy- Eisco

With G3 / medium porosity sintered disc



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume | Sale Qty. | Pk Price       | Code      |
|----------------|---------------|-----------|----------------|-----------|
| <u>CH0465E</u> | <u>15 ml</u>  | <u>1</u>  | <u>\$16.11</u> | <u>EI</u> |
| <u>CH0465G</u> | <u>30 ml</u>  | <u>1</u>  | <u>\$16.90</u> | <u>EI</u> |
| <u>CH0465H</u> | <u>50 ml</u>  | <u>1</u>  | <u>\$18.82</u> | <u>EI</u> |

## Crucible, High Alumina. Economy- United Scientific

Conical form, unglazed, 99.7% alumina crucible. Maximum use temperature is 1750°C. Made of 99.7% pure aluminum oxide. Highly resistant to chemical attack, this alumina-ceramic ware is especially useful to chemists, metallurgists and others involved in high temperature work demanding contamination-free results. Also available- cylindrical form.

Shown: Tall Form



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #              | Size / Volume | Sale Qty. | Pk Price       | Code      |
|---------------------|---------------|-----------|----------------|-----------|
| <b>Conical Form</b> |               |           |                |           |
| <u>JAC020</u>       | <u>20 ml</u>  | <u>1</u>  | <u>\$28.56</u> | <u>US</u> |
| <u>JAC030</u>       | <u>30 ml</u>  | <u>1</u>  | <u>\$40.99</u> | <u>US</u> |
| <u>JAC050</u>       | <u>50 ml</u>  | <u>1</u>  | <u>\$48.27</u> | <u>US</u> |
| <u>JAC100</u>       | <u>100 ml</u> | <u>1</u>  | <u>\$68.60</u> | <u>US</u> |
| <b>Tall Form</b>    |               |           |                |           |
| <u>JAH010</u>       | <u>10 ml</u>  | <u>1</u>  | <u>\$22.87</u> | <u>US</u> |
| <u>JAH020</u>       | <u>20 ml</u>  | <u>1</u>  | <u>\$29.20</u> | <u>US</u> |
| <u>JAH050</u>       | <u>50 ml</u>  | <u>1</u>  | <u>\$37.77</u> | <u>US</u> |
| <u>JAH100</u>       | <u>100 ml</u> | <u>1</u>  | <u>\$58.63</u> | <u>US</u> |

Also available: Cylindrical Form

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Crucible, Porcelain High Form. Economy-United Scientific

Tall form crucibles include covers. Autoclavable. Withstand temperatures to 1150°C. To prevent thermal stress cracks, we strongly recommend a heating/cooling rate not exceeding 200°C per hour. **Low-form porcelain, nickel, stainless steel, high alumina, & quartz crucibles also available**



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part # | Size / Volume | Sale Qty. | Pk Price | Code |
|--------|---------------|-----------|----------|------|
| JCT013 | 1.3 ml        | 6         | \$19.92  | US   |
| JCT005 | 5 ml          | 6         | \$20.65  | US   |
| JCT010 | 10 ml         | 6         | \$23.59  | US   |
| JCT015 | 15 ml         | 6         | \$26.46  | US   |
| JCT025 | 25 ml         | 6         | \$28.67  | US   |
| JCT030 | 30 ml         | 6         | \$31.75  | US   |
| JCT040 | 40 ml         | 6         | \$33.60  | US   |
| JCT050 | 50 ml         | 6         | \$37.24  | US   |
| JCT100 | 100 ml        | 6         | \$53.55  | US   |
| JCT250 | 250 ml        | 6         | \$66.68  | US   |

**Low-form porcelain,  
 nickel, stainless steel,  
 & quartz crucibles also available**

## Crucible, Quartz Glass. Economy- United Scientific

Clear quartz glass crucibles are useful for analytical applications that require ashing of samples. Quartz material offers low expansion, dimensional stability, and thermal shock resistance. Can withstand a continuous operating temperature of 1050°C (1922°F). Quartz crucibles can be made in custom sizes; please contact us for details.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #               | Size / Volume | Sale Qty. | Pk Price | Code |
|----------------------|---------------|-----------|----------|------|
| <b>Crucible only</b> |               |           |          |      |
| CGO015               | 15 ml         | 1         | \$31.68  | US   |
| CGO025               | 25 ml         | 1         | \$47.78  | US   |
| CGO050               | 50 ml         | 1         | \$63.70  | US   |
| CGO080               | 80 ml         | 1         | \$121.45 | US   |
| CGO100               | 100 ml        | 1         | \$142.10 | US   |
| CGO150               | 150 ml        | 1         | \$171.15 | US   |
| <b>Matching Lids</b> |               |           |          |      |
| CGO015-L             | for 15 ml     | 1         | \$29.33  | US   |
| CGO025-L             | for 25 ml     | 1         | \$43.05  | US   |
| CGO050-L             | for 50 ml     | 1         | \$56.88  | US   |
| CGO080-L             | for 80 ml     | 1         | \$107.80 | US   |
| CGO100-L             | for 100 ml    | 1         | \$129.85 | US   |
| CGO150-L             | for 150 ml    | 1         | \$164.50 | US   |

## Crucible, Stainless Steel. Economy-United Scientific

Unibody construction from Type 304 stainless steel. Can withstand temperatures from -180°C to 800°C. Covers included.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part # | Size / Volume | Sale Qty. | Pk Price | Code |
|--------|---------------|-----------|----------|------|
| SSR015 | 15 ml         | 1         | \$10.29  | US   |
| SSR020 | 20 ml         | 1         | \$10.78  | US   |
| SSR025 | 25 ml         | 1         | \$11.59  | US   |
| SSR030 | 30 ml         | 1         | \$12.15  | US   |
| SSR050 | 50 ml         | 1         | \$15.47  | US   |
| SSR100 | 100 ml        | 1         | \$21.67  | US   |

## Dish, Drying; Pyrex Borosilicate. Corning

Made of Type I Class A Low-Expansion Borosilicate glass. Do not place over direct heat, for oven use only. Due to the thick walls on this product, it is CRITICAL that the heating and cooling cycles be slow and even.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #  | Size / Volume             | Sale Qty. | Pk Price | Code |
|---------|---------------------------|-----------|----------|------|
| 3175-7  | Approx. 272 X 179 X 50 MM | 4         | \$72.85  |      |
| 3175-8  | Approx. 201 x 201 x 55 MM | 4         | \$70.87  |      |
| 3175-10 | Approx. 349 x 249 x 60 MM | 4         | \$111.20 |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
 NW TechGlass 503-348-3024

## Cylinder, Graduated TC, Class A; Batch Certified. Economy- United Scientific

Cylinders comply with ASTM E1272, Class A standards, batch certified. **Double metric scale, calibrated to contain.** All cylinders come with bumper guards.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|--------------------|----------------|-----------|----------------|-----------|
| <u>CY3021-10</u>   | <u>10 ml</u>   | <u>1</u>  | <u>\$9.21</u>  | <u>US</u> |
| <u>CY3021-25</u>   | <u>25 ml</u>   | <u>1</u>  | <u>\$12.95</u> | <u>US</u> |
| <u>CY3021-50</u>   | <u>50 ml</u>   | <u>1</u>  | <u>\$14.00</u> | <u>US</u> |
| <u>CY3021-100</u>  | <u>100 ml</u>  | <u>1</u>  | <u>\$15.12</u> | <u>US</u> |
| <u>CY3021-250</u>  | <u>250 ml</u>  | <u>1</u>  | <u>\$20.83</u> | <u>US</u> |
| <u>CY3021-500</u>  | <u>500 ml</u>  | <u>1</u>  | <u>\$37.24</u> | <u>US</u> |
| <u>CY3021-1000</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$62.65</u> | <u>US</u> |
| <u>CY3021-2000</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$95.55</u> | <u>US</u> |

## Cylinder, Graduated TC, Class A; Ind. Serialized And Certified. United Scientific

United Scientific cylinders comply with ASTM E1272, Class A standards, Serialized and individually certified. **Double metric scale, calibrated to contain.** All cylinders come with bumper guards. United Scientific brand.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price        | Code      |
|--------------------|----------------|-----------|-----------------|-----------|
| <u>CY3020-10</u>   | <u>5 ml</u>    | <u>1</u>  | <u>\$28.99</u>  | <u>US</u> |
| <u>CY3020-25</u>   | <u>25 ml</u>   | <u>1</u>  | <u>\$32.51</u>  | <u>US</u> |
| <u>CY3020-50</u>   | <u>50 ml</u>   | <u>1</u>  | <u>\$34.05</u>  | <u>US</u> |
| <u>CY3020-100</u>  | <u>100 ml</u>  | <u>1</u>  | <u>\$40.58</u>  | <u>US</u> |
| <u>CY3020-250</u>  | <u>250 ml</u>  | <u>1</u>  | <u>\$64.13</u>  | <u>US</u> |
| <u>CY3020-500</u>  | <u>500 ml</u>  | <u>1</u>  | <u>\$88.88</u>  | <u>US</u> |
| <u>CY3020-1000</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$168.38</u> | <u>US</u> |
| <u>CY3020-2000</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$240.38</u> | <u>US</u> |

## Cylinder, Graduated TD, Class A Batch Certified. Economy- United Scientific

United Scientific™ graduated cylinders comply with ASTM E1272, Class A standards, batch certified. Each cylinder features a **double metric scale**, calibrated to deliver. Borosilicate glass 3.3 cylinders with pour spouts feature heavy uniform wall tubing and attached glass hexagonal bases. All cylinders include bumper guards and a batch calibration certificate.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price        | Code      |
|--------------------|----------------|-----------|-----------------|-----------|
| <u>UNBCCTD5</u>    | <u>5 ml</u>    | <u>2</u>  | <u>\$26.08</u>  | <u>US</u> |
| <u>UNBCCTD10</u>   | <u>10 ml</u>   | <u>2</u>  | <u>\$26.08</u>  | <u>US</u> |
| <u>UNBCCTD25</u>   | <u>25 ml</u>   | <u>2</u>  | <u>\$29.72</u>  | <u>US</u> |
| <u>UNBCCTD50</u>   | <u>50 ml</u>   | <u>2</u>  | <u>\$30.77</u>  | <u>US</u> |
| <u>UNBCCTD100</u>  | <u>100 ml</u>  | <u>2</u>  | <u>\$31.58</u>  | <u>US</u> |
| <u>UNBCCTD250</u>  | <u>250 ml</u>  | <u>2</u>  | <u>\$52.89</u>  | <u>US</u> |
| <u>UNBCCTD500</u>  | <u>500 ml</u>  | <u>2</u>  | <u>\$62.00</u>  | <u>US</u> |
| <u>UNBCCTD1000</u> | <u>1000 ml</u> | <u>2</u>  | <u>\$119.36</u> | <u>US</u> |
| <u>UNBCCTD2000</u> | <u>2000 ml</u> | <u>2</u>  | <u>\$195.20</u> | <u>US</u> |

## Cylinder, Graduated TD, Class A ; Batch Certified; Corning

Calibrated "To Deliver" in accordance with ASTM E-1272 and ASTM E-542. The **double scale**, numbered up and down, is in durable white (3023) or blue (3026) enamel. With shock absorbing polyethylene bumper guards.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume         | Sale Qty. | Pk Price        | Code |
|-----------------|-----------------------|-----------|-----------------|------|
| <u>3023-25</u>  | <u>25 ml: white</u>   | <u>18</u> | <u>\$408.63</u> |      |
| <u>3023-50</u>  | <u>50 ml: white</u>   | <u>18</u> | <u>\$469.74</u> |      |
| <u>3023-100</u> | <u>100 ml: white</u>  | <u>12</u> | <u>\$373.73</u> |      |
| <u>3023-250</u> | <u>250 ml: white</u>  | <u>12</u> | <u>\$500.10</u> |      |
| <u>3023-500</u> | <u>500 ml: white</u>  | <u>8</u>  | <u>\$481.84</u> |      |
| <u>3023-1L</u>  | <u>1000 ml: white</u> | <u>1</u>  | <u>\$94.76</u>  |      |
| <u>3023-2L</u>  | <u>2000 ml: white</u> | <u>1</u>  | <u>\$151.54</u> |      |
| <u>3026-25</u>  | <u>25 ml: blue</u>    | <u>18</u> | <u>\$445.25</u> |      |
| <u>3026-50</u>  | <u>50 ml: blue</u>    | <u>18</u> | <u>\$457.22</u> |      |
| <u>3026-100</u> | <u>100 ml: blue</u>   | <u>12</u> | <u>\$363.67</u> |      |
| <u>3026-250</u> | <u>250 ml: blue</u>   | <u>12</u> | <u>\$502.52</u> |      |
| <u>3026-500</u> | <u>500 ml: blue</u>   | <u>8</u>  | <u>\$468.79</u> |      |
| <u>3026-1L</u>  | <u>1000 ml: blue</u>  | <u>1</u>  | <u>\$88.01</u>  |      |
| <u>3026-2L</u>  | <u>2000 ml: blue</u>  | <u>1</u>  | <u>\$142.76</u> |      |


Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Cylinder, Graduated TD, Class A; Ind. Serialized & Certified. Corning

Calibrated "To Deliver" in accordance with ASTM E-1272 and ASTM E-542. The **single scale** is in durable white enamel. With shock absorbing polyethylene bumper guards.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume  | Sale Qty. | Pk Price        | Code |
|-----------------|----------------|-----------|-----------------|------|
| <u>3062-10</u>  | <u>10 ml</u>   | <u>1</u>  | <u>\$101.73</u> |      |
| <u>3062-25</u>  | <u>25 ml</u>   | <u>1</u>  | <u>\$119.76</u> |      |
| <u>3062-50</u>  | <u>50 ml</u>   | <u>1</u>  | <u>\$114.55</u> |      |
| <u>3062-100</u> | <u>100 ml</u>  | <u>1</u>  | <u>\$118.20</u> |      |
| <u>3062-250</u> | <u>250 ml</u>  | <u>1</u>  | <u>\$133.58</u> |      |
| <u>3062-500</u> | <u>500 ml</u>  | <u>1</u>  | <u>\$161.38</u> |      |
| <u>3062-1L</u>  | <u>1000 ml</u> | <u>1</u>  | <u>\$198.70</u> |      |
| <u>3062-2L</u>  | <u>2000 ml</u> | <u>1</u>  | <u>\$309.46</u> |      |

## Cylinder, Graduated TD, Class A; Ind. Serialized And Certified. United Scientific

United Scientific™ graduated cylinders comply with ASTM E1272, Class A standards. They are individually serialized and certified. Each cylinder features a double metric scale, calibrated to deliver. Borosilicate glass 3.3 cylinders with pour spouts feature heavy uniform wall tubing and attached glass hexagonal bases. All cylinders include bumper guards and an individually certified certificate.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price        | Code      |
|--------------------|----------------|-----------|-----------------|-----------|
| <u>UNICCTD5</u>    | <u>5 ml</u>    | <u>1</u>  | <u>\$20.55</u>  | <u>US</u> |
| <u>UNICCTD10</u>   | <u>10 ml</u>   | <u>1</u>  | <u>\$20.55</u>  | <u>US</u> |
| <u>UNICCTD25</u>   | <u>25 ml</u>   | <u>1</u>  | <u>\$21.98</u>  | <u>US</u> |
| <u>UNICCTD50</u>   | <u>50 ml</u>   | <u>1</u>  | <u>\$23.03</u>  | <u>US</u> |
| <u>UNICCTD100</u>  | <u>100 ml</u>  | <u>1</u>  | <u>\$27.45</u>  | <u>US</u> |
| <u>UNICCTD250</u>  | <u>250 ml</u>  | <u>1</u>  | <u>\$45.53</u>  | <u>US</u> |
| <u>UNICCTD500</u>  | <u>500 ml</u>  | <u>1</u>  | <u>\$67.00</u>  | <u>US</u> |
| <u>UNICCTD1000</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$135.58</u> | <u>US</u> |
| <u>UNICCTD2000</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$197.20</u> | <u>US</u> |

## Cylinder, Graduated, Class B Double Scale. Economy- United Scientific

United Scientific™ graduated cylinders comply with ASTM E1272, Class B standards. Each cylinder features a double metric scale, calibrated to contain. Borosilicate glass cylinders with pour spouts feature heavy uniform wall tubing and attached glass hexagonal bases. All cylinders include PP bumper guards.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #               | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|----------------------|----------------|-----------|----------------|-----------|
| <u>UNCYLNGB-5</u>    | <u>5 ml</u>    | <u>2</u>  | <u>\$9.28</u>  | <u>US</u> |
| <u>UNCYLNGB-10</u>   | <u>10 ml</u>   | <u>2</u>  | <u>\$10.19</u> | <u>US</u> |
| <u>UNCYLNGB-25</u>   | <u>25 ml</u>   | <u>2</u>  | <u>\$12.53</u> | <u>US</u> |
| <u>UNCYLNGB-50</u>   | <u>50 ml</u>   | <u>2</u>  | <u>\$13.58</u> | <u>US</u> |
| <u>UNCYLNGB-100</u>  | <u>100 ml</u>  | <u>2</u>  | <u>\$15.26</u> | <u>US</u> |
| <u>UNCYLNGB-250</u>  | <u>250 ml</u>  | <u>1</u>  | <u>\$12.78</u> | <u>US</u> |
| <u>UNCYLNGB-500</u>  | <u>500 ml</u>  | <u>1</u>  | <u>\$16.56</u> | <u>US</u> |
| <u>UNCYLNGB-1000</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$26.36</u> | <u>US</u> |
| <u>UNCYLNGB-2000</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$44.06</u> | <u>US</u> |

## Cylinder, Graduated; Polypropylene . Economy- Eisco

U.S.sourced plastic. Translucent rigid construction and superior optical clarity. Easy to read, raised graduations. Octagonal base for extra stability. Microwavable and resistant to fatigue for long term durability. High heat tolerance with a temperature range of -20 to +135°C. Autoclavable at 121°C for easy cleaning and sterilization.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|----------------|----------------|-----------|----------------|-----------|
| <u>CH0354A</u> | <u>10 ml</u>   | <u>1</u>  | <u>\$1.93</u>  | <u>EI</u> |
| <u>CH0354B</u> | <u>25 ml</u>   | <u>1</u>  | <u>\$2.49</u>  | <u>EI</u> |
| <u>CH0354C</u> | <u>50 ml</u>   | <u>1</u>  | <u>\$2.63</u>  | <u>EI</u> |
| <u>CH0354D</u> | <u>100 ml</u>  | <u>1</u>  | <u>\$2.87</u>  | <u>EI</u> |
| <u>CH0354E</u> | <u>250 ml</u>  | <u>1</u>  | <u>\$5.19</u>  | <u>EI</u> |
| <u>CH0354F</u> | <u>500 ml</u>  | <u>1</u>  | <u>\$6.47</u>  | <u>EI</u> |
| <u>CH0354G</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$15.64</u> | <u>EI</u> |
| <u>CH0354H</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$38.89</u> | <u>EI</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Cylinder, Hydrometer. Economy- United Scientific

Made from borosilicate glass, these cylinders have a beaded top with a pouring spout and a round base for stability.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #           | Size / Volume                       | Sale Qty. | Pk Price       | Code      |
|------------------|-------------------------------------|-----------|----------------|-----------|
| <u>HYC500</u>    | <u>500 ml: 53 x 323 mm</u>          | <u>1</u>  | <u>\$26.64</u> | <u>US</u> |
| <u>HYC600</u>    | <u>600 ml: 53 x 409 mm</u>          | <u>1</u>  | <u>\$38.08</u> | <u>US</u> |
| <u>HYC1000-G</u> | <u>1000 ml: 67 x 460 mm (soils)</u> | <u>1</u>  | <u>\$40.24</u> | <u>US</u> |
| <u>HYC1200</u>   | <u>1200 ml: 67 x 473 mm</u>         | <u>1</u>  | <u>\$47.40</u> | <u>US</u> |

HYC1000-G has a line at 1000 ml  
for soil testing

## Condenser; Cools And Collects Vapor From Digestions

Drains via GL14 connection to waste container.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume | Sale Qty. | Pk Price        | Code |
|-------------|---------------|-----------|-----------------|------|
| <u>2423</u> |               | <u>1</u>  | <u>\$700.00</u> |      |

## Manifold, Fume, 8-port; For Foss TKN Digestor

Add \$75.00 to replace the hose barb with a GL18 (or GL14) screw-thread connection (includes cap and barb), for stress-free hose removal. As with most glass, repairs are available as well.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume | Sale Qty. | Pk Price        | Code      |
|-------------|---------------|-----------|-----------------|-----------|
| <u>2518</u> | <u>8 port</u> | <u>1</u>  | <u>\$750.00</u> | <u>US</u> |

## Tube, Block Digestion, TKN

Straight-sided tubes compatible with Foss/Tecator, Gerhardt, Labconco, Environmental Express.

Also available: boiling rods



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume                       | Sale Qty. | Pk Price        | Code |
|-------------|-------------------------------------|-----------|-----------------|------|
| <u>1594</u> | <u>250ml. 42mm OD. 300mm length</u> | <u>1</u>  | <u>\$30.00</u>  |      |
| <u>2254</u> | <u>100ml. 26mm OD. 300mm length</u> | <u>1</u>  | <u>\$22.50</u>  |      |
|             | <u>6 tube minimum order, please</u> |           |                 |      |
| <u>2304</u> | <u>Boiling rods for above</u>       | <u>6</u>  | <u>\$132.00</u> |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.


Prices subject to change

NW TechGlass 503-348-3024

## Adapters, Distillation / Vacuum

All shown with 24/40 joints. Please call or write for additional options

| Part #      | Size / Volume                        | Sale Qty. | Pk Price       | Code |
|-------------|--------------------------------------|-----------|----------------|------|
| <u>2179</u> | <u>Vacuum, straight, full length</u> | <u>1</u>  | <u>\$70.00</u> |      |
| <u>2180</u> | <u>Vacuum, angled 105 deg.</u>       | <u>1</u>  | <u>\$74.00</u> |      |
| <u>2181</u> | <u>Three-way, 75 deg.</u>            | <u>1</u>  | <u>\$65.00</u> |      |
| <u>2088</u> | <u>Bent, 75 degrees</u>              | <u>1</u>  | <u>\$42.00</u> |      |




Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Dist. Glassware, Ammonia & Phenol; Comp. With Kontes Midi-Vap 4000

Compatible with Kimble® 479490-4000 Kontes® Midi-Vap 4000™ Ammonia & Phenol Distillation System

| Part #        | Size / Volume                               | Sale Qty. | Pk Price        | Code |
|---------------|---------------------------------------------|-----------|-----------------|------|
| <u>2238-0</u> | <u>Complete (glass only)</u>                | <u>1</u>  | <u>\$553.50</u> |      |
| <u>2238-1</u> | <u>Universal Cold Finger Condenser</u>      | <u>1</u>  | <u>\$60.00</u>  |      |
| <u>2238-2</u> | <u>Dist. Head For Ammonia / Phenols</u>     | <u>1</u>  | <u>\$300.00</u> |      |
| <u>2238-3</u> | <u>50ml Reaction Tube With Draft Shield</u> | <u>1</u>  | <u>\$87.50</u>  |      |
|               | <u>For Ammonia / Phenols</u>                | <u>1</u>  | <u>\$62.00</u>  |      |
| <u>2238-4</u> | <u>Short Outlet Tube For Phenol</u>         | <u>1</u>  | <u>\$22.00</u>  |      |
| <u>2238-5</u> | <u>Long Outlet Tube For Ammonia</u>         | <u>1</u>  | <u>\$22.00</u>  |      |
| <u>2238-6</u> | <u>50ml Receiver Tube For Ammonia /</u>     | <u>1</u>  | <u>\$62.00</u>  |      |
|               | <u>Phenols</u>                              |           |                 |      |



Mix/match within these codes:


US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Dist. Glassware, Cyanide; Compatible With Kontes Midi-Vap 3000 & 4000

Compatible with Kimble® Kontes® Midi-Vap 3000 & 4000 Cyanide Distillation Systems. 29/42 joints

As of Jan. 2026, we have many used, in good-condition parts available. Please contact us for pricing.

| Part #        | Size / Volume                         | Sale Qty. | Pk Price        | Code |
|---------------|---------------------------------------|-----------|-----------------|------|
| <u>1797-0</u> | <u>Complete- glass only</u>           | <u>1</u>  | <u>\$406.00</u> |      |
| <u>1797-1</u> | <u>Distillation head</u>              | <u>1</u>  | <u>\$150.00</u> |      |
| <u>1797-2</u> | <u>Universal cold finger</u>          | <u>1</u>  | <u>\$60.00</u>  |      |
| <u>1797-3</u> | <u>Dispersion tube w/ coarse frit</u> | <u>1</u>  | <u>\$88.00</u>  |      |
| <u>1797-4</u> | <u>Reaction / absorber tube</u>       | <u>1</u>  | <u>\$54.00</u>  |      |
|               | <u>(two needed)</u>                   |           |                 |      |




Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Distillation Apparatus; Compat. W/ Kontes Midi-vap 3000 Ammonia/phenol

Includes tube (-1), distilling head 3"(-2) or 4.5" (-3), Anti-siphon adapter (-4)

| Part #        | Size / Volume                 | Sale Qty. | Pk Price        | Code |
|---------------|-------------------------------|-----------|-----------------|------|
| <u>1974-0</u> | <u>Complete- glass only</u>   | <u>1</u>  | <u>\$536.00</u> |      |
| <u>1974-1</u> | <u>Tube</u>                   | <u>1</u>  | <u>\$54.00</u>  |      |
| <u>1974-2</u> | <u>3" distillation head</u>   | <u>1</u>  | <u>\$200.00</u> |      |
| <u>1974-3</u> | <u>4.5" distillation head</u> | <u>1</u>  | <u>\$200.00</u> |      |
| <u>1974-4</u> | <u>Anti-siphon adapter</u>    | <u>1</u>  | <u>\$82.00</u>  |      |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change


NW TechGlass 503-348-3024

Page 19

## Distillation, Midi Cyanide; Complete

Andrew's Glass (Lab Crest) type. Tubes use 24/40 joints.  
As of Jan. 2026, we have many used, in good-condition parts available. Please contact us for pricing.

| Part #        | Size / Volume                   | Sale Qty. | Pk Price        | Code |
|---------------|---------------------------------|-----------|-----------------|------|
| <u>1683-1</u> | <u>Distillation head</u>        | <u>1</u>  | <u>\$118.25</u> |      |
| <u>1683-2</u> | <u>Cold finger</u>              | <u>1</u>  | <u>\$56.44</u>  |      |
| <u>1683-3</u> | <u>Dispersion tube, fritted</u> | <u>1</u>  | <u>\$86.00</u>  |      |
| <u>1683-4</u> | <u>Reaction/receiver tube</u>   | <u>2</u>  | <u>\$54.00</u>  |      |




Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Tube, Block Distillation; Compatible W/ Environmental Express SimpleDist

Threaded or straight top


| Part #      | Size / Volume             | Sale Qty. | Pk Price       | Code |
|-------------|---------------------------|-----------|----------------|------|
| <u>2102</u> | <u>50 ml, threaded</u>    | <u>1</u>  | <u>\$62.00</u> |      |
| <u>2521</u> | <u>50ml, not threaded</u> | <u>1</u>  | <u>\$23.50</u> |      |



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Chemistry Kit, Macroscale; With 19/22 Joints.

Includes case. Contains 14 laboratory glassware components most commonly used for small scale organic procedures. May be configured to your specifications. Please contact us for more details regarding LabGlass chemistry kits.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #              | Size / Volume                       | Sale Qty. | Pk Price        | Code      |
|---------------------|-------------------------------------|-----------|-----------------|-----------|
| <u>LK-13001-102</u> | <u>19/22 joints; includes case.</u> | <u>1</u>  | <u>\$720.43</u> | <b>LG</b> |

## Chemistry Kit, Micro & Macro Scale; Corning

Please contact us for more details regarding Corning chemistry kits.

| Part #         | Size / Volume                          | Sale Qty. | Pk Price          | Code |
|----------------|----------------------------------------|-----------|-------------------|------|
| <u>6949</u>    | <u>24/40 joint components</u>          | <u>1</u>  | <u>\$1,017.08</u> |      |
| <u>6949E</u>   | <u>19/22 joint components</u>          | <u>1</u>  | <u>\$811.55</u>   |      |
| <u>6949K</u>   | <u>14/10 joint components</u>          | <u>1</u>  | <u>\$806.65</u>   |      |
| <u>6949M-4</u> | <u>14/10 threaded joint components</u> | <u>1</u>  | <u>\$543.06</u>   |      |
| <u>6949M-1</u> | <u>7/10 - 14/10 joint components</u>   | <u>1</u>  | <u>\$631.07</u>   |      |



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

## Chemistry Kit, Microscale; Standard Microscale Kit With 14/10 Joints

| Part #              | Size / Volume       | Sale Qty. | Pk Price        | Code      |
|---------------------|---------------------|-----------|-----------------|-----------|
| <u>LK-15000-120</u> | <u>14/10 joints</u> | <u>1</u>  | <u>\$419.42</u> | <u>LG</u> |

LabGlass's Standard 14/10 Microscale Kit has the components required for a majority of experiments described in Microscale and Macroscale Techniques in the Organic Laboratory. LabGlass brand.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Chemistry Kit, Organic Starter. Economy- United Scientific

| Part #           | Size / Volume                                              | Sale Qty. | Pk Price        | Code      |
|------------------|------------------------------------------------------------|-----------|-----------------|-----------|
| <u>ORGKIT-16</u> | <u>Organic chemistry kit. 16 pcs</u>                       | <u>1</u>  | <u>\$232.48</u> | <u>US</u> |
| <u>4</u>         | <u>Air Leak/Steam Inlet Tube (inner 19/26)</u>             |           |                 |           |
| <u>5</u>         | <u>Rnd Bottom Flask (250ml: out 24/29)</u>                 |           |                 |           |
| <u>6</u>         | <u>Erlenmeyer Flask (250ml: outer 24/29)</u>               |           |                 |           |
| <u>7</u>         | <u>Red. Adapter (outer 19/26, in 24/29)</u>                |           |                 |           |
| <u>8</u>         | <u>Rnd Bottom Flask (100ml) (out 24/29)</u>                |           |                 |           |
| <u>9</u>         | <u>Receiver Adapter w/ Vent (outer 19/26, inner 24/29)</u> |           |                 |           |
| <u>10</u>        | <u>Multi Adapter (out 19/26, inner 24/29)</u>              |           |                 |           |
| <u>11</u>        | <u>Rnd Bottom Flask (50ml) (outer 24/29)</u>               |           |                 |           |
| <u>12-14</u>     | <u>Stopper, 19/26 x 2, 24/29 x 1</u>                       |           |                 |           |
| <u>15</u>        | <u>Rcvr Del. Adapt. L. Stem (outer 19/26)</u>              |           |                 |           |
| <u>16</u>        | <u>Liebig Cond. (out 19/26, inner 19/26)</u>               |           |                 |           |

This deluxe set is designed for organic chemistry labs and is suitable for preparations up to 150g. All glassware is jointed. Includes a sturdy storage box with foam insert.

1- Still Head, (inner jt.14/23, out 19/26)

2- Drop. Funnel (100ml) (out/in 19/26)

3- Thermometer Pocket (inner 14/23)

.....continued at right



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Chemistry Kit, Organic Starter. Economy- United Scientific

| Part #           | Size / Volume                                       | Sale Qty. | Pk Price        | Code      |
|------------------|-----------------------------------------------------|-----------|-----------------|-----------|
| <u>ORGKIT-09</u> | <u>9 piece starter organic chem kit</u>             | <u>1</u>  | <u>\$128.25</u> | <u>US</u> |
| <u>1</u>         | <u>Dropping Funnel (50ml with Rotoflo stopcock)</u> |           |                 |           |
| <u>2</u>         | <u>Receiver Delivery Adapter, Long Stem</u>         |           |                 |           |
| <u>3</u>         | <u>Stopper for Dropping Funnel</u>                  |           |                 |           |
| <u>4</u>         | <u>Screw Cap Adapter</u>                            |           |                 |           |
| <u>5</u>         | <u>Air Leak / Steam Inlet Tube</u>                  |           |                 |           |
| <u>6</u>         | <u>Thermometer</u>                                  |           |                 |           |
| <u>7</u>         | <u>Boiling Flask (50ml)</u>                         |           |                 |           |
| <u>8</u>         | <u>Still Head</u>                                   |           |                 |           |
| <u>9</u>         | <u>Liebig Condenser</u>                             |           |                 |           |

This starter set is designed for organic chemistry labs and is suitable for small-scale procedures up to 30g. All of the ground glass components in this set have a joint size of 14/23. Includes a sturdy storage box with foam insert.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Freezers, Ultra Low Temperature With Climate-Neutral Refrigerants. Binder

| Part # | Size / Volume | Sale Qty. | Pk Price | Code |
|--------|---------------|-----------|----------|------|
|--------|---------------|-----------|----------|------|

-Temperature range: -90 °C to -40 °C  
-Lowest energy consumption in its class  
-Environmentally-friendly refrigerants R-290 and R-170  
-Efficient thermal insulation with vacuum insulation panels  
-Rust-proof interior made completely of stainless steel.  
-Sizes: 16.8 cu. ft., & 24.7 cu. ft.  
See at [binder-world.com](http://binder-world.com)



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

[See at: binder-world.com](http://binder-world.com)

Please contact us for more info.  
[availability, and best pricing](#)

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

Page 21

## Incubator, Refrigerated - BOD; Peltier Cooled. Shel Lab

<https://www.sheldonmanufacturing.com/refrigerated-incubators>

P.I.D. Temperature Control

LED Display of Setpoint and Chamber Temperature

Interior Electrical Outlet

Door Ajar Alarm

Fan Assisted/Forced-Air Circulation

24 Month Limited Warranty



Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge

| Part #        | Size / Volume                | Sale Qty. | Pk Price          | Code |
|---------------|------------------------------|-----------|-------------------|------|
| <u>SRI3P</u>  | <u>3.5 cu.ft. (99 L)</u>     | <u>1</u>  | <u>\$3,769.75</u> |      |
| <u>SRI6P</u>  | <u>6.5 cu.ft. (185.5 L)</u>  | <u>1</u>  | <u>\$4,898.55</u> |      |
| <u>SRI20P</u> | <u>19.3 cu.ft. (546.6 L)</u> | <u>1</u>  | <u>\$6,855.25</u> |      |

### Operating Temperature Range:

15C to 40C at 25C Ambient

Temp. Uniformity - Midrange: 0.5 °C

Temp. Stability - Midrange: .1 °C

## Incubator, Refrigerated. Binder

Binder offers refrigerated (and non-cooled) incubators with either thermoelectric or compressor refrigeration technology, in volumes from .7 cu. ft to 24.6 cu. ft.

Refrigeration provides safe, reproducible incubation, even at high ambient temperatures. All units have: Controller

with time-segment and real-time

programming, adjustable fan speed,

inner door of tempered safety glass.



Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge

| Part # | Size / Volume | Sale Qty. | Pk Price | Code |
|--------|---------------|-----------|----------|------|
|--------|---------------|-----------|----------|------|

### Electric cooling w/ Peltier module:

Temperature range: +4 °C to +100 °C

-Data recording and USB interface

### With compressor technology:

-Temp. range (Model 23): 0 to 100 °C

-Temperature range (Models 53, 115,

240, 400, 720): -10 °C to 100 °C

-Door heating system from 240 liters

Please contact us for more info.

availability, and best pricing

See at: binder-world.com

## Oven, Drying And Heating. Binder

Binder has multiple lines of forced-air and gravity convection ovens, heating to 300 deg., in sizes from .7 cu. ft. to 26.2 cu. ft. Please contact us for more information, or visit [binder-world.com](http://binder-world.com), and come back to purchase through Northwest TechGlass.



Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge

| Part # | Size / Volume | Sale Qty. | Pk Price | Code |
|--------|---------------|-----------|----------|------|
|--------|---------------|-----------|----------|------|

Please visit binder-world.com

for more product information,

and contact us for the best pricing

## Oven, Gravity; Shel Lab

<https://www.sheldonmanufacturing.com/gravity-convection-ovens>

Triple wall construction

Microprocessor Controls

Superb Temperature Control

Digital Timer to 99hr and 59 min

3 Shelves

24 Month Limited Warranty



Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge

| Part # | Size / Volume | Sale Qty. | Pk Price | Code |
|--------|---------------|-----------|----------|------|
|--------|---------------|-----------|----------|------|

SGO3

Volume: 3.0 cu.ft. (85.0 L)

1

\$3,116.95

### Exterior Dimensions (W × D × H)

26.9 × 28.6 × 34

### Interior Dimensions (W × D × H)

16.5 × 19.5 × 16.2

Interior: 430SST. Ext: Painted Steel

Range: Amb +20 - 306C

Uniformity, Midrange: 3.5 °C

Stability, Midrange: 0.3 °C

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Ovens, Forced Air. Shel Lab

<https://www.sheldonmanufacturing.com/forced-air-ovens>

Embedded Microprocessor Control with Countdown Timer  
Horizontal Forced Airflow  
1.75in (45 mm) Access Port  
UL/CSA Approved  
DIN 12880 Compliant  
24 Month Limited Warranty



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume                                                                                                                                                | Sale Qty. | Pk Price          | Code |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------|------|
| <u>SMO1</u> | <u>Volume: 1.4 cu.ft. (39.4 L)</u><br><u>110-120 VAC, 50/60 Hz, 14.0 Amps</u>                                                                                | <u>1</u>  | <u>\$3,201.83</u> |      |
| <u>SMO3</u> | <u>Volume: 3.0 cu.ft. (85.0 L)</u><br><u>110-120 VAC, 50/60 Hz, 14.0 Amps</u>                                                                                | <u>1</u>  | <u>\$3,522.75</u> |      |
| <u>SMO5</u> | <u>Volume: 4.9 cu.ft. (138.0 L)</u><br><u>110-120 VAC, 50/60 Hz, 14.0 Amps</u>                                                                               | <u>1</u>  | <u>\$4,219.88</u> |      |
|             | <u>Range: Amb +20C - 306C</u><br><u>Uniformity - Midrange: 1.8 °C</u><br><u>Stability - Midrange: 0.3 °C</u><br><u>Interior: 430 SST; Ext: Painted Steel</u> |           |                   |      |
|             | <u>Also available in 13.8 &amp; 27.6 cu. ft.</u><br><u>volumes (230V)</u>                                                                                    |           |                   |      |

## Refrigerators, Large; Arctiko

[https://thermocoproducts.com/product\\_category/lab-equipment/](https://thermocoproducts.com/product_category/lab-equipment/)

+2 °C / +8 °C

Energy Star Certified  
Integrated Data Logger  
Forced Air Cooling  
Key Lock Security  
SNAP/EPA Compliant



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume                                                      | Sale Qty. | Pk Price          | Code |
|----------------|--------------------------------------------------------------------|-----------|-------------------|------|
| <u>LR 650</u>  | <u>Upright Model – 22 ft³</u>                                      | <u>1</u>  | <u>\$4,748.12</u> |      |
| <u>LR 1350</u> | <u>Upright Model – 48 ft³</u><br><u>(PR 1350 shown)</u>            | <u>1</u>  | <u>\$6,422.66</u> |      |
|                | <u>Available with solid or glass doors</u>                         |           |                   |      |
|                | <u>Please use the link, call, or write for</u><br><u>more info</u> |           |                   |      |

## Refrigerators, Medium; Arctiko

[https://thermocoproducts.com/product\\_category/lab-equipment/](https://thermocoproducts.com/product_category/lab-equipment/)

+2 °C / +8 °C

Energy Star Certified  
Integrated Data Logger  
Forced Air Cooling  
Key Lock Security  
SNAP/EPA Compliant



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #            | Size / Volume                                                      | Sale Qty. | Pk Price          | Code |
|-------------------|--------------------------------------------------------------------|-----------|-------------------|------|
| <u>LRE 285-US</u> | <u>Upright Model – 9.35 ft³</u>                                    | <u>1</u>  | <u>\$1,955.62</u> |      |
| <u>LRE 380-US</u> | <u>Upright Model – 13.95 ft³</u>                                   | <u>1</u>  | <u>\$2,725.66</u> |      |
| <u>LRE 490-US</u> | <u>Upright Model – 17.23 ft³</u>                                   | <u>1</u>  | <u>\$3,332.71</u> |      |
|                   | <u>Available with solid or glass doors</u>                         |           |                   |      |
|                   | <u>Please use the link, call, or write for</u><br><u>more info</u> |           |                   |      |

## Refrigerators, Small; Arctiko

[https://thermocoproducts.com/product\\_category/lab-equipment/](https://thermocoproducts.com/product_category/lab-equipment/)

+2 °C / +8 °C

Energy Star Certified  
Integrated Data Logger  
Forced Air Cooling  
Key Lock Security  
SNAP/EPA Compliant



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #            | Size / Volume                                                      | Sale Qty. | Pk Price          | Code |
|-------------------|--------------------------------------------------------------------|-----------|-------------------|------|
|                   | <u>Countertop</u>                                                  |           |                   |      |
| <u>LRE 60-US</u>  | <u>Countertop Model – 2.12 ft³</u>                                 | <u>1</u>  | <u>\$975.23</u>   |      |
|                   | <u>Undercounter</u>                                                |           |                   |      |
| <u>LRE 125-US</u> | <u>Undercounter Model – 3.85 ft³</u>                               | <u>1</u>  | <u>\$1,130.03</u> |      |
|                   | <u>Available with solid or glass doors</u>                         |           |                   |      |
|                   | <u>Please use the link, call, or write for</u><br><u>more info</u> |           |                   |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

## Beaker, Soxtherm Extractor.

For Gerhardt Soxtherm extractor.

| Part #      | Size / Volume           | Sale Qty. | Pk Price       | Code |
|-------------|-------------------------|-----------|----------------|------|
| <u>2392</u> | <u>150 ml. flat top</u> | <u>1</u>  | <u>\$85.00</u> |      |




Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Extraction Body, Cont. Liquid / Liquid, One Piece

Solvent heavier than water, 500-1000ml

| Part #      | Size / Volume               | Sale Qty. | Pk Price        | Code |
|-------------|-----------------------------|-----------|-----------------|------|
| <u>1335</u> | <u>45/50 joint, 1000 ml</u> | <u>1</u>  | <u>\$250.00</u> |      |
| <u>1227</u> | <u>55/50 joint, 1000 ml</u> | <u>1</u>  | <u>\$270.00</u> |      |
| <u>2209</u> | <u>45/50 joint, 500 ml</u>  | <u>1</u>  | <u>\$225.00</u> |      |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Extraction Tube, Soxhlet

Liquid/solid extraction. 24/40 bottom joint.

| Part #      | Size / Volume      | Sale Qty. | Pk Price        | Code |
|-------------|--------------------|-----------|-----------------|------|
| <u>1328</u> | <u>34/45 joint</u> | <u>1</u>  | <u>\$190.00</u> |      |
| <u>1326</u> | <u>45/50 joint</u> | <u>1</u>  | <u>\$240.00</u> |      |
| <u>1327</u> | <u>55/50 joint</u> | <u>1</u>  | <u>\$260.00</u> |      |
| <u>2175</u> | <u>71/60 joint</u> | <u>1</u>  | <u>\$425.00</u> |      |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Filtration, JT Baker Speedisk Adapter

Adapter converts any 40/35 vacuum manifold to use J.T. Baker Speedisk system.

| Part #      | Size / Volume                                | Sale Qty. | Pk Price        | Code |
|-------------|----------------------------------------------|-----------|-----------------|------|
| <u>2275</u> | <u>J.T. Baker Speedisk manifold adapter,</u> | <u>6</u>  | <u>\$618.00</u> |      |

Please contact us for pricing.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

## Filtration, SPE / Microfiltration; 47mm Funnel

Direct replacement for flat-flanged SPE filtration assemblies, from Kimble/Kontes, Environmental Express, Advantec, Corning, etc. The 300ml funnels are standard-grade, the 1L funnels are especially heavy-duty and are not graduated.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume  | Sale Qty. | Pk Price        | Code      |
|----------------|----------------|-----------|-----------------|-----------|
| <u>FHGF300</u> | <u>300 ml</u>  | <u>1</u>  | <u>\$45.00</u>  | <u>US</u> |
| <u>2098</u>    | <u>1000 ml</u> | <u>1</u>  | <u>\$180.00</u> |           |

## Filtration, SPE / Microfiltration; All Glass 47mm- Economy- United Scientific

Borosilicate glass funnel, base and tubulated cap; anodized aluminum spring clamp; fritted glass filter support.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #                    | Size / Volume                                                         | Sale Qty. | Pk Price        | Code      |
|---------------------------|-----------------------------------------------------------------------|-----------|-----------------|-----------|
| <u>FHFG47</u>             | <u>All-Glass Vacuum Filter Holder Set, 47mm; contains parts below</u> | <u>1</u>  | <u>\$248.00</u> | <u>US</u> |
| <b>Replacement parts:</b> |                                                                       |           |                 |           |
| <u>FHGF300</u>            | <u>Replacement Glass Funnel, 300ml</u>                                | <u>1</u>  | <u>\$45.00</u>  | <u>US</u> |
| <u>FHSC47</u>             | <u>Replacement Spring Clamp, 47mm</u>                                 | <u>1</u>  | <u>\$46.69</u>  | <u>US</u> |
| <u>FHGBC47</u>            | <u>Replacement Glass Base, 47mm</u>                                   | <u>1</u>  | <u>\$120.28</u> | <u>US</u> |
| <u>FHGSP47</u>            | <u>Replacement PTFE Gasket, 47mm</u>                                  | <u>1</u>  | <u>\$3.91</u>   | <u>US</u> |
| <u>FHFG1000</u>           | <u>Replacement Flask with Ground Glass Joint, 1000ml</u>              | <u>1</u>  | <u>\$67.20</u>  | <u>US</u> |

## Filtration, SPE / Microfiltration; All Glass 47mm. Economy- United Scientific

Designed for analysis of water using 47mm membrane filters. Complete set includes a borosilicate glass funnel and base, anodized aluminum spring clamp, and perforated silicone stopper. Parts are also available separately.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #                    | Size / Volume                                                         | Sale Qty. | Pk Price        | Code      |
|---------------------------|-----------------------------------------------------------------------|-----------|-----------------|-----------|
| <u>FHFT47</u>             | <u>All-Glass Vacuum Filter Holder Set, 47mm; contains parts below</u> | <u>1</u>  | <u>\$195.20</u> | <u>US</u> |
| <b>Replacement parts:</b> |                                                                       |           |                 |           |
| <u>FHGF300</u>            | <u>Replacement Glass Funnel, 300ml</u>                                | <u>1</u>  | <u>\$45.00</u>  | <u>US</u> |
| <u>FHBG47</u>             | <u>Replacement Spring Clamp, 47mm</u>                                 | <u>1</u>  | <u>\$46.69</u>  | <u>US</u> |
| <u>FHSC47</u>             | <u>Replacement Glass Base, 47mm</u>                                   | <u>1</u>  | <u>\$46.69</u>  | <u>US</u> |
| <u>FHSTS8</u>             | <u>Replacement PTFE Gasket, 47mm</u>                                  | <u>1</u>  | <u>\$3.91</u>   | <u>US</u> |
| <u>FHFL1000</u>           | <u>Replacement Flask with Ground Glass Joint, 1000ml</u>              | <u>1</u>  | <u>\$67.20</u>  | <u>US</u> |
| <u>FHFL4000</u>           | <u>Vacuum Filtering Flask, 4000ml Capacity</u>                        | <u>1</u>  | <u>\$205.20</u> | <u>US</u> |

## Flask, Boiling, 3-neck Round Bottom With 24/40 Joints. Economy

United Scientific. 3 neck flask, round bottom, angled side joints. Center joint 24/40, side joints 24/40.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #            | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|-------------------|----------------|-----------|----------------|-----------|
| <u>UN3NKF100</u>  | <u>100 ml</u>  | <u>1</u>  | <u>\$30.86</u> | <u>US</u> |
| <u>UN3NKF250</u>  | <u>250 ml</u>  | <u>1</u>  | <u>\$38.78</u> | <u>US</u> |
| <u>UN3NKF500</u>  | <u>500 ml</u>  | <u>1</u>  | <u>\$48.00</u> | <u>US</u> |
| <u>UN3NKF1000</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$78.38</u> | <u>US</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
 NW TechGlass 503-348-3024

## Flask, Boiling, Round Bottom With 24/40 Joint- Economy- United Scientific

These economically priced boiling flasks with ground glass joints are made from low-expansion borosilicate glass. Feature uniform wall thickness for superior mechanical strength and shock resistance.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price        | Code      |
|--------------------|----------------|-----------|-----------------|-----------|
| <u>FRB057-50</u>   | <u>50 ml</u>   | <u>6</u>  | <u>\$39.83</u>  | <u>US</u> |
| <u>FRB057-100</u>  | <u>100 ml</u>  | <u>6</u>  | <u>\$48.75</u>  | <u>US</u> |
| <u>FRB057-250</u>  | <u>250 ml</u>  | <u>6</u>  | <u>\$61.50</u>  | <u>US</u> |
| <u>FRB057-500</u>  | <u>500 ml</u>  | <u>6</u>  | <u>\$84.94</u>  | <u>US</u> |
| <u>FRB057-1000</u> | <u>1000 ml</u> | <u>6</u>  | <u>\$128.63</u> | <u>US</u> |
| <u>FRB057-2000</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$48.75</u>  | <u>US</u> |
| <u>FRB057-3000</u> | <u>3000 ml</u> | <u>1</u>  | <u>\$61.50</u>  | <u>US</u> |
| <u>FRB057-5000</u> | <u>5000 ml</u> | <u>1</u>  | <u>\$84.75</u>  | <u>US</u> |

## Flask, Boiling, Round Bottom With 24/40 Joint. Corning

Short-necked, 24/40 joint. Call/write for other joint sizes.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume   | Sale Qty. | Pk Price        | Code |
|-----------------|-----------------|-----------|-----------------|------|
| <u>4320A-50</u> | <u>50 ml</u>    | <u>12</u> | <u>\$350.40</u> |      |
| <u>4320-100</u> | <u>100 ml</u>   | <u>12</u> | <u>\$325.97</u> |      |
| <u>4320-250</u> | <u>250 ml</u>   | <u>12</u> | <u>\$388.30</u> |      |
| <u>4320-500</u> | <u>500 ml</u>   | <u>12</u> | <u>\$417.69</u> |      |
| <u>4320-1L</u>  | <u>1000 ml</u>  | <u>12</u> | <u>\$459.08</u> |      |
| <u>4320-2L</u>  | <u>2000 ml</u>  | <u>6</u>  | <u>\$370.49</u> |      |
| <u>4320-5L</u>  | <u>5000 ml</u>  | <u>4</u>  | <u>\$712.39</u> |      |
| <u>4320-12L</u> | <u>12000 ml</u> | <u>1</u>  | <u>\$335.60</u> |      |

## Flask, Boiling, Round Bottom; Heavy Wall. Corning

This heavy duty boiling flask provides increased mechanical strength. The flask features walls which are 25% to 30% thicker than the standard version. All other size/joint combinations are available as well, please inquire.

Sold by the case.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #           | Size / Volume                | Sale Qty. | Pk Price        | Code |
|------------------|------------------------------|-----------|-----------------|------|
| <u>4320C-50</u>  | <u>50 ml, 24/40 joint</u>    | <u>1</u>  | <u>\$40.57</u>  |      |
| <u>4320C-100</u> | <u>100 ml, 24/40 joint</u>   | <u>1</u>  | <u>\$39.79</u>  |      |
| <u>4320C-250</u> | <u>250ml, 24/40 joint</u>    | <u>1</u>  | <u>\$46.33</u>  |      |
| <u>4320C-500</u> | <u>500 ml, 24/40 joint</u>   | <u>1</u>  | <u>\$51.58</u>  |      |
| <u>4320C-1L</u>  | <u>1000 ml, 24/40 joint</u>  | <u>1</u>  | <u>\$61.83</u>  |      |
| <u>4320C-2L</u>  | <u>2000 ml, 24/40 joint</u>  | <u>1</u>  | <u>\$107.97</u> |      |
| <u>4320C-3L</u>  | <u>3000 ml, 24/40 joint</u>  | <u>1</u>  | <u>\$125.53</u> |      |
| <u>4320C-5L</u>  | <u>5000 ml, 45/50 joint</u>  | <u>1</u>  | <u>\$214.43</u> |      |
| <u>4320C-12L</u> | <u>12000 ml, 55/50 joint</u> | <u>1</u>  | <u>\$367.41</u> |      |

## Flask, Boiling; Flat Bottom With 24/40 Joint. Corning

Freestanding, short necked. Call or write for other volumes/joints sizes.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume  | Sale Qty. | Pk Price        | Code |
|-----------------|----------------|-----------|-----------------|------|
| <u>4100-50</u>  | <u>50 ml</u>   | <u>6</u>  | <u>\$180.60</u> |      |
| <u>4100-125</u> | <u>125 ml</u>  | <u>6</u>  | <u>\$214.98</u> |      |
| <u>4100-250</u> | <u>250 ml</u>  | <u>12</u> | <u>\$330.41</u> |      |
| <u>4100-500</u> | <u>500 ml</u>  | <u>6</u>  | <u>\$212.88</u> |      |
| <u>4100-1L</u>  | <u>1000 ml</u> | <u>12</u> | <u>\$459.16</u> |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Flask, Boiling; Flat Bottom With 24/40 Joint. Economy- United Scientific

These economically priced boiling flasks with ground glass joints are made from low-expansion borosilicate glass. Feature uniform wall thickness for superior mechanical strength and shock resistance.




Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume | Sale Qty. | Pk Price | Code |
|-------------|---------------|-----------|----------|------|
| FFB058-50   | 50 ml         | 6         | \$37.87  | US   |
| FFB058-100  | 100 ml        | 6         | \$50.58  | US   |
| FFB058-250  | 250 ml        | 6         | \$59.45  | US   |
| FFB058-500  | 500 ml        | 6         | \$84.00  | US   |
| FFB058-1000 | 1000 ml       | 6         | \$128.63 | US   |
| FFB058-2000 | 2000 ml       | 1         | \$48.13  | US   |
| FFB058-3000 | 3000 ml       | 1         | \$57.40  | US   |
| FFB058-5000 | 5000 ml       | 1         | \$79.10  | US   |

## Flask, Distilling, Flat Bottom

1000ml flask; #1225 with #27 center and 19/38 side joints.  
 #2547 with 24/40 center and 19/38 side joints.

PTFE-coated thermometers are available.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #    | Size / Volume                            | Sale Qty. | Pk Price | Code |
|-----------|------------------------------------------|-----------|----------|------|
| 1225      | #27 center joint                         | 1         | \$175.00 |      |
| 2547      | 24/40 center joint                       | 1         | \$175.00 |      |
| SM-870-19 | PTFE thermometer adapter for 24/40 joint | 1         | \$35.01  | SM   |

## Flask, Erlenmeyer, Wide Mouth; With Beaded Rim; Economy-

United Scientific except 2L is from Eisco.

Graduated, wide mouth.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume | Sale Qty. | Pk Price | Code |
|-------------|---------------|-----------|----------|------|
| EG5100-100  | 100 ml        | 12        | \$46.76  | US   |
| EG5100-125  | 125 ml        | 12        | \$50.58  | US   |
| EG5100-250  | 250 ml        | 12        | \$52.93  | US   |
| EG5100-500  | 500 ml        | 6         | \$44.41  | US   |
| EG5100-1000 | 1000 ml       | 6         | \$71.96  | US   |
| CH0426E     | 2000 ml       | 1         | \$71.64  | EI   |

## Flask, Erlenmeyer, Wide Mouth; With Beaded Rim. Corning

A wide mouth flask especially recommended for use as a titration flask. For convenience, these flasks are graduated to show the approximate capacity and have an extra large marking spot. **Sold by the case.**



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #   | Size / Volume | Sale Qty. | Pk Price | Code |
|----------|---------------|-----------|----------|------|
| 5100-125 | 125 ml        | 48        | \$301.97 |      |
| 5100-250 | 250 ml        | 48        | \$272.93 |      |
| 5100-500 | 500 ml        | 36        | \$257.69 |      |
| 5100-1L  | 1000 ml       | 24        | \$289.88 |      |
| 5100-2L  | 2000 ml       | 8         | \$206.87 |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Flask, Erlenmeyer, With Beaded Rim. Economy- United Scientific

United Scientific. Graduated.

Sizes are interchangeable between brands. Lowest price option for each size/manufacturer is shown.




Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|--------------------|----------------|-----------|----------------|-----------|
| <u>FG4980-10</u>   | <u>10 ml</u>   | <u>12</u> | <u>\$28.93</u> | <u>US</u> |
| <u>FG4980-25</u>   | <u>25 ml</u>   | <u>12</u> | <u>\$30.63</u> | <u>US</u> |
| <u>FG4980-50</u>   | <u>50 ml</u>   | <u>12</u> | <u>\$31.10</u> | <u>US</u> |
| <u>FG4980-100</u>  | <u>100 ml</u>  | <u>12</u> | <u>\$31.10</u> | <u>US</u> |
| <u>FG4980-125</u>  | <u>125 ml</u>  | <u>12</u> | <u>\$42.41</u> | <u>US</u> |
| <u>FG4980-150</u>  | <u>150 ml</u>  | <u>6</u>  | <u>\$21.13</u> | <u>US</u> |
| <u>FG4980-250</u>  | <u>250 ml</u>  | <u>12</u> | <u>\$50.75</u> | <u>US</u> |
| <u>FG4980-500</u>  | <u>500 ml</u>  | <u>6</u>  | <u>\$48.58</u> | <u>US</u> |
| <u>FG4980-1000</u> | <u>1000 ml</u> | <u>6</u>  | <u>\$64.13</u> | <u>US</u> |
| <u>FG4980-2000</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$22.16</u> | <u>US</u> |
| <u>FG4980-3000</u> | <u>3000 ml</u> | <u>1</u>  | <u>\$34.47</u> | <u>US</u> |
| <u>FG4980-5000</u> | <u>5000 ml</u> | <u>1</u>  | <u>\$59.81</u> | <u>US</u> |

## Flask, Erlenmeyer, With Heavy Beaded Rim; Corning

Approximate graduations are in durable white enamel. An extra large marking space is also provided. Heavy, durable top tooling.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #           | Size / Volume                            | Sale Qty. | Pk Price        | Code |
|------------------|------------------------------------------|-----------|-----------------|------|
| <u>4980-25</u>   | <u>25 ml</u>                             | <u>48</u> | <u>\$260.48</u> |      |
| <u>4980-50</u>   | <u>50 ml</u>                             | <u>48</u> | <u>\$253.64</u> |      |
| <u>4980-125</u>  | <u>125 ml</u>                            | <u>48</u> | <u>\$240.02</u> |      |
| <u>4980-250</u>  | <u>250 ml</u>                            | <u>48</u> | <u>\$229.47</u> |      |
| <u>4980-300</u>  | <u>300 ml</u>                            | <u>48</u> | <u>\$278.08</u> |      |
| <u>4980-500</u>  | <u>500 ml</u>                            | <u>36</u> | <u>\$214.81</u> |      |
| <u>4980-1L</u>   | <u>1000 ml</u>                           | <u>24</u> | <u>\$232.80</u> |      |
| <u>4980-2L</u>   | <u>2000 ml</u>                           | <u>8</u>  | <u>\$182.71</u> |      |
| <u>4980-4L</u>   | <u>4000 ml</u>                           | <u>4</u>  | <u>\$289.57</u> |      |
| <u>4980-6L</u>   | <u>6000 ml</u>                           | <u>4</u>  | <u>\$532.49</u> |      |
| <u>4980-PACK</u> | <u>1 each of 50, 125, 250, 500, 1000</u> | <u>1</u>  | <u>\$48.52</u>  |      |

## Flask, Erlenmeyer, With Screw Cap. Economy- United Scientific

Recommended for culturing, mixing and storing applications. Borosilicate glass flasks are designed to give the best combination of thermal shock resistance and physical strength. Feature heavy-duty rims and graduations in durable white enamel. Blue screw caps with liner are autoclavable.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|--------------------|----------------|-----------|----------------|-----------|
| <u>FG5021-100</u>  | <u>100 ml</u>  | <u>6</u>  | <u>\$54.00</u> | <u>US</u> |
| <u>FG5021-150</u>  | <u>150 ml</u>  | <u>6</u>  | <u>\$59.81</u> | <u>US</u> |
| <u>FG5021-250</u>  | <u>250 ml</u>  | <u>6</u>  | <u>\$74.44</u> | <u>US</u> |
| <u>FG5021-500</u>  | <u>500 ml</u>  | <u>6</u>  | <u>\$84.94</u> | <u>US</u> |
| <u>FG5021-1000</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$27.68</u> | <u>US</u> |

## Flask, Filtering; Corning

Tubulation O.D. on sizes up to 1000 mL is approximately 10 mm. Tubulation O.D. for 2000 mL, and 4000 mL is approximately 12.5 mm. **Sold by the case.**



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume  | Sale Qty. | Pk Price          | Code |
|-----------------|----------------|-----------|-------------------|------|
| <u>5340-250</u> | <u>250 ml</u>  | <u>18</u> | <u>\$352.40</u>   |      |
| <u>5340-500</u> | <u>500 ml</u>  | <u>18</u> | <u>\$493.35</u>   |      |
| <u>5340-1L</u>  | <u>1000 ml</u> | <u>12</u> | <u>\$614.61</u>   |      |
| <u>5340-2L</u>  | <u>2000 ml</u> | <u>12</u> | <u>\$1,220.72</u> |      |
| <u>5340-4L</u>  | <u>4000 ml</u> | <u>6</u>  | <u>\$870.50</u>   |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Flask, Filtering. Economy- United Scientific

With tubulation. Graduations are printed in durable white enamel. United Scientific brand.




Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume  | Sale Qty. | Pk Price        | Code      |
|--------------------|----------------|-----------|-----------------|-----------|
| <u>FG5340-25</u>   | <u>25 ml</u>   | <u>6</u>  | <u>\$28.53</u>  | <u>US</u> |
| <u>FG5340-50</u>   | <u>50 ml</u>   | <u>6</u>  | <u>\$30.89</u>  | <u>US</u> |
| <u>FG5340-100</u>  | <u>100 ml</u>  | <u>6</u>  | <u>\$50.03</u>  | <u>US</u> |
| <u>FG5340-125</u>  | <u>125 ml</u>  | <u>6</u>  | <u>\$52.93</u>  | <u>US</u> |
| <u>FG5340-250</u>  | <u>250 ml</u>  | <u>1</u>  | <u>\$13.69</u>  | <u>US</u> |
| <u>FG5340-500</u>  | <u>500 ml</u>  | <u>1</u>  | <u>\$16.93</u>  | <u>US</u> |
| <u>FG5340-1000</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$24.87</u>  | <u>US</u> |
| <u>FG5340-2000</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$52.38</u>  | <u>US</u> |
| <u>FG5340-5000</u> | <u>5000 ml</u> | <u>1</u>  | <u>\$152.25</u> | <u>US</u> |

## Flask, Filtering. Safety Coated, Corning

PYREXPLUS® Heavy Wall Filtering Flask, Protective Coating, Tubulation, Graduated. **Sold by the case.**



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #           | Size / Volume  | Sale Qty. | Pk Price        | Code |
|------------------|----------------|-----------|-----------------|------|
| <u>65340-500</u> | <u>500 ml</u>  | <u>6</u>  | <u>\$260.39</u> |      |
| <u>65340-1L</u>  | <u>1000 ml</u> | <u>6</u>  | <u>\$535.06</u> |      |
| <u>65340-2L</u>  | <u>2000 ml</u> | <u>4</u>  | <u>\$662.07</u> |      |
| <u>65340-4L</u>  | <u>4000 ml</u> | <u>2</u>  | <u>\$549.06</u> |      |

## Flask, Volumetric- Micro, Class A, With Hexagonal Base. Corning

To improve the stability of this small flask, a hexagonal base has been added, similar to those on graduated cylinders. The graduation line is sharp and permanent. The white markings are easy to read.

**Sold by the case.**



See 2306A for 1 and 2ml  
Economy flasks in 6 packs

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume | Sale Qty. | Pk Price        | Code |
|----------------|---------------|-----------|-----------------|------|
| <u>5630-1</u>  | <u>1 ml</u>   | <u>12</u> | <u>\$527.67</u> |      |
| <u>5630-2</u>  | <u>2 ml</u>   | <u>12</u> | <u>\$605.40</u> |      |
| <u>5630-5</u>  | <u>5 ml</u>   | <u>12</u> | <u>\$581.33</u> |      |
| <u>5630-10</u> | <u>10 ml</u>  | <u>12</u> | <u>\$667.49</u> |      |
| <u>5630-25</u> | <u>25 ml</u>  | <u>12</u> | <u>\$780.05</u> |      |

**From Vee Gee Scientific:**

|                |                       |          |                |           |
|----------------|-----------------------|----------|----------------|-----------|
| <u>2306A-1</u> | <u>1 ml with base</u> | <u>6</u> | <u>\$92.38</u> | <u>VG</u> |
| <u>2306A-2</u> | <u>2 ml with base</u> | <u>6</u> | <u>\$96.78</u> | <u>VG</u> |

## Flask, Volumetric, Class A Batch Certified

Corning Lifetime Red. The capacity mark is a fine line etched through a narrow red band into clear glass, making a filler unnecessary and giving high legibility, accuracy, and permanence. With standard taper stopper. Calibrated "To Contain."

**Sold by the case.**



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume  | Sale Qty. | Pk Price        | Code |
|-----------------|----------------|-----------|-----------------|------|
| <u>5660-25</u>  | <u>25 ml</u>   | <u>12</u> | <u>\$387.35</u> |      |
| <u>5660-50</u>  | <u>50 ml</u>   | <u>12</u> | <u>\$412.86</u> |      |
| <u>5660-100</u> | <u>100 ml</u>  | <u>12</u> | <u>\$440.51</u> |      |
| <u>5660-200</u> | <u>200 ml</u>  | <u>12</u> | <u>\$508.87</u> |      |
| <u>5660-250</u> | <u>250 ml</u>  | <u>12</u> | <u>\$549.35</u> |      |
| <u>5660-500</u> | <u>500 ml</u>  | <u>12</u> | <u>\$681.54</u> |      |
| <u>5660-1L</u>  | <u>1000 ml</u> | <u>6</u>  | <u>\$412.76</u> |      |
| <u>5660-2L</u>  | <u>2000 ml</u> | <u>4</u>  | <u>\$402.73</u> |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Flask, Volumetric, Class A Batch Certified. Corning

Graduation line is sharp and permanent; large white block letters make the inscription easy to read. The 1 mL and 2 mL sizes are test tube shaped. Sizes 3L through 6L have pennyhead standard taper stoppers.

5640-xFO do not have stoppers.

Sold by the case.

Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



| Part #          | Size / Volume               | Sale Qty. | Pk Price        | Code |
|-----------------|-----------------------------|-----------|-----------------|------|
| <u>5640-1</u>   | <u>1 ml: #8 stopper</u>     | <u>12</u> | <u>\$348.77</u> |      |
| <u>5640-2</u>   | <u>2 ml: #8 stopper</u>     | <u>12</u> | <u>\$372.14</u> |      |
| <u>5640-5</u>   | <u>5 ml: #8 stopper</u>     | <u>12</u> | <u>\$290.76</u> |      |
| <u>5640-10</u>  | <u>10 ml: #9 stopper</u>    | <u>12</u> | <u>\$347.96</u> |      |
| <u>5640-25</u>  | <u>25 ml: #9 stopper</u>    | <u>12</u> | <u>\$379.82</u> |      |
| <u>5640-50</u>  | <u>50 ml: #9 stopper</u>    | <u>12</u> | <u>\$404.84</u> |      |
| <u>5640-100</u> | <u>100 ml: #13 stopper</u>  | <u>12</u> | <u>\$431.95</u> |      |
| <u>5640-200</u> | <u>200 ml: #13 stopper</u>  | <u>12</u> | <u>\$498.98</u> |      |
| <u>5640-250</u> | <u>250 ml: #16 stopper</u>  | <u>12</u> | <u>\$537.87</u> |      |
| <u>5640-500</u> | <u>500 ml: #19 stopper</u>  | <u>12</u> | <u>\$668.30</u> |      |
| <u>5640-1L</u>  | <u>1000 ml: #22 stopper</u> | <u>6</u>  | <u>\$404.75</u> |      |
| <u>5640-2L</u>  | <u>2000 ml: #27 stopper</u> | <u>4</u>  | <u>\$340.99</u> |      |
| <u>5640-3L</u>  | <u>3000 ml: #32 stopper</u> | <u>1</u>  | <u>\$361.00</u> |      |
| <u>5640-4L</u>  | <u>4000 ml: #38 stopper</u> | <u>1</u>  | <u>\$392.95</u> |      |

## Flask, Volumetric, Class A Batch Certified. Economy- Eisco

ASTM Class A with glass pennyhead stopper. Eisco brand.

Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



| Part #           | Size / Volume               | Sale Qty. | Pk Price       | Code      |
|------------------|-----------------------------|-----------|----------------|-----------|
| <u>CH0441A01</u> | <u>5 ml: #9 stopper</u>     | <u>1</u>  | <u>\$11.43</u> | <u>EI</u> |
| <u>CH0441A02</u> | <u>10 ml: #9 stopper</u>    | <u>1</u>  | <u>\$12.08</u> | <u>EI</u> |
| <u>CH0441A</u>   | <u>25 ml: #9 stopper</u>    | <u>1</u>  | <u>\$15.94</u> | <u>EI</u> |
| <u>CH0441B</u>   | <u>50 ml: #13 stopper</u>   | <u>1</u>  | <u>\$17.78</u> | <u>EI</u> |
| <u>CH0441C</u>   | <u>100 ml: #13 stopper</u>  | <u>1</u>  | <u>\$16.91</u> | <u>EI</u> |
| <u>CH0441D</u>   | <u>200 ml: #16 stopper</u>  | <u>1</u>  | <u>\$23.20</u> | <u>EI</u> |
| <u>CH0441E</u>   | <u>250 ml: #16 stopper</u>  | <u>1</u>  | <u>\$23.40</u> | <u>EI</u> |
| <u>CH0441F</u>   | <u>500 ml: #19 stopper</u>  | <u>1</u>  | <u>\$31.86</u> | <u>EI</u> |
| <u>CH0441G</u>   | <u>1000 ml: #22 stopper</u> | <u>1</u>  | <u>\$45.50</u> | <u>EI</u> |
| <u>CH0441H</u>   | <u>2000 ml: #27 stopper</u> | <u>1</u>  | <u>\$77.36</u> | <u>EI</u> |

## Flask, Volumetric, Class A Batch Certified. Economy- Vee Gee

Sibata brand; with glass stopper. 1 & 2ml sizes have hexagonal bases- like found on graduated cylinders. 50ml flasks use a #13 stopper as opposed to the usual #9, making the flask easier to fill and empty.

Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



| Part #            | Size / Volume                              | Sale Qty. | Pk Price        | Code      |
|-------------------|--------------------------------------------|-----------|-----------------|-----------|
| <u>2306A-1</u>    | <u>1 ml- w/ hexagonal base: #9 stopper</u> | <u>6</u>  | <u>\$92.38</u>  | <u>VG</u> |
| <u>2306A-2</u>    | <u>2 ml- w/ hexagonal base: #9 stopper</u> | <u>6</u>  | <u>\$96.78</u>  | <u>VG</u> |
| <u>2306A-5</u>    | <u>5 ml: #9 stopper</u>                    | <u>6</u>  | <u>\$87.12</u>  | <u>VG</u> |
| <u>2306A-10</u>   | <u>10 ml: #9 stopper</u>                   | <u>6</u>  | <u>\$87.12</u>  | <u>VG</u> |
| <u>2306A-25</u>   | <u>25 ml: #9 stopper</u>                   | <u>6</u>  | <u>\$92.92</u>  | <u>VG</u> |
| <u>2306A-50</u>   | <u>50 ml: #13 stopper</u>                  | <u>4</u>  | <u>\$67.25</u>  | <u>VG</u> |
| <u>2306A-100</u>  | <u>100 ml: #13 stopper</u>                 | <u>4</u>  | <u>\$69.86</u>  | <u>VG</u> |
| <u>2306A-200</u>  | <u>200 ml: #16 stopper</u>                 | <u>4</u>  | <u>\$94.40</u>  | <u>VG</u> |
| <u>2306A-250</u>  | <u>250 ml: #16 stopper</u>                 | <u>4</u>  | <u>\$106.00</u> | <u>VG</u> |
| <u>2306A-500</u>  | <u>500 ml: #19 stopper</u>                 | <u>2</u>  | <u>\$61.54</u>  | <u>VG</u> |
| <u>2306A-1000</u> | <u>1000 ml: #22 stopper</u>                | <u>2</u>  | <u>\$84.20</u>  | <u>VG</u> |
| <u>2306A-2000</u> | <u>2000 ml: #27 stopper</u>                | <u>2</u>  | <u>\$145.65</u> | <u>VG</u> |

## Flask, Volumetric, Class A Individually Certified And Serialized

Corning Pyrex flasks calibrated to Class A tolerances in accordance with ASTM E-542 and E-288. Individually serialized, with a Certificate traceable to NIST standards. With a standard taper stopper.

Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge



| Part #          | Size / Volume  | Sale Qty. | Pk Price        | Code |
|-----------------|----------------|-----------|-----------------|------|
| <u>5680-10</u>  | <u>10 ml</u>   | <u>1</u>  | <u>\$53.07</u>  |      |
| <u>5680-25</u>  | <u>25 ml</u>   | <u>1</u>  | <u>\$63.27</u>  |      |
| <u>5680-50</u>  | <u>50 ml</u>   | <u>1</u>  | <u>\$67.57</u>  |      |
| <u>5680-100</u> | <u>100 ml</u>  | <u>1</u>  | <u>\$72.70</u>  |      |
| <u>5680-200</u> | <u>200 ml</u>  | <u>1</u>  | <u>\$77.31</u>  |      |
| <u>5680-250</u> | <u>250 ml</u>  | <u>1</u>  | <u>\$82.77</u>  |      |
| <u>5680-500</u> | <u>500 ml</u>  | <u>1</u>  | <u>\$102.52</u> |      |
| <u>5680-1L</u>  | <u>1000 ml</u> | <u>1</u>  | <u>\$124.94</u> |      |
| <u>5680-2L</u>  | <u>2000 ml</u> | <u>1</u>  | <u>\$156.74</u> |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Flask, Volumetric, Class A Individually Certified And Serialized

Economy flasks w/ ground glass stopper. Meets Class A specs per ASTM E288. Individually serialized and certified. QR code flasks available to facilitate quick and easy access to certificates of calibration.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                      | Size / Volume           | Sale Qty.         | Pk Price                 | Code               |
|-----------------------------|-------------------------|-------------------|--------------------------|--------------------|
| <a href="#">FG5639-5</a>    | <a href="#">5 ml</a>    | <a href="#">1</a> | <a href="#">\$29.93</a>  | <a href="#">US</a> |
| <a href="#">FG5639-10</a>   | <a href="#">10 ml</a>   | <a href="#">1</a> | <a href="#">\$37.73</a>  | <a href="#">US</a> |
| <a href="#">FG5639-20</a>   | <a href="#">20 ml</a>   | <a href="#">1</a> | <a href="#">\$39.73</a>  | <a href="#">US</a> |
| <a href="#">FG5639-25</a>   | <a href="#">25 ml</a>   | <a href="#">1</a> | <a href="#">\$40.78</a>  | <a href="#">US</a> |
| <a href="#">FG5639-50</a>   | <a href="#">50 ml</a>   | <a href="#">1</a> | <a href="#">\$46.90</a>  | <a href="#">US</a> |
| <a href="#">FG5639-100</a>  | <a href="#">100 ml</a>  | <a href="#">1</a> | <a href="#">\$50.58</a>  | <a href="#">US</a> |
| <a href="#">FG5639-200</a>  | <a href="#">200 ml</a>  | <a href="#">1</a> | <a href="#">\$63.98</a>  | <a href="#">US</a> |
| <a href="#">FG5639-250</a>  | <a href="#">250 ml</a>  | <a href="#">1</a> | <a href="#">\$65.79</a>  | <a href="#">US</a> |
| <a href="#">FG5639-500</a>  | <a href="#">500 ml</a>  | <a href="#">1</a> | <a href="#">\$74.49</a>  | <a href="#">US</a> |
| <a href="#">FG5639-1000</a> | <a href="#">1000 ml</a> | <a href="#">1</a> | <a href="#">\$103.50</a> | <a href="#">US</a> |
| <a href="#">FG5639-2000</a> | <a href="#">2000 ml</a> | <a href="#">1</a> | <a href="#">\$150.38</a> | <a href="#">US</a> |

Flasks with QR codes are also  
available

## Flask, Volumetric, Class A; Low-actinic Amber. Economy- Vee Gee

With glass stopper. Sibata brand.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                     | Size / Volume           | Sale Qty.         | Pk Price                 | Code               |
|----------------------------|-------------------------|-------------------|--------------------------|--------------------|
| <a href="#">2307A-10</a>   | <a href="#">10 ml</a>   | <a href="#">6</a> | <a href="#">\$79.97</a>  | <a href="#">VG</a> |
| <a href="#">2307A-20</a>   | <a href="#">20 ml</a>   | <a href="#">6</a> | <a href="#">\$97.31</a>  | <a href="#">VG</a> |
| <a href="#">2307A-25</a>   | <a href="#">25 ml</a>   | <a href="#">6</a> | <a href="#">\$97.31</a>  | <a href="#">VG</a> |
| <a href="#">2307A-50</a>   | <a href="#">50 ml</a>   | <a href="#">4</a> | <a href="#">\$70.66</a>  | <a href="#">VG</a> |
| <a href="#">2307A-100</a>  | <a href="#">100 ml</a>  | <a href="#">4</a> | <a href="#">\$80.18</a>  | <a href="#">VG</a> |
| <a href="#">2307A-200</a>  | <a href="#">200 ml</a>  | <a href="#">4</a> | <a href="#">\$167.92</a> | <a href="#">VG</a> |
| <a href="#">2307A-250</a>  | <a href="#">250 ml</a>  | <a href="#">4</a> | <a href="#">\$192.80</a> | <a href="#">VG</a> |
| <a href="#">2307A-500</a>  | <a href="#">500 ml</a>  | <a href="#">2</a> | <a href="#">\$131.16</a> | <a href="#">VG</a> |
| <a href="#">2307A-1000</a> | <a href="#">1000 ml</a> | <a href="#">2</a> | <a href="#">\$197.87</a> | <a href="#">VG</a> |

## Flask, Volumetric, Class A. Batch Certified; With Snap Cap. Economy-

A plastic snap cap is included. Meets Class A specifications per ASTM E288. Batch certified. Blue markings, Eisco brand.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                    | Size / Volume           | Sale Qty.         | Pk Price                | Code               |
|---------------------------|-------------------------|-------------------|-------------------------|--------------------|
| <a href="#">CH0443A01</a> | <a href="#">5 ml</a>    | <a href="#">1</a> | <a href="#">\$10.42</a> | <a href="#">EI</a> |
| <a href="#">CH0443A</a>   | <a href="#">50 ml</a>   | <a href="#">1</a> | <a href="#">\$11.93</a> | <a href="#">EI</a> |
| <a href="#">CH0443B</a>   | <a href="#">100 ml</a>  | <a href="#">1</a> | <a href="#">\$13.03</a> | <a href="#">EI</a> |
| <a href="#">CH0443C</a>   | <a href="#">200 ml</a>  | <a href="#">1</a> | <a href="#">\$15.18</a> | <a href="#">EI</a> |
| <a href="#">CH0443D</a>   | <a href="#">250 ml</a>  | <a href="#">1</a> | <a href="#">\$15.81</a> | <a href="#">EI</a> |
| <a href="#">CH0443E</a>   | <a href="#">500 ml</a>  | <a href="#">1</a> | <a href="#">\$20.85</a> | <a href="#">EI</a> |
| <a href="#">CH0443F</a>   | <a href="#">1000 ml</a> | <a href="#">1</a> | <a href="#">\$30.97</a> | <a href="#">EI</a> |
| <a href="#">CH0443G</a>   | <a href="#">2000 ml</a> | <a href="#">1</a> | <a href="#">\$50.74</a> | <a href="#">EI</a> |

## Funnel, Buchner. Economy- United Scientific

Manufactured from thick walled borosilicate glass, funnels include a beaded rim and a fritted disc with coarse, medium or fine porosity. Porosity of Course(C) is 40- 60 Microns, Porosity of Fine (F) is 5-15 Microns, Porosity of Medium (M) is 15-40 Microns. Larger (80-120ml) funnels have medium porosity discs.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                    | Size / Volume                                | Sale Qty.         | Pk Price                 | Code               |
|---------------------------|----------------------------------------------|-------------------|--------------------------|--------------------|
| <a href="#">BF256-15C</a> | <a href="#">Coarse, 15 ml</a>                | <a href="#">2</a> | <a href="#">\$26.18</a>  | <a href="#">US</a> |
| <a href="#">BF256-15M</a> | <a href="#">Medium, 15 ml</a>                | <a href="#">2</a> | <a href="#">\$26.18</a>  | <a href="#">US</a> |
| <a href="#">BF256-15F</a> | <a href="#">Fine, 15 ml</a>                  | <a href="#">2</a> | <a href="#">\$27.23</a>  | <a href="#">US</a> |
| <a href="#">BF256-30C</a> | <a href="#">Coarse, 30 ml</a>                | <a href="#">2</a> | <a href="#">\$27.71</a>  | <a href="#">US</a> |
| <a href="#">BF256-30M</a> | <a href="#">Medium, 30 ml</a>                | <a href="#">2</a> | <a href="#">\$27.71</a>  | <a href="#">US</a> |
| <a href="#">BF256-30F</a> | <a href="#">Fine, 30 ml</a>                  | <a href="#">2</a> | <a href="#">\$27.71</a>  | <a href="#">US</a> |
| <a href="#">BF256-60C</a> | <a href="#">Coarse, 60 ml</a>                | <a href="#">2</a> | <a href="#">\$64.50</a>  | <a href="#">US</a> |
| <a href="#">BF256-60M</a> | <a href="#">Medium, 60 ml</a>                | <a href="#">2</a> | <a href="#">\$64.50</a>  | <a href="#">US</a> |
| <a href="#">BF256-60F</a> | <a href="#">Fine, 60 ml</a>                  | <a href="#">2</a> | <a href="#">\$56.44</a>  | <a href="#">US</a> |
| <a href="#">CH0466B</a>   | <a href="#">80 ml, 40 mm OD G3/M disc</a>    | <a href="#">1</a> | <a href="#">\$43.43</a>  | <a href="#">EI</a> |
| <a href="#">CH0466C</a>   | <a href="#">200 ml, 65 mm OD G3/M disc</a>   | <a href="#">1</a> | <a href="#">\$86.87</a>  | <a href="#">EI</a> |
| <a href="#">CH0466D</a>   | <a href="#">500 ml, 90 mm OD G3/M disc</a>   | <a href="#">1</a> | <a href="#">\$117.03</a> | <a href="#">EI</a> |
| <a href="#">CH0466E</a>   | <a href="#">1000 ml, 120 mm OD G3/M disc</a> | <a href="#">1</a> | <a href="#">\$246.26</a> | <a href="#">EI</a> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Funnel, Liquid; Large Size. Long, Wide Stem. Corning

Stems are approximately 15 mm O.D. by 150 mm (6) long.

Sold by the case; some local stock may be available by the pack.



Mix/match within these codes:


US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #        | Size / Volume | Sale Qty. | Pk Price        | Code |
|---------------|---------------|-----------|-----------------|------|
| <u>6100-5</u> | <u>122 mm</u> | <u>12</u> | <u>\$302.96</u> |      |
| <u>6100-6</u> | <u>147 mm</u> | <u>12</u> | <u>\$592.79</u> |      |

## Funnel, Liquid; Long Stem. Corning

These funnels have a beaded edge for strength. They are fabricated from blanks formed to a 60° angle, which permits accurate fitting of the filter paper, thus reducing filtering time. The stems are made of heavy wall tubing approximately 150 mm (6") long.

Sold by the case; some local stock may be available by the pack.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume        | Sale Qty. | Pk Price        | Code |
|-----------------|----------------------|-----------|-----------------|------|
| <u>6140-50</u>  | <u>50 mm</u>         | <u>12</u> | <u>\$156.59</u> |      |
| <u>6140-65</u>  | <u>65 mm</u>         | <u>12</u> | <u>\$142.86</u> |      |
| <u>6140-75</u>  | <u>75 mm</u>         | <u>12</u> | <u>\$151.95</u> |      |
| <u>6140-100</u> | <u>100 mm</u>        | <u>6</u>  | <u>\$102.64</u> |      |
|                 | <b>Fluted</b>        |           |                 |      |
| <u>6160-65</u>  | <u>65 mm, fluted</u> | <u>12</u> | <u>\$222.40</u> |      |
| <u>6160-75</u>  | <u>75 mm, fluted</u> | <u>12</u> | <u>\$218.90</u> |      |

## Funnel, Liquid; Short Stem, Fluted. Corning

Supplied with short stems. Depressed inside flutings further decreases filtering time.

Sold by the case; some local stock may be available by the pack.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume    | Sale Qty. | Pk Price        | Code |
|-----------------|------------------|-----------|-----------------|------|
| <u>6180-50</u>  | <u>50 mm OD</u>  | <u>48</u> | <u>\$537.25</u> |      |
| <u>6180-65</u>  | <u>65 mm OD</u>  | <u>48</u> | <u>\$599.48</u> |      |
| <u>6180-75</u>  | <u>75 mm OD</u>  | <u>48</u> | <u>\$648.25</u> |      |
| <u>6180-100</u> | <u>100 mm OD</u> | <u>24</u> | <u>\$419.23</u> |      |

## Funnel, Liquid; Short Stem. Economy-Eisco

Light-duty. Not fluted.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume                       | Sale Qty. | Pk Price       | Code      |
|----------------|-------------------------------------|-----------|----------------|-----------|
|                | <b>Funnel OD / stem L / stem OD</b> |           |                |           |
| <u>CH0458A</u> | <u>35 mm / 35 mm / 6mm</u>          | <u>1</u>  | <u>\$4.72</u>  | <u>EI</u> |
| <u>CH0458B</u> | <u>55 mm / 55 mm / 7 mm</u>         | <u>1</u>  | <u>\$5.42</u>  | <u>EI</u> |
| <u>CH0458C</u> | <u>75 mm / 75 mm / 8 mm</u>         | <u>1</u>  | <u>\$7.24</u>  | <u>EI</u> |
| <u>CH0458D</u> | <u>100 mm / 100 mm / 10 mm</u>      | <u>1</u>  | <u>\$14.74</u> | <u>EI</u> |
| <u>CH0458E</u> | <u>125 mm / 125 mm / 16 mm</u>      | <u>1</u>  | <u>\$20.57</u> | <u>EI</u> |
| <u>CH0458F</u> | <u>150 mm / 150 mm / 16 mm</u>      | <u>1</u>  | <u>\$19.03</u> | <u>EI</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Funnel, Liquid; Stemless. Corning

Molded construction with bottom ground flat. All have 6 mm opening.

Sold by the case.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume    | Sale Qty. | Pk Price        | Code |
|-----------------|------------------|-----------|-----------------|------|
| <u>6240-75</u>  | <u>75 mm OD</u>  | <u>48</u> | <u>\$594.31</u> |      |
| <u>6240-100</u> | <u>100 mm OD</u> | <u>1</u>  | <u>\$19.50</u>  |      |

## Funnel, Porcelain; Buchner Filter. Economy- United Scientific

Porcelain Buchner funnels include fixed perforated plates.

Funnels are glazed on inner and outer surfaces except for the rims.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume                             | Sale Qty. | Pk Price        | Code      |
|----------------|-------------------------------------------|-----------|-----------------|-----------|
|                | <b>Capacity / Top diam. x ht. / Paper</b> |           |                 |           |
| <u>JBF003</u>  | <u>3 ml / 20 x 66 mm / 1.3 cm</u>         | <u>1</u>  | <u>\$5.55</u>   | <u>US</u> |
| <u>JBF035</u>  | <u>35 ml / 50 x 91 mm / 4 cm</u>          | <u>1</u>  | <u>\$9.68</u>   | <u>US</u> |
| <u>JBF100</u>  | <u>100 ml / 65 x 103 mm / 5.5 cm</u>      | <u>1</u>  | <u>\$14.18</u>  | <u>US</u> |
| <u>JBF200</u>  | <u>200 ml / 86 x 140 mm / 7 cm</u>        | <u>1</u>  | <u>\$16.88</u>  | <u>US</u> |
| <u>JBF350</u>  | <u>350 ml / 105 x 162 mm / 9 cm</u>       | <u>1</u>  | <u>\$22.01</u>  | <u>US</u> |
| <u>JBF600</u>  | <u>600 ml / 127 x 194 mm / 11 cm</u>      | <u>1</u>  | <u>\$29.55</u>  | <u>US</u> |
| <u>JBF800</u>  | <u>800 ml / 143 x 200 mm / 12.5</u>       | <u>1</u>  | <u>\$40.24</u>  | <u>US</u> |
| <u>JBF1150</u> | <u>1150 ml / 172 x 220 mm / 15 cm</u>     | <u>1</u>  | <u>\$71.44</u>  | <u>US</u> |
| <u>JBF2000</u> | <u>2000 ml / 210 x 272 mm / 18 cm</u>     | <u>1</u>  | <u>\$105.00</u> | <u>US</u> |
| <u>JBF4800</u> | <u>4800 ml / 270 x 352 mm / 24 cm</u>     | <u>1</u>  | <u>\$178.13</u> | <u>US</u> |

## Funnel, Powder. Corning

PYREX® Plain Filling Powder funnel.

Sold by the case, some local stock may be available by the pack.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume    | Sale Qty. | Pk Price        | Code |
|-----------------|------------------|-----------|-----------------|------|
| <u>6220-65</u>  | <u>65 mm OD</u>  | <u>24</u> | <u>\$367.88</u> |      |
| <u>6220-75</u>  | <u>75 mm OD</u>  | <u>24</u> | <u>\$377.33</u> |      |
| <u>6220-100</u> | <u>100 mm OD</u> | <u>24</u> | <u>\$415.18</u> |      |
| <u>6220-125</u> | <u>125 mm OD</u> | <u>12</u> | <u>\$349.24</u> |      |
| <u>6220-150</u> | <u>150 mm OD</u> | <u>12</u> | <u>\$701.44</u> |      |

## Funnel, Powder. Economy- Eisco

Light-duty. Check to make sure the stem OD will work for you; they are larger than Corning or Kimble stems.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume              | Sale Qty. | Pk Price       | Code      |
|----------------|----------------------------|-----------|----------------|-----------|
|                | <b>Funnel OD / stem OD</b> |           |                |           |
| <u>CH0459A</u> | <u>45 mm / 18 mm</u>       | <u>1</u>  | <u>\$5.36</u>  | <u>EI</u> |
| <u>CH0459B</u> | <u>55 mm / 20 mm</u>       | <u>1</u>  | <u>\$5.95</u>  | <u>EI</u> |
| <u>CH0459C</u> | <u>75 mm / 24 mm</u>       | <u>1</u>  | <u>\$7.17</u>  | <u>EI</u> |
| <u>CH0459D</u> | <u>85 mm / 24 mm</u>       | <u>1</u>  | <u>\$8.12</u>  | <u>EI</u> |
| <u>CH0459E</u> | <u>100 mm / 26 mm</u>      | <u>1</u>  | <u>\$9.49</u>  | <u>EI</u> |
| <u>CH0459F</u> | <u>120 mm / 32 mm</u>      | <u>1</u>  | <u>\$19.87</u> | <u>EI</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Funnel, PTFE

PTFE Funnel

| Part #            | Size / Volume                                         | Sale Qty. | Pk Price        | Code |
|-------------------|-------------------------------------------------------|-----------|-----------------|------|
| <u>SM-3753-01</u> | <u>30mm Ø x 50mm H, 8mm OD Stem</u>                   | <u>1</u>  | <u>\$35.93</u>  |      |
| <u>SM-3753-02</u> | <u>50mm Ø x 85mm H, 10mm OD Stem</u>                  | <u>1</u>  | <u>\$48.82</u>  |      |
| <u>SM-3753-03</u> | <u>70mm Ø x 110mm Height,</u><br><u>12mm OD Stem</u>  | <u>1</u>  | <u>\$71.42</u>  |      |
| <u>SM-3753-04</u> | <u>100mm Ø x 170mm Height,</u><br><u>14mm OD Stem</u> | <u>1</u>  | <u>\$146.87</u> |      |
| <u>SM-3753-05</u> | <u>150mm Ø x 220mm Height,</u><br><u>16mm OD Stem</u> | <u>1</u>  | <u>\$256.61</u> |      |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Funnel, Separatory; Squibb.

With PTFE stopcock plug & glass stopper. PTFE stoppers are available.

| Part #      | Size / Volume  | Sale Qty. | Pk Price        | Code |
|-------------|----------------|-----------|-----------------|------|
| <u>1462</u> | <u>125 ml</u>  | <u>1</u>  | <u>\$130.00</u> |      |
| <u>1463</u> | <u>250 ml</u>  | <u>1</u>  | <u>\$153.00</u> |      |
| <u>1464</u> | <u>500 ml</u>  | <u>1</u>  | <u>\$179.00</u> |      |
| <u>1465</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$238.00</u> |      |
| <u>1466</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$295.00</u> |      |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Funnel, Separatory; Squibb. Body Only

Without stopcock plug & stopper. Other sizes are available.

| Part #      | Size / Volume  | Sale Qty. | Pk Price        | Code |
|-------------|----------------|-----------|-----------------|------|
| <u>2412</u> | <u>125 ml</u>  | <u>1</u>  | <u>\$100.00</u> |      |
| <u>2413</u> | <u>500 ml</u>  | <u>1</u>  | <u>\$155.00</u> |      |
| <u>1665</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$208.00</u> |      |
| <u>1650</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$250.00</u> |      |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Funnel, Separatory; Squibb. Economy-United Scientific

These pear-shaped borosilicate glass funnels include a PTFE stopcock and a plastic stopper.

| Part #            | Size / Volume  | Sale Qty. | Pk Price       | Code      |
|-------------------|----------------|-----------|----------------|-----------|
| <u>SF149-50</u>   | <u>50 ml</u>   | <u>2</u>  | <u>\$48.26</u> | <u>US</u> |
| <u>SF149-100</u>  | <u>100 ml</u>  | <u>2</u>  | <u>\$49.73</u> | <u>US</u> |
| <u>SF149-125</u>  | <u>125 ml</u>  | <u>2</u>  | <u>\$50.38</u> | <u>US</u> |
| <u>SF149-250</u>  | <u>250 ml</u>  | <u>2</u>  | <u>\$54.11</u> | <u>US</u> |
| <u>SF149-500</u>  | <u>500 ml</u>  | <u>2</u>  | <u>\$61.26</u> | <u>US</u> |
| <u>SF149-1000</u> | <u>1000 ml</u> | <u>1</u>  | <u>\$42.90</u> | <u>US</u> |
| <u>SF149-2000</u> | <u>2000 ml</u> | <u>1</u>  | <u>\$81.25</u> | <u>US</u> |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

Page 34

## Funnel, Separatory; Stopcock Plug Replacement

Does not include glass barrel

-Straight Bore

-PTFE Washer, Viton O-ring

-Blue Handle, nut

May not fit Economy funnels.



Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume             | Sale Qty. | Pk Price       | Code |
|--------------------|---------------------------|-----------|----------------|------|
| <u>SM-1520-152</u> | <u>11/25: 2 mm bore</u>   | <u>1</u>  | <u>\$21.73</u> |      |
| <u>SM-1520-154</u> | <u>15.2/30: 4 mm bore</u> | <u>1</u>  | <u>\$23.65</u> |      |
| <u>SM-1520-156</u> | <u>16/35: 6 mm bore</u>   | <u>1</u>  | <u>\$30.58</u> |      |
| <u>SM-1520-157</u> | <u>24/40: 8 mm bore</u>   | <u>1</u>  | <u>\$66.10</u> |      |
| <u>SM-1520-158</u> | <u>24/40: 10 mm bore</u>  | <u>1</u>  | <u>\$66.10</u> |      |

## Liquid Handling- Bottle-top Dispenser

### Dispet-

Adapters are required in American market; see list at right.

1 & 2 ml models come with 22 mm adapter. Nichiryo pipettes are precision-built in Japan.

Accuracy: 1.0%, Precision 0.2%



Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge

| Part #                 | Size / Volume                           | Sale Qty. | Pk Price        | Code |
|------------------------|-----------------------------------------|-----------|-----------------|------|
| <u>00-DP-1</u>         | <u>0.2 - 1.0 ml</u>                     | <u>1</u>  | <u>\$174.60</u> |      |
| <u>00-DP-2</u>         | <u>0.4 - 2.0 ml</u>                     | <u>1</u>  | <u>\$174.60</u> |      |
| <u>00-DP-5</u>         | <u>1.0 - 5.0 ml</u>                     | <u>1</u>  | <u>\$174.60</u> |      |
| <u>00-DP-10</u>        | <u>2.0 - 10.0 ml</u>                    | <u>1</u>  | <u>\$174.60</u> |      |
| <b>Thread adapters</b> |                                         |           |                 |      |
| <u>00-DP-1128</u>      | <u>28 mm thread, for 500 ml bottles</u> | <u>1</u>  | <u>\$7.76</u>   |      |
| <u>00-DP-1133</u>      | <u>33 mm thread, for 1 L bottles</u>    | <u>1</u>  | <u>\$7.76</u>   |      |
| <u>00-DP-1138</u>      | <u>38 mm thread, for 2-4 L bottles</u>  | <u>1</u>  | <u>\$7.76</u>   |      |
| <u>00-DP-1145</u>      | <u>45 mm thread adapter</u>             | <u>1</u>  | <u>\$7.76</u>   |      |

## Liquid Handling- Bottle-top Dispenser

### Nichiryo Dispet EX II Bottle Top Dispenser-

A fully autoclavable (121°C for 20 minutes) bottle top dispenser, made from chemical-resistant materials. The accessories include the 3 most frequent used adaptors, length-adjustable inlet tube and a liquid return function in order to minimize reagent loss.

Accuracy: 0.5%

Precision: <= 0.1%



Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge

| Part #              | Size / Volume      | Sale Qty. | Pk Price        | Code |
|---------------------|--------------------|-----------|-----------------|------|
| <u>00-DPX2-20</u>   | <u>0.25-2.5 ml</u> | <u>1</u>  | <u>\$450.00</u> |      |
| <u>00-DPX2-50</u>   | <u>0.5-5.0 ml</u>  | <u>1</u>  | <u>\$450.00</u> |      |
| <u>00-DPX2-100</u>  | <u>1.0-10 ml</u>   | <u>1</u>  | <u>\$450.00</u> |      |
| <u>00-DPX2-250</u>  | <u>2.5-25 ml</u>   | <u>1</u>  | <u>\$562.50</u> |      |
| <u>00-DPX2-500</u>  | <u>5.0-50 ml</u>   | <u>1</u>  | <u>\$610.20</u> |      |
| <u>00-DPX2-1000</u> | <u>10-100 ml</u>   | <u>1</u>  | <u>\$779.40</u> |      |

## Liquid Handling- Bottle-top Dispenser, With Recirculation

### LH Technologies-

The Jade Bottle Top Dispenser features a re-circulation valve that redirects liquid back into the bottle without the loss of reagent. Fully autoclavable. [http://www.lhtechno.com/jade\\_btd.php](http://www.lhtechno.com/jade_btd.php)

Accuracy: 0.6%

Precision: <= 0.2%



Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume     | Sale Qty. | Pk Price        | Code      |
|----------------|-------------------|-----------|-----------------|-----------|
| <u>BTJD2.5</u> | <u>0.25-2.5ml</u> | <u>1</u>  | <u>\$390.00</u> | <u>US</u> |
| <u>BTJD5</u>   | <u>0.5-5ml</u>    | <u>1</u>  | <u>\$390.00</u> | <u>US</u> |
| <u>BTJD10</u>  | <u>1-10ml</u>     | <u>1</u>  | <u>\$390.00</u> | <u>US</u> |
| <u>BTJD30</u>  | <u>2.5-30ml</u>   | <u>1</u>  | <u>\$517.50</u> | <u>US</u> |
| <u>BTJD60</u>  | <u>5-60ml</u>     | <u>1</u>  | <u>\$517.50</u> | <u>US</u> |
| <u>BTJD100</u> | <u>10-100ml</u>   | <u>1</u>  | <u>\$622.50</u> | <u>US</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

Page 35

## Liquid Handling- Carousel Stand For Air, Premium LT, Premium And Nichiryo Le

| Part #            | Size / Volume                                                      | Sale Qty. | Pk Price       | Code |
|-------------------|--------------------------------------------------------------------|-----------|----------------|------|
| <u>00-NAR-STD</u> | <u>Carousel Stand for Air, Premium LT, Premium and Nichiryo Le</u> | <u>1</u>  | <u>\$97.65</u> |      |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Liquid Handling- Controller, Pipet

### Neo Pipette Mate Controller-

Use with all types of pipettes. Long-life Lithium Ion battery, dial-type adjustable speed. Nichiryo pipet controllers are precision-built in Japan.

| Part #          | Size / Volume           | Sale Qty. | Pk Price        | Code |
|-----------------|-------------------------|-----------|-----------------|------|
| <u>00-PMNEO</u> | <u>Pipet controller</u> | <u>1</u>  | <u>\$274.30</u> |      |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

## Liquid Handling- Dispenser, Repetitive Syringe

### Nichimate Stepper-

Single hand operation, dispense up to 48 times without refilling. Compatible with Combi-tip(R). Syringes are compatible with Eppendorf Repeater, but not Eppendorf Plus Repeater.

Nichiryo pipettes are precision-built in Japan.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #            | Size / Volume                     | Sale Qty. | Pk Price        | Code |
|-------------------|-----------------------------------|-----------|-----------------|------|
| <u>00-NSTP</u>    | <u>Nichiryo Stepper</u>           | <u>1</u>  | <u>\$302.40</u> |      |
|                   | <u>Syringes:</u>                  |           |                 |      |
| <u>00-NS-V</u>    | <u>0.05 ml</u>                    | <u>1</u>  | <u>\$248.40</u> |      |
| <u>00-NS-S</u>    | <u>0.5 ml</u>                     | <u>1</u>  | <u>\$124.20</u> |      |
| <u>00-NS-M</u>    | <u>1.25 ml</u>                    | <u>1</u>  | <u>\$124.20</u> |      |
| <u>00-NS-N</u>    | <u>2.5 ml</u>                     | <u>1</u>  | <u>\$124.20</u> |      |
| <u>00-NS-L</u>    | <u>5.0 ml</u>                     | <u>1</u>  | <u>\$124.20</u> |      |
| <u>00-NS-X</u>    | <u>12.5 ml</u>                    | <u>1</u>  | <u>\$124.20</u> |      |
| <u>00-NS-Y</u>    | <u>25.0 ml w/ adapter</u>         | <u>1</u>  | <u>\$124.20</u> |      |
| <u>00-NS-Z</u>    | <u>50.0 ml w/ adapter</u>         | <u>1</u>  | <u>\$84.60</u>  |      |
| <u>00-NS-ADPY</u> | <u>Adapter for 25 ml syringes</u> | <u>1</u>  | <u>\$21.60</u>  |      |
| <u>00-NS-ADPZ</u> | <u>Adapter for 50 ml syringes</u> | <u>1</u>  | <u>\$21.60</u>  |      |
| <u>00-NS-STD</u>  | <u>Stand- holds two Steppers</u>  | <u>1</u>  | <u>\$163.80</u> |      |

## Liquid Handling- Pipet, Serological; Class A. Economy- United Scientific

Complies with USP standards. Color coded. United Scientific brand.

Mohr pipets are also available.

| Part #          | Size / Volume                | Sale Qty. | Pk Price       | Code      |
|-----------------|------------------------------|-----------|----------------|-----------|
| <u>PS7079-A</u> | <u>0.1 ml: 0.01 interval</u> | <u>5</u>  | <u>\$25.81</u> | <u>US</u> |
| <u>PS7079-B</u> | <u>0.2 ml: 0.01 interval</u> | <u>5</u>  | <u>\$25.81</u> | <u>US</u> |
| <u>PS7079-D</u> | <u>1 ml: 0.1 interval</u>    | <u>5</u>  | <u>\$25.96</u> | <u>US</u> |
| <u>PS7079-E</u> | <u>2 ml: 0.1 interval</u>    | <u>5</u>  | <u>\$26.97</u> | <u>US</u> |
| <u>PS7079-H</u> | <u>5 ml: 0.1 interval</u>    | <u>5</u>  | <u>\$26.97</u> | <u>US</u> |
| <u>PS7079-I</u> | <u>10 ml: 0.1 interval</u>   | <u>5</u>  | <u>\$27.55</u> | <u>US</u> |
| <u>PS7079-J</u> | <u>25 ml: 0.1 interval</u>   | <u>5</u>  | <u>\$54.19</u> | <u>US</u> |



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

Page 36

## Liquid Handling- Pipet, Volumetric; Class A. Corning

These pipets are manufactured to Class A capacity tolerances as indicated by ASTM E-542, ASTM E-694, and ASTM E-969. Sizes 1 mL through 25 mL are color-coded.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume | Sale Qty. | Pk Price        | Code |
|-----------------|---------------|-----------|-----------------|------|
| <u>7100-1</u>   | <u>1 ml</u>   | <u>12</u> | <u>\$146.00</u> |      |
| <u>7100-2</u>   | <u>2 ml</u>   | <u>12</u> | <u>\$171.69</u> |      |
| <u>7100-3</u>   | <u>3 ml</u>   | <u>12</u> | <u>\$146.00</u> |      |
| <u>7100-4</u>   | <u>4 ml</u>   | <u>12</u> | <u>\$175.20</u> |      |
| <u>7100-5</u>   | <u>5 ml</u>   | <u>12</u> | <u>\$146.00</u> |      |
| <u>7100-10</u>  | <u>10 ml</u>  | <u>12</u> | <u>\$159.47</u> |      |
| <u>7100-15</u>  | <u>15 ml</u>  | <u>12</u> | <u>\$262.04</u> |      |
| <u>7100-20</u>  | <u>20 ml</u>  | <u>12</u> | <u>\$279.69</u> |      |
| <u>7100-25</u>  | <u>25 ml</u>  | <u>12</u> | <u>\$249.29</u> |      |
| <u>7100-50</u>  | <u>50 ml</u>  | <u>12</u> | <u>\$400.62</u> |      |
| <u>7100-100</u> | <u>100 ml</u> | <u>12</u> | <u>\$562.34</u> |      |

## Liquid Handling- Pipet, Volumetric; Class A. Economy- Vee Gee

Meets ASTM E969. Color coded. Also available: serological, and wide-mouth serological. Sibata brand



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #           | Size / Volume | Sale Qty. | Pk Price        | Code      |
|------------------|---------------|-----------|-----------------|-----------|
| <u>2040A-05</u>  | <u>.5 ml</u>  | <u>12</u> | <u>\$61.83</u>  | <u>VG</u> |
| <u>2040A-1</u>   | <u>1 ml</u>   | <u>12</u> | <u>\$38.80</u>  | <u>VG</u> |
| <u>2040A-2</u>   | <u>2 ml</u>   | <u>12</u> | <u>\$46.49</u>  | <u>VG</u> |
| <u>2040A-3</u>   | <u>3 ml</u>   | <u>12</u> | <u>\$54.42</u>  | <u>VG</u> |
| <u>2040A-4</u>   | <u>4 ml</u>   | <u>12</u> | <u>\$54.42</u>  | <u>VG</u> |
| <u>2040A-5</u>   | <u>5 ml</u>   | <u>12</u> | <u>\$59.45</u>  | <u>VG</u> |
| <u>2040A-10</u>  | <u>10 ml</u>  | <u>12</u> | <u>\$95.48</u>  | <u>VG</u> |
| <u>2040A-15</u>  | <u>15 ml</u>  | <u>6</u>  | <u>\$47.75</u>  | <u>VG</u> |
| <u>2040A-20</u>  | <u>20 ml</u>  | <u>6</u>  | <u>\$53.68</u>  | <u>VG</u> |
| <u>2040A-25</u>  | <u>25 ml</u>  | <u>6</u>  | <u>\$59.18</u>  | <u>VG</u> |
| <u>2040A-50</u>  | <u>50 ml</u>  | <u>6</u>  | <u>\$74.68</u>  | <u>VG</u> |
| <u>2040A-100</u> | <u>100 ml</u> | <u>6</u>  | <u>\$120.38</u> | <u>VG</u> |

## Liquid Handling- Pipetter, Digital

### Nichipet Air-

weight significantly reduced, autoclavable, hyperblower (2µL, 10µL and 20µL), 70% stroke load reduction, color coding. 2 year warranty. Without volume lock. Nichiryo pipettes are precision-built in Japan.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume            | Sale Qty. | Pk Price        | Code |
|--------------------|--------------------------|-----------|-----------------|------|
|                    | <b>Volume range (µL)</b> |           |                 |      |
| <u>00-NAR-2</u>    | <u>0.1-2</u>             | <u>1</u>  | <u>\$285.20</u> |      |
| <u>00-NAR-10</u>   | <u>0.5-10</u>            | <u>1</u>  | <u>\$272.03</u> |      |
| <u>00-NAR-20</u>   | <u>2-20</u>              | <u>1</u>  | <u>\$272.03</u> |      |
| <u>00-NAR-100</u>  | <u>10-100</u>            | <u>1</u>  | <u>\$272.03</u> |      |
| <u>00-NAR-200</u>  | <u>20-200</u>            | <u>1</u>  | <u>\$272.03</u> |      |
| <u>00-NAR-1000</u> | <u>100-1000</u>          | <u>1</u>  | <u>\$272.03</u> |      |
| <u>00-NAR-5000</u> | <u>500-5000</u>          | <u>1</u>  | <u>\$285.20</u> |      |
| <u>00-NAR-10ML</u> | <u>1000-10000</u>        | <u>1</u>  | <u>\$265.83</u> |      |

## Liquid Handling- Pipetter, Digital; Organic Solvent Resistant

### Nichipet EX Plus II:

Fully Autoclavable/UV stable; easy calibration digital micropipette. **The addition of a perfluoro o-ring to the Nichipet EX II gives superior organic solvent resistance.**

Nichiryo pipettes are precision-built in Japan.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #               | Size / Volume       | Sale Qty. | Pk Price        | Code |
|----------------------|---------------------|-----------|-----------------|------|
| <u>00-NPL02-2</u>    | <u>0.1-2.0 ul</u>   | <u>1</u>  | <u>\$265.30</u> |      |
| <u>00-NPL02-10</u>   | <u>0.5-10.0 ul</u>  | <u>1</u>  | <u>\$258.30</u> |      |
| <u>00-NPL02-20</u>   | <u>2-20 ul</u>      | <u>1</u>  | <u>\$258.30</u> |      |
| <u>00-NPL02-100</u>  | <u>10-100 ul</u>    | <u>1</u>  | <u>\$258.30</u> |      |
| <u>00-NPL02-200</u>  | <u>20-200 ul</u>    | <u>1</u>  | <u>\$258.30</u> |      |
| <u>00-NPL02-1000</u> | <u>100-1000 ul</u>  | <u>1</u>  | <u>\$258.30</u> |      |
| <u>00-NPL02-5000</u> | <u>1000-5000 ul</u> | <u>1</u>  | <u>\$265.30</u> |      |
| <u>00-NPL02-10ML</u> | <u>1-10 ml</u>      | <u>1</u>  | <u>\$265.30</u> |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Liquid Handling- Pipetter, Digital. Nichipet Premium

### Nichipet Premium:

All the features of **Nichipet EXII** with improved accuracy, precision, and durability. Easy calibration, UV resistant, autoclavable. 5 year warranty.

Nichiryo pipettes are precision-built in Japan.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume       | Sale Qty. | Pk Price        | Code |
|--------------------|---------------------|-----------|-----------------|------|
| <u>00-NPP-2</u>    | <u>0.1-2.0 ml</u>   | <u>1</u>  | <u>\$262.50</u> |      |
| <u>00-NPP-10</u>   | <u>0.5-10 ul</u>    | <u>1</u>  | <u>\$253.50</u> |      |
| <u>00-NPP-20</u>   | <u>2-20 ul</u>      | <u>1</u>  | <u>\$253.50</u> |      |
| <u>00-NPP-100</u>  | <u>10-100 ul</u>    | <u>1</u>  | <u>\$253.50</u> |      |
| <u>00-NPP-200</u>  | <u>20-200 ul</u>    | <u>1</u>  | <u>\$253.50</u> |      |
| <u>00-NPP-1000</u> | <u>100-1000 ul</u>  | <u>1</u>  | <u>\$253.50</u> |      |
| <u>00-NPP-5000</u> | <u>1000-5000 ul</u> | <u>1</u>  | <u>\$262.50</u> |      |
| <u>00-NPP-10ML</u> | <u>1-10 ml</u>      | <u>1</u>  | <u>\$277.20</u> |      |

## Liquid Handling- Tip, Pipetter

Available filtered, racked, sterilized, and bulk (bagged).

Most sizes are universal, except BMT-X and BMT-Z which are used only with larger Nichiryo pipettes.

Nichiryo pipettes and tips are precision-built in Japan.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                               | Size / Volume                   | Sale Qty.   | Pk Price       | Code |
|--------------------------------------|---------------------------------|-------------|----------------|------|
| <b>Low retention tips:</b>           |                                 |             |                |      |
| <u>00-BMTL-UT</u>                    | <u>10 ul. universal (short)</u> | <u>1000</u> | <u>\$21.25</u> |      |
| <u>00-BMTL-SS</u>                    | <u>10 ul universal (long)</u>   | <u>1000</u> | <u>\$21.25</u> |      |
| <u>00-BMTL-SG</u>                    | <u>200 ul universal</u>         | <u>1000</u> | <u>\$16.15</u> |      |
| <u>00-BMTL-K</u>                     | <u>300 ul universal</u>         | <u>1000</u> | <u>\$25.50</u> |      |
| <u>00-BMTL-L</u>                     | <u>1000 ul. Universal</u>       | <u>1000</u> | <u>\$28.05</u> |      |
| <u>00-BMTL-XL</u>                    | <u>1250 ul. Universal</u>       | <u>1000</u> | <u>\$29.75</u> |      |
| <b>Exclusive to Nichiryo pipets:</b> |                                 |             |                |      |
| <u>00-BMT-X</u>                      | <u>5000 ul</u>                  | <u>200</u>  | <u>\$42.50</u> |      |
| <u>00-BMT-Z</u>                      | <u>10000 ul</u>                 | <u>200</u>  | <u>\$54.40</u> |      |

## Liquid Handling; Dispenser, Tilting

Many volume/joint combinations are possible.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume                         | Sale Qty. | Pk Price        | Code |
|-------------|---------------------------------------|-----------|-----------------|------|
| <u>2035</u> | <u>dispenser, 24/40 joint, 5 ml</u>   | <u>1</u>  | <u>\$180.00</u> |      |
| <u>2036</u> | <u>dispenser, 24/40 joint, 10 ml</u>  | <u>1</u>  | <u>\$180.00</u> |      |
| <u>2037</u> | <u>dispenser, 24/40 joint, 15 ml</u>  | <u>1</u>  | <u>\$180.00</u> |      |
| <u>2038</u> | <u>dispenser, 29/42 joint, 25 ml</u>  | <u>1</u>  | <u>\$200.00</u> |      |
| <u>2039</u> | <u>dispenser, 29/42 joint, 30 ml</u>  | <u>1</u>  | <u>\$200.00</u> |      |
| <u>2040</u> | <u>dispenser, 29/42 joint, 50 ml</u>  | <u>1</u>  | <u>\$210.00</u> |      |
| <u>2041</u> | <u>dispenser, 29/42 joint, 60 ml</u>  | <u>1</u>  | <u>\$210.00</u> |      |
| <u>2042</u> | <u>dispenser, 29/42 joint, 100 ml</u> | <u>1</u>  | <u>\$215.00</u> |      |
| <u>2105</u> | <u>flask, 24/40 joint, 500 ml</u>     | <u>1</u>  | <u>\$45.00</u>  |      |
| <u>2106</u> | <u>flask, 29/42 joint, 500 ml</u>     | <u>1</u>  | <u>\$54.00</u>  |      |
| <u>2107</u> | <u>flask, 24/40 joint, 1000 ml</u>    | <u>1</u>  | <u>\$55.00</u>  |      |
| <u>2108</u> | <u>flask, 29/42 joint, 1000 ml</u>    | <u>1</u>  | <u>\$70.00</u>  |      |
| <u>2109</u> | <u>flask, 29/42 joint, 2000 ml</u>    | <u>1</u>  | <u>\$80.00</u>  |      |

## Pipet, Pasteur

Corning® and United Scientific borosilicate 5.75 and 9 inch Pasteur Pipets. Disposable, Bulk Pack, Non-Sterile, Unplugged. These pipets feature a constriction one inch below the top to facilitate plugging.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                    | Size / Volume  | Sale Qty.   | Pk Price        | Code |
|---------------------------|----------------|-------------|-----------------|------|
| <b>Corning:</b>           |                |             |                 |      |
| <u>7095D-5X</u>           | <u>5.75" L</u> | <u>1000</u> | <u>\$97.18</u>  |      |
| <u>7095D-9</u>            | <u>9" L</u>    | <u>1000</u> | <u>\$114.00</u> |      |
| <b>United Scientific:</b> |                |             |                 |      |
| <u>DBG146NS</u>           | <u>5.75" L</u> | <u>1000</u> | <u>\$83.44</u>  |      |
| <u>DBG229NS</u>           | <u>9" L</u>    | <u>1000</u> | <u>\$83.44</u>  |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

### 3 Prong, Vinyl Coated Clamp- 4.1" Max Opening

Ideal uses for beakers, Erlenmeyer flasks, test-tubes, boiling (Florence) flasks, burettes. The screw adjustment allows for precise pressure when gripping glass objects. The round extension arm allows the clamp to be rotated 360 degrees as well as vary the distance from the support apparatus (PRCMP01) . The prongs are coated in vinyl for higher temperature applications



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #    | Size / Volume                                                                                                                                             | Sale Qty. | Pk Price       | Code      |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------|-----------|
| PRCMP01   | <u>On stainless steel rod</u><br><u>A bosshead (sold separately)</u><br><u>will be needed to secure the clamp</u><br><u>to a frame or other apparatus</u> | <u>1</u>  | <u>\$25.17</u> | <u>EI</u> |
| PRCMP01BH | <u>On swivel bosshead</u><br><u>Includes a high strength alloy boss</u><br><u>head for securing the clamp to a</u><br><u>frame or other apparatus.</u>    | <u>1</u>  | <u>\$33.94</u> | <u>EI</u> |

### 4 Prong, Vinyl Coated Clamp- 4.1" Max Opening

Ideal for use with beakers, Erlenmeyer flasks, test-tubes, boiling (Florence) flasks, burettes. The screw adjustment allows for precise pressure when gripping glass objects. The round extension arm allows the clamp to be rotated 360 degrees as well as vary the distance from the support apparatus (PRCMP03) . The prongs are coated in vinyl for higher temperature applications



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #    | Size / Volume                                                                                                                                             | Sale Qty. | Pk Price       | Code      |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------|-----------|
| PRCMP03   | <u>On stainless steel rod</u><br><u>A bosshead (sold separately)</u><br><u>will be needed to secure the</u><br><u>clamp to a frame or other apparatus</u> | <u>1</u>  | <u>\$29.56</u> | <u>EI</u> |
| PRCMP03BH | <u>On swivel bosshead</u><br><u>Includes a high strength alloy Boss</u><br><u>Head for securing the clamp to a</u><br><u>or other apparatus.</u>          | <u>1</u>  | <u>\$37.19</u> | <u>EI</u> |

### Bosshead, Swivel Premium - 360 Degree Rotation

All metal construction to carry heavy loads and prevent torque damage. Three wide pad metal screws make it easier to securely fasten the Boss Head to the support apparatus and clamp. 360 degree swivel feature allows you to position the apparatus at different angles. Large opening holds rod up to 3/4" (19mm), smaller opening holds rod up to 5/8" (16mm).



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #    | Size / Volume                                            | Sale Qty. | Pk Price       | Code      |
|-----------|----------------------------------------------------------|-----------|----------------|-----------|
| PRBH04    | <u>Bosshead, Swivel Premium</u>                          | <u>1</u>  | <u>\$18.60</u> | <u>EI</u> |
| PRBH04BLK | <u>Bosshead, Swivel Premium,</u><br><u>painted black</u> | <u>1</u>  | <u>\$10.86</u> | <u>EI</u> |

### Lattice Lab System #1

The Lattice Lab System is a lightweight set of aluminum support rods and clamps that allows a wide range of lab apparatus to be assembled and securely supported. Assembly is easy and requires only a screwdriver. Support rods are made of hard aluminum and foot plates and hook connectors are made of cast alloy.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge


| Part # | Size / Volume                                | Sale Qty. | Pk Price        | Code      |
|--------|----------------------------------------------|-----------|-----------------|-----------|
| LLS001 | <u>Contents:</u>                             | <u>1</u>  | <u>\$140.63</u> | <u>US</u> |
|        | <u>Foot Plate, 2-5/16" diameter x 4</u>      |           |                 |           |
|        | <u>Set Screw for Foot Plate x 4</u>          |           |                 |           |
|        | <u>Anchoring Screw for Foot Plate x 12</u>   |           |                 |           |
|        | <u>Hook Connector w/ Thumbscrew x 22</u>     |           |                 |           |
|        | <u>Support Rod, 2" L, 1/2" diameter x 8</u>  |           |                 |           |
|        | <u>Support Rod, 18" L, 1/2" dia. x 2</u>     |           |                 |           |
|        | <u>Support Rod, 24" L, 1/2" diameter x 8</u> |           |                 |           |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

## Lattice Lab System #2

This Lattice Lab System features an assortment of aluminum rods from 18" to 48" long. Assembly is easy and requires only a screwdriver. Support rods are made of hard aluminum and foot plates and hook connectors are made of cast alloy.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #        | Size / Volume                                | Sale Qty. | Pk Price        | Code      |
|---------------|----------------------------------------------|-----------|-----------------|-----------|
| <u>LLS002</u> | <u>Contents:</u>                             | <u>1</u>  | <u>\$209.64</u> | <u>US</u> |
|               | <u>Foot Plate, 2-5/16" diameter x 4</u>      |           |                 |           |
|               | <u>Set Screw for Foot Plate x 4</u>          |           |                 |           |
|               | <u>Anchoring Screw for Foot Plate x 12</u>   |           |                 |           |
|               | <u>Hook Connector w/ Thumbscrew x 26</u>     |           |                 |           |
|               | <u>Support Rod, 2" L 1/2" diameter x 8</u>   |           |                 |           |
|               | <u>Support Rod, 18" L, 1/2" dia. x 2</u>     |           |                 |           |
|               | <u>Support Rod, 24" L, 1/2" diameter x 5</u> |           |                 |           |
|               | <u>Support Rod, 36" L, 1/2" diameter x 2</u> |           |                 |           |
|               | <u>Support Rod, 48" L, 1/2" diameter x 4</u> |           |                 |           |

## Lattice Lab System #3

This Lattice Lab System features an assortment of aluminum rods, including 10 rods that are 48" long. Assembly is easy and requires only a screwdriver. Support rods are made of hard aluminum and foot plates and hook connectors are made of cast alloy.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #        | Size / Volume                                 | Sale Qty. | Pk Price        | Code      |
|---------------|-----------------------------------------------|-----------|-----------------|-----------|
| <u>LLS003</u> | <u>Contents:</u>                              | <u>1</u>  | <u>\$320.08</u> | <u>US</u> |
|               | <u>Foot Plate, 2-5/16" diameter x 6</u>       |           |                 |           |
|               | <u>Set Screw for Foot Plate x 6</u>           |           |                 |           |
|               | <u>Anchoring Screw for Foot Plate x 18</u>    |           |                 |           |
|               | <u>Hook Connector with Thumbscrew x</u>       |           |                 |           |
|               | <u>Support Rod, 2" long, 1/2" diameter x</u>  |           |                 |           |
|               | <u>Support Rod, 18" long, 1/2" dia. x 3</u>   |           |                 |           |
|               | <u>Support Rod, 36" long, 1/2" diameter x</u> |           |                 |           |
|               | <u>Support Rod, 48" long,</u>                 |           |                 |           |
|               | <u>1/2" diameter x 10</u>                     |           |                 |           |

## Lattice Lab System #4

This Lattice Lab System set features aluminum rods up to 72" long. Assembly is easy and requires only a screwdriver. Support rods are made of hard aluminum and foot plates and hook connectors are made of cast alloy. **Complete system not shown.**

Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #        | Size / Volume                                 | Sale Qty. | Pk Price        | Code      |
|---------------|-----------------------------------------------|-----------|-----------------|-----------|
| <u>LLS004</u> | <u>Contents:</u>                              | <u>1</u>  | <u>\$401.45</u> | <u>US</u> |
|               | <u>Foot Plate, 2-5/16" diameter x 8</u>       |           |                 |           |
|               | <u>Set Screw for Foot Plate x 8</u>           |           |                 |           |
|               | <u>Anchoring Screw for Foot Plate x 24</u>    |           |                 |           |
|               | <u>Hook Connector with Thumbscrew x</u>       |           |                 |           |
|               | <u>Support Rod, 2" long, 1/2" diameter x</u>  |           |                 |           |
|               | <u>Support Rod, 12" long, 1/2" dia. x 6</u>   |           |                 |           |
|               | <u>Support Rod, 24" long, 1/2" diameter x</u> |           |                 |           |
|               | <u>Support Rod, 48" long, 1/2" diameter x</u> |           |                 |           |
|               | <u>Support Rod, 72" long, 1/2" dia. x 5</u>   |           |                 |           |

## Lattice Lab System Components

Components from Lattice Lab Sets are available individually so sets can be expanded to accommodate expansion and customization.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume                   | Sale Qty. | Pk Price       | Code      |
|----------------|---------------------------------|-----------|----------------|-----------|
| <u>LLSCLMP</u> | <u>Hook connector, aluminum</u> | <u>1</u>  | <u>\$5.29</u>  | <u>US</u> |
| <u>LLSFPS</u>  | <u>Foot plate</u>               | <u>1</u>  | <u>\$5.55</u>  | <u>US</u> |
| <u>LLSR02</u>  | <u>Aluminum rod, 2" length</u>  | <u>1</u>  | <u>\$2.25</u>  | <u>US</u> |
| <u>LLSR24</u>  | <u>Aluminum rod, 24" length</u> | <u>1</u>  | <u>\$9.71</u>  | <u>US</u> |
| <u>LLSR36</u>  | <u>Aluminum rod, 36" length</u> | <u>1</u>  | <u>\$16.24</u> | <u>US</u> |
| <u>LLSR48</u>  | <u>Aluminum rod, 48" length</u> | <u>1</u>  | <u>\$22.01</u> | <u>US</u> |
| <u>LLSR72</u>  | <u>Aluminum rod, 72" length</u> | <u>1</u>  | <u>\$31.09</u> | <u>US</u> |
| <u>LLSRC2</u>  | <u>Rod Connector</u>            | <u>1</u>  | <u>\$11.14</u> | <u>US</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

Page 40

## Tube, Purge And Trap. 1/2", 1/4"

1/2", 1/4"; with or without frit. Standard frit is medium porosity; also available with coarse.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume              | Sale Qty. | Pk Price        | Code |
|-------------|----------------------------|-----------|-----------------|------|
| <u>1024</u> | <u>with frit; 5 ml</u>     | <u>1</u>  | <u>\$100.00</u> |      |
| <u>1031</u> | <u>without frit; 5 ml</u>  | <u>1</u>  | <u>\$85.00</u>  |      |
| <u>2338</u> | <u>with frit; 10 ml</u>    | <u>1</u>  | <u>\$105.00</u> |      |
| <u>2330</u> | <u>without frit; 10 ml</u> | <u>1</u>  | <u>\$90.00</u>  |      |
| <u>2100</u> | <u>with frit; 15 ml</u>    | <u>1</u>  | <u>\$110.00</u> |      |
| <u>1795</u> | <u>without frit; 15 ml</u> | <u>1</u>  | <u>\$95.00</u>  |      |
| <u>1021</u> | <u>with frit; 25 ml</u>    | <u>1</u>  | <u>\$125.00</u> |      |
| <u>1029</u> | <u>without frit; 25 ml</u> | <u>1</u>  | <u>\$105.00</u> |      |

## Tube, Purge And Trap. 18mm (OI)

18mm, 1/4" for OI. With or without frit.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume             | Sale Qty. | Pk Price        | Code |
|-------------|---------------------------|-----------|-----------------|------|
| <u>1020</u> | <u>5 ml with frit</u>     | <u>1</u>  | <u>\$100.00</u> |      |
| <u>1030</u> | <u>5 ml without frit</u>  | <u>1</u>  | <u>\$85.00</u>  |      |
| <u>2484</u> | <u>10 ml with frit</u>    | <u>1</u>  | <u>\$105.00</u> |      |
| <u>2485</u> | <u>10 ml without frit</u> | <u>1</u>  | <u>\$90.00</u>  |      |
| <u>1023</u> | <u>25 ml with frit</u>    | <u>1</u>  | <u>\$125.00</u> |      |
| <u>1028</u> | <u>25 ml without frit</u> | <u>1</u>  | <u>\$105.00</u> |      |

## Stopper, Glass; Solid Penny Head. Medium Length



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume | Sale Qty. | Pk Price      | Code      |
|----------------|---------------|-----------|---------------|-----------|
| <u>CH0870A</u> | <u>10/19</u>  | <u>1</u>  | <u>\$3.30</u> | <u>EI</u> |
| <u>CH0870B</u> | <u>14/23</u>  | <u>1</u>  | <u>\$3.29</u> | <u>EI</u> |
| <u>CH0870C</u> | <u>19/26</u>  | <u>1</u>  | <u>\$4.07</u> | <u>EI</u> |
| <u>CH0870D</u> | <u>24/29</u>  | <u>1</u>  | <u>\$7.25</u> | <u>EI</u> |
| <u>CH0870E</u> | <u>29/32</u>  | <u>1</u>  | <u>\$9.51</u> | <u>EI</u> |

## Stopper, Hollow Flat Head; Glass. Flask Length

Amber stoppers are also available.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge


| Part #       | Size / Volume | Sale Qty. | Pk Price       | Code      |
|--------------|---------------|-----------|----------------|-----------|
| <u>03081</u> | <u>#9</u>     | <u>6</u>  | <u>\$22.42</u> | <u>VG</u> |
| <u>03082</u> | <u>#13</u>    | <u>6</u>  | <u>\$22.42</u> | <u>VG</u> |
| <u>03083</u> | <u>#16</u>    | <u>6</u>  | <u>\$28.90</u> | <u>VG</u> |
| <u>03084</u> | <u>#19</u>    | <u>6</u>  | <u>\$32.29</u> | <u>VG</u> |
| <u>03085</u> | <u>#22</u>    | <u>6</u>  | <u>\$37.32</u> | <u>VG</u> |
| <u>03087</u> | <u>#27</u>    | <u>6</u>  | <u>\$59.99</u> | <u>VG</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

## Stopper, Solid PTFE, Penny Head. Flask Length

Solid PTFE Stopper for use in flask length outer joints, with standard taper. Stopper sizes #27 and above have a flat head design.




Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #           | Size / Volume          | Sale Qty. | Pk Price       | Code      |
|------------------|------------------------|-----------|----------------|-----------|
| <u>SM-804-09</u> | <u>#9</u>              | <u>1</u>  | <u>\$8.23</u>  | <u>SM</u> |
| <u>SM-804-13</u> | <u>#13</u>             | <u>1</u>  | <u>\$9.32</u>  | <u>SM</u> |
| <u>SM-804-16</u> | <u>#16</u>             | <u>1</u>  | <u>\$10.97</u> | <u>SM</u> |
| <u>SM-804-19</u> | <u>#19</u>             | <u>1</u>  | <u>\$15.50</u> | <u>SM</u> |
| <u>SM-804-22</u> | <u>#22</u>             | <u>1</u>  | <u>\$20.29</u> | <u>SM</u> |
| <u>SM-804-27</u> | <u>#27 (flat head)</u> | <u>1</u>  | <u>\$27.42</u> | <u>SM</u> |
| <u>SM-804-32</u> | <u>#32 (flat head)</u> | <u>1</u>  | <u>\$39.47</u> | <u>SM</u> |
| <u>SM-804-38</u> | <u>#38 (flat head)</u> | <u>1</u>  | <u>\$54.83</u> | <u>SM</u> |

## Stopper, Solid PTFE; Full Length

Full length solid PTFE stopper with a standard taper



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #           | Size / Volume           | Sale Qty. | Pk Price       | Code      |
|------------------|-------------------------|-----------|----------------|-----------|
| <u>SM-801-02</u> | <u>10/30 Penny Head</u> | <u>1</u>  | <u>\$9.14</u>  | <u>SM</u> |
| <u>SM-801-03</u> | <u>12/30 Penny Head</u> | <u>1</u>  | <u>\$9.69</u>  | <u>SM</u> |
| <u>SM-801-04</u> | <u>14/35 Penny Head</u> | <u>1</u>  | <u>\$14.53</u> | <u>SM</u> |
| <u>SM-801-05</u> | <u>19/38 Flat Head</u>  | <u>1</u>  | <u>\$17.75</u> | <u>SM</u> |
| <u>SM-801-06</u> | <u>24/40 Flat Head</u>  | <u>1</u>  | <u>\$22.06</u> | <u>SM</u> |
| <u>SM-801-07</u> | <u>29/42 Flat Head</u>  | <u>1</u>  | <u>\$30.13</u> | <u>SM</u> |
| <u>SM-801-08</u> | <u>34/45 Flat Head</u>  | <u>1</u>  | <u>\$42.07</u> | <u>SM</u> |
| <u>SM-801-09</u> | <u>40/50 Flat Head</u>  | <u>1</u>  | <u>\$83.05</u> | <u>SM</u> |
| <u>SM-801-10</u> | <u>45/50 Flat Head</u>  | <u>1</u>  | <u>\$94.11</u> | <u>SM</u> |

## Thermometer, Digital; 1, 2, & 4 Channel K-Type Thermocouple Dataloggers

Designed for advanced applications which require accurate temperature data collection over time. A real time clock, provides your data with a time stamp. Included Windows software is used not only to transfer the recorded data but also provides a virtual panel in the window to fully control the test.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #       | Size / Volume                                                             | Sale Qty. | Pk Price        | Code |
|--------------|---------------------------------------------------------------------------|-----------|-----------------|------|
| <u>CT305</u> | <u>K-Type -200/1370C, 328/2498F x 0.1C&amp;F, w/ logger, PC Interface</u> | <u>1</u>  | <u>\$237.01</u> |      |
| <u>CT306</u> | <u>2 Channel Thermocouple Data -200 to 1370C (-328 to 2498F)</u>          | <u>1</u>  | <u>\$310.85</u> |      |
| <u>CT309</u> | <u>4 Channel Thermocouple Data -200 to 1370C (-328 to 2498F)</u>          | <u>1</u>  | <u>\$389.10</u> |      |
| <u>CTK02</u> | <u>Thermocouple Imm. Probe, -50 to</u>                                    | <u>1</u>  | <u>\$60.06</u>  |      |
| <u>CTK04</u> | <u>Thermocouple Insert. Probe, -50 to</u>                                 | <u>1</u>  | <u>\$74.78</u>  |      |
| <u>CTK05</u> | <u>Thermocouple, Surface Probe, -50 to</u>                                | <u>1</u>  | <u>\$96.30</u>  |      |
| <u>CTK01</u> | <u>Thermo. Beaded Wire Probe, -50 to</u>                                  | <u>1</u>  | <u>\$20.78</u>  |      |
| <u>CTK06</u> | <u>Thermo. Air/Gas Probe, -50 to 800C</u>                                 | <u>1</u>  | <u>\$96.30</u>  |      |

## Thermometer, Digital; Dual Probe Wi-Fi Capable Temperature Data Logger

Monitor two temperatures simultaneously. Record 24 million records; date, time, sensor temp readings, sensor status/sensor failure, and % of battery power remaining. Certified/Serialized/Traceable to NIST.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #           | Size / Volume                              | Sale Qty. | Pk Price        | Code |
|------------------|--------------------------------------------|-----------|-----------------|------|
| <u>ACCRT8017</u> | <u>Dual Probe Vaccine Data Logger</u>      | <u>1</u>  | <u>\$169.71</u> |      |
| <u>ACCRTAMB</u>  | <u>Optional: Ambient Room Temp. Sensor</u> | <u>1</u>  | <u>\$7.97</u>   |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
 NW TechGlass 503-348-3024

## Thermometer, Digital; Large Digit Wireless (RF) For Fridge/ Freezer

Thermco's most popular big digit thermometer has been updated with a wireless bottle sensor filled with Bio-Safe buffer medium. 3 channel temperature measurement:

Internal – Device's ambient temperature

External – Probe with bottle

Wireless – Bluetooth transmitter

• Triple display for current, min. and max. temperature

Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge



| Part #            | Size / Volume                                                                         | Sale Qty. | Pk Price       | Code |
|-------------------|---------------------------------------------------------------------------------------|-----------|----------------|------|
| <u>ACC895WRFT</u> | <u>Wireless 3 channel big digit</u><br><u>NIST Tracable Certificate @ -20°C &amp;</u> | <u>1</u>  | <u>\$65.98</u> |      |

## Thermometer, Digital; Large Digit With Bottle. Current / Min / Max Triple Display

NIST traceable. Certified for freezers, refrigerators, incubators or ambient. Resolution 0.1. 9' cable probe. 30ml probe bottle filled with Bio-Safe medium, sand, or oil. 5ml vaccine bottle with Bio-Safe. Audible alarm will sound when the temp. rises above or goes below the set temperatures. Bottles supplied w/ magnets.



Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge

| Part #             | Size / Volume                                  | Sale Qty. | Pk Price       | Code |
|--------------------|------------------------------------------------|-----------|----------------|------|
| <u>ACC895DIG</u>   | <u>Thermometer with probe only</u>             | <u>1</u>  | <u>\$40.77</u> |      |
| <u>30ML BOTTLE</u> |                                                |           |                |      |
| <u>ACC895FRE</u>   | <u>Freezers, -50 to 70C. Certified at -20C</u> | <u>1</u>  | <u>\$63.74</u> |      |
| <u>ACC895REF</u>   | <u>Refrigerators, -50 to 70C. Cert. @+4C</u>   | <u>1</u>  | <u>\$63.74</u> |      |
| <u>ACC895INC</u>   | <u>Incubators, -50 to 70C. Cert. at +37C</u>   | <u>1</u>  | <u>\$63.74</u> |      |
| <u>ACC895AMB</u>   | <u>Ambient, -55 to 70C. Certified at +22C</u>  | <u>1</u>  | <u>\$63.74</u> |      |
| <u>6ML VACCINE</u> |                                                |           |                |      |
| <u>ACC895FRE</u>   | <u>Freezers, -50 to 70C. Certified at -20C</u> | <u>1</u>  | <u>\$63.74</u> |      |
| <u>ACC895REF</u>   | <u>Refrigerators, -50 to 70C. Cert. at +4C</u> | <u>1</u>  | <u>\$63.74</u> |      |
| <u>ACC895INC</u>   | <u>Incubators, -50 to 70C. Cert. at +37C</u>   | <u>1</u>  | <u>\$63.74</u> |      |
| <u>OTHER</u>       |                                                |           |                |      |
| <u>ACC895BLK</u>   | <u>Dry-Bath/Block Heaters, Cert. at +37C</u>   | <u>1</u>  | <u>\$63.74</u> |      |
| <u>ACC895WB</u>    | <u>H2O baths, -50 to 70C. Cert. at +37C</u>    | <u>1</u>  | <u>\$63.74</u> |      |

## Thermometer, Digital; Wi-Fi Wireless Data Logger

LogTag UTRED30-WiFi- 30 day logger with display, stores up to 16,129 readings without needing off-loading of data. Audible and flashing LED signals temperature excursions. Download data via LogTag Analyzer Software or a PDF (no software required) when Wi-Fi is unavailable. Temperature range of -40° to +99°C (-40° to +210°F) via external buffer bottle probe.



Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge

| Part #               | Size / Volume                   | Sale Qty. | Pk Price        | Code |
|----------------------|---------------------------------|-----------|-----------------|------|
| <u>LTUTRED30WIFI</u> | <u>Wi-Fi 30-day data logger</u> | <u>1</u>  | <u>\$324.49</u> |      |

## Thermometer, Digital; Wireless (RF) Monitoring Of Up To 8 Locations

Monitor and record up to 50K sets of temp. & humidity measurements. Monitor the local ambient temp. and humidity with the base unit, plus receive data from up to 8 remote wireless sensors. The data recorded can be transferred and stored on your pc. Review, chart, and export data, set temperature & humidity min/max alarm points & edit sensor names



Mix/match within these codes:

US = \$60 min. or \$5 charge

EI = \$60 min or \$5 charge

VG = \$85 min or \$15 charge

SM = \$180.00 min. or \$20 charge

| Part #              | Size / Volume                                                                                                                                                                       | Sale Qty. | Pk Price        | Code |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------|------|
| <u>ACCDTA150RFV</u> | <u>KLIMALOGG PRO</u><br><u>Temp/Humidity Data-Logger Kit</u><br><u>Includes NIST Traceable Certificate,</u><br><u>USB Interface, and Wireless</u><br><u>Transmitter (ACCDTA151)</u> | <u>1</u>  | <u>\$326.59</u> |      |
| <u>ACCDTA141</u>    | <u>Additional Temperature &amp; Humidity</u><br><u>Transmitter</u><br><u>-40/60°C 0.1°C resolution, 1/99% 1%</u><br><u>resolution</u>                                               | <u>1</u>  | <u>\$68.11</u>  |      |
| <u>ACCDTA151</u>    | <u>Vaccine Temperature Transmitter</u><br><u>Probe</u><br><u>-40/60°C 0.1°C resolution</u>                                                                                          | <u>1</u>  | <u>\$80.72</u>  |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

Page 43

## Thermometer, Liquid-in-Glass; ASTM - Certified

Thermco's ASTM - Certified Thermometers use ASTM methods in the calibration of these instruments. Traceable Calibration Document Included



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #                                                                                                                                                                                                                                  | Size / Volume | Sale Qty. | Pk Price | Code |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------|----------|------|
| Please contact us for a complete<br>list of available ASTM Certified<br>thermometers<br>or go to:<br><br><a href="https://www.thermcoproducts.com/liq-thermometers.html">https://www.thermcoproducts.com/<br/>liq-thermometers.html</a> |               |           |          |      |

## Thermometer, Liquid-in-Glass; ASTM - Precision Factory Certified

- Certified at 5 Temperatures with Correction Factors
- Each Thermometer is Calibrated Against NIST Standards
- Traceable Calibration Document Included
- BLUE SPIRIT Range (-38 to 155°C) or (-36 to 311°F)
- Protective Case not included  
but available separately



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume                                                     | Sale Qty. | Pk Price | Code |
|-------------|-------------------------------------------------------------------|-----------|----------|------|
| ACC062CBLSC | 0S62C, -38/+2C, TOTAL IMM.<br>BLUE SPIRIT, Cert@ -37,-15,-20,-10  | 1         | \$505.02 |      |
| ACC062FBLSC | 0S62F, -36/+35F, TOTAL IMM.<br>BLUE SPIRIT, Cert @ -35,-15, 0, 15 | 1         | \$505.02 |      |
| ACC063CBLSC | 0S63C, -8/+32C, TOTAL IMM.<br>BLUE SPIRIT, Cert@ -7,0,10,20,30C   | 1         | \$474.50 |      |
| ACC063FBLSC | 0S63F, +18/89F, TOTAL IMM.<br>BLUE SPIRIT, Cert@ 20,32,50,70      | 1         | \$474.50 |      |
| ACC064CBLSC | 0S64C, +25/55C, TOTAL IMM.<br>BLUE SPIRIT, Cert@ 0,25,35,45,55C   | 1         | \$495.78 |      |
| ACC064FBLSC | 0S64F, +77/131F, TOTAL IMM.<br>BLUE SPIRIT, Cert@                 | 1         | \$495.78 |      |
| ACC065CBLSC | 0S65C, -50/80C, TOTAL IMM.<br>BLUE SPIRIT, Cert@ 0,50,60,70,80C   | 1         | \$506.01 |      |

## Thermometer, Liquid-in-Glass; ASTM - Precision Factory Certified (continued)

- Certified at 5 Temperatures with Correction Factors
- Each Thermometer is Calibrated Against NIST Standards
- Traceable Calibration Document Included
- BLUE SPIRIT Range (-38 to 155°C) or (-36 to 311°F)
- Protective Case not included  
but available separately



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #      | Size / Volume                                                     | Sale Qty. | Pk Price | Code |
|-------------|-------------------------------------------------------------------|-----------|----------|------|
| ACC065FBLSC | 0S65F, +122/176F, TOTAL IMM.<br>B. SPIRIT Cert@                   | 1         | \$506.01 |      |
| ACC066CBLSC | 0S66C, +75/105C, TOTAL IMM.<br>BLUE SPIRIT, Cert@                 | 1         | \$521.61 |      |
| ACC066FBLSC | 0S66F, +167/221F, TOTAL IMM.<br>BLUE S. Cert@32,168,185,200,220F  | 1         | \$521.61 |      |
| ACC067CBLSC | 0S67C, +95/155C, TOTAL IMM.<br>BLUE S. Cert@ 0,100,110,120,130C   | 1         | \$521.61 |      |
| ACC067FBLSC | 0S67F, +203/311F, TOTAL IMM.<br>BLUE S. Cert@ 32,205,240,275,310F | 1         | \$521.61 |      |

## Thermometer, Liquid-in-Glass; ASTM Approved - ASTM Applications

ASTM Approved. Blue-spirit filled.



Mix/match within these codes:  
US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #    | Size / Volume               | Sale Qty. | Pk Price | Code |
|-----------|-----------------------------|-----------|----------|------|
| ACC005CBL | ASTM S5C: -38/50C x 1.0C    | 1         | \$100.06 |      |
| ACC005FBL | ASTM S5F: -36/+120F x 2.0F  | 1         | \$100.06 |      |
| ACC012CBL | ASTM S12C: -20/102C x 0.2C  | 1         | \$172.45 |      |
| ACC012FBL | ASTM S12F: -5/215F x 0.5F   | 1         | \$172.45 |      |
| ACC015CBL | ASTM S15C: -2/80C x 0.2C    | 1         | \$131.96 |      |
| ACC015FBL | ASTM S15F: +30/180F x 0.5F  | 1         | \$131.96 |      |
| ACC018CBL | ASTM S18C: +34/42C x 0.1C   | 1         | \$118.49 |      |
| ACC018FBL | ASTM S18F: +94/108F x 0.2F  | 1         | \$118.49 |      |
| ACC022CBL | ASTM S22C: +98/103C x 0.1C  | 1         | \$131.96 |      |
| ACC022FBL | ASTM S22F: +204/218F x 0.2F | 1         | \$131.96 |      |
| ACC056CBL | ASTM S56C: +19/35C x 0.02C  | 1         | \$513.55 |      |
| ACC056FBL | ASTM S56F: +66/95F x 0.05F  | 1         | \$513.55 |      |
| ACC058CBL | ASTM S58C: -34/+49C x 0.5C  | 1         | \$103.15 |      |
| ACC058FBL | ASTM S58F: -30/+120F x 1.0F | 1         | \$103.15 |      |

Order minimums- combine with other products within the same  
code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
NW TechGlass 503-348-3024

## Thermometer, Liquid-in-Glass; ASTM Approved - ASTM Applications (cont.)

ASTM Approved. Blue-spirit filled.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #            | Size / Volume                           | Sale Qty. | Pk Price        | Code |
|-------------------|-----------------------------------------|-----------|-----------------|------|
| <u>ACC059CS</u>   | <u>ASTM S59C: -18/+82C x 0.5C</u>       | <u>1</u>  | <u>\$69.70</u>  |      |
| <u>ACC059FS</u>   | <u>ASTM S59C: 0/180F x 1.0F</u>         | <u>1</u>  | <u>\$69.70</u>  |      |
| <u>ACC091CBLS</u> | <u>ASTM S91C: +20/50C x 0.1C</u>        | <u>1</u>  | <u>\$142.37</u> |      |
| <u>ACC116CBLS</u> | <u>ASTM S116C: +18.9/ 25.1C x 0.01C</u> | <u>1</u>  | <u>\$570.52</u> |      |
| <u>ACC117CBLS</u> | <u>ASTM S117C: +23.9/30.1C x 0.01C</u>  | <u>1</u>  | <u>\$577.23</u> |      |
| <u>ACC120CBLS</u> | <u>ASTM S120C: +38.6/41.4C x 0.05</u>   | <u>1</u>  | <u>\$263.69</u> |      |
| <u>ACC130CBLS</u> | <u>ASTM S130C: -7/+105C x 0.5C</u>      | <u>1</u>  | <u>\$102.26</u> |      |
| <u>ACC130FBLS</u> | <u>ASTM S130F: +20/220F x 1.0F</u>      | <u>1</u>  | <u>\$102.26</u> |      |

## Thermometer, Liquid-in-Glass; ASTM Approved - Precision / Fractional

ASTM Approved, precision/fractional. Blue-spirit filled.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #            | Size / Volume                        | Sale Qty. | Pk Price        | Code |
|-------------------|--------------------------------------|-----------|-----------------|------|
| <u>ACC062CBLS</u> | <u>ASTM 0S62C: -38/+2C. x 0.1C</u>   | <u>1</u>  | <u>\$245.44</u> |      |
| <u>ACC062FBLS</u> | <u>ASTM 0S62F: -36/+35F. x 0.2F</u>  | <u>1</u>  | <u>\$245.44</u> |      |
| <u>ACC063CBLS</u> | <u>ASTM 0S63C: -8/+32C. x 0.1C</u>   | <u>1</u>  | <u>\$218.04</u> |      |
| <u>ACC063FBLS</u> | <u>ASTM 0S63F: +18/89F. x 0.2F</u>   | <u>1</u>  | <u>\$218.04</u> |      |
| <u>ACC064CBLS</u> | <u>ASTM 0S64C: +25/55C. x 0.1C</u>   | <u>1</u>  | <u>\$238.53</u> |      |
| <u>ACC064FBLS</u> | <u>ASTM 0S64F: +77/131F. x 0.2F</u>  | <u>1</u>  | <u>\$238.53</u> |      |
| <u>ACC065CBLS</u> | <u>ASTM 0S65C: +50/80C. x 0.1C</u>   | <u>1</u>  | <u>\$245.44</u> |      |
| <u>ACC065FBLS</u> | <u>ASTM 0S65F: +122/176F. x 0.2F</u> | <u>1</u>  | <u>\$245.44</u> |      |
| <u>ACC066CBLS</u> | <u>ASTM 0S66C: +75/105C. x 0.1C</u>  | <u>1</u>  | <u>\$260.48</u> |      |
| <u>ACC066FBLS</u> | <u>ASTM 0S66F: +167/221F. x 0.2F</u> | <u>1</u>  | <u>\$260.48</u> |      |
| <u>ACC067CBLS</u> | <u>ASTM 0S67C: +95/155C. x 0.2C</u>  | <u>1</u>  | <u>\$260.48</u> |      |
| <u>ACC067FBLS</u> | <u>ASTM 0S67F: +203/311F. x 0.5F</u> | <u>1</u>  | <u>\$260.48</u> |      |

## Thermometer, Liquid-in-Glass; Enclosed Chamber Verification

NIST traceable, individually serialized with certificate.

PTFE coated, and red spirit-filled for safety. Bottles are unbreakable and filled with bio-safe glycol/water, sand, or mineral oil. Available with accuracy of 0.1C, 0.5C, and 1.0C. Bottles are supplied with magnets.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #            | Size / Volume                             | Sale Qty. | Pk Price        | Code |
|-------------------|-------------------------------------------|-----------|-----------------|------|
| <u>ACCF100S</u>   | <u>Freezer, -25/+5C x 0.1C</u>            | <u>1</u>  | <u>\$89.12</u>  |      |
| <u>ACCF0101S</u>  | <u>Freezer, -30/0C x 0.5C</u>             | <u>1</u>  | <u>\$63.33</u>  |      |
| <u>ACCR20001S</u> | <u>Refrigerator, -2/+10C x 0.1C</u>       | <u>1</u>  | <u>\$89.06</u>  |      |
| <u>ACCR0201S</u>  | <u>Refrigerator, -5/+15C x 0.5C</u>       | <u>1</u>  | <u>\$63.33</u>  |      |
| <u>ACCB210S</u>   | <u>Blood Bank Refrigerator, -2/+10C x</u> | <u>1</u>  | <u>\$114.91</u> |      |
| <u>ACCI300S</u>   | <u>Incubator, +15/30C x 0.1C</u>          | <u>1</u>  | <u>\$89.06</u>  |      |
| <u>ACCI310S</u>   | <u>Incubator, +25/45C x 0.1C</u>          | <u>1</u>  | <u>\$89.06</u>  |      |
| <u>ACCI370S</u>   | <u>Incubator High Range, +30/110C x</u>   | <u>1</u>  | <u>\$61.01</u>  |      |
| <u>ACCAM0401S</u> | <u>Ambient/Room, +10/30C x 0.5C</u>       | <u>1</u>  | <u>\$63.33</u>  |      |
| <u>ACCOV700S</u>  | <u>Oven, +50/115C x 0.5C</u>              | <u>1</u>  | <u>\$70.28</u>  |      |
| <u>ACCOV070S</u>  | <u>Oven, +20/130C x 1.0C</u>              | <u>1</u>  | <u>\$63.33</u>  |      |
| <u>ACCOV080S</u>  | <u>Oven, +35/200C x 1.0C</u>              | <u>1</u>  | <u>\$70.28</u>  |      |
| <u>ACCD301</u>    | <u>Dry Bath, +18/60C x 0.5C</u>           | <u>1</u>  | <u>\$70.28</u>  |      |
| <u>ACCD340</u>    | <u>Dry Bath, +50/110C x 0.5C</u>          | <u>1</u>  | <u>\$70.28</u>  |      |

## Thermometer, Liquid-in-Glass; Factory Certified, NIST Traceable

These can be used to calibrate Liquid-In-Glass, RTD, Thermistors, Thermocouples, and Bi-Metal Thermoms.

-Calibrated at specific temperatures w/ correction factors

-Traceable calibration document included.

-Thermometer packed in felt-lined protective case



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #              | Size / Volume                                                            | Sale Qty. | Pk Price        | Code |
|---------------------|--------------------------------------------------------------------------|-----------|-----------------|------|
| <u>ACC6113SFC</u>   | <u>-20/110C x 0.5C, 76mm Imm. Cert@</u><br><u>0, 4, 25, 37, 56, 105C</u> | <u>1</u>  | <u>\$389.22</u> |      |
| <u>ACC6113SXFC</u>  | <u>-20/110C x 1.0C, 76mm Imm. Cert@</u><br><u>50, 100C</u>               | <u>1</u>  | <u>\$215.67</u> |      |
| <u>ACC6113SXYFC</u> | <u>-20/110C x 1.0C, 76mm Imm. Cert@</u><br><u>37, 56C</u>                | <u>1</u>  | <u>\$216.81</u> |      |
| <u>ACC611SSFCFC</u> | <u>-20/110C x 1.0C, Total Imm. Cert@ 0,</u><br><u>56C</u>                | <u>1</u>  | <u>\$215.67</u> |      |
| <u>ACC6123SFC</u>   | <u>0/300F x 2.0F, 76mm Imm. Cert@ 32,</u><br><u>100, 200, 300F</u>       | <u>1</u>  | <u>\$291.92</u> |      |
| <u>ACC6133SFC</u>   | <u>-20/150C x 1.0C, 76mm Imm. Cert @</u><br><u>60, 120</u>               | <u>1</u>  | <u>\$215.67</u> |      |
| <u>ACC1003SFC</u>   | <u>-1/51C x 0.1C, Total Imm. Cert@ 0,</u><br><u>20, 30, 37, 40, 50C</u>  | <u>1</u>  | <u>\$474.66</u> |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Thermometer, Liquid-in-Glass; Factory Certified, NIST Traceable, Continued (2)

These can be used to calibrate Liquid-In-Glass, RTD, Thermistors, Thermocouples, and Bi-Metal Thermoms.  
 -Calibrated at specific temperatures w/ correction factors  
 -Traceable calibration document included.  
 -Thermometer packed in felt-lined protective case

Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge



| Part #        | Size / Volume                                                          | Sale Qty. | Pk Price | Code |
|---------------|------------------------------------------------------------------------|-----------|----------|------|
| ACC10033SFC   | -1/51C x 0.1C, 76mm Imm. Cert@ 0, 20, 30, 37, 40, 50C                  | 1         | \$474.66 |      |
| ACC1005SFC    | -1/101C x 0.1C, Total Imm. Cert@ 0, 20, 25, 37, 56, 70, 80, 90, 100C   | 1         | \$720.94 |      |
| ACC10053SFC   | -1/101C x 0.1C, 76mm Imm. Cert@ 0, 20, 25, 37, 56, 70, 80, 90, 100C    | 1         | \$720.94 |      |
| ACC1007SFC    | -1/201C, x 0.2C, Total Imm. Cert@ 0, 37, 44.6, 56, 105, 121, 180, 200C | 1         | \$720.94 |      |
| ACC10073SFC   | -1/201C, x 0.2C, 76mm Imm. Cert@ 25, 37, 44.6, 56, 105, 121, 180, 200C | 1         | \$596.36 |      |
| ACC10033BLSFC | -1/51C x 0.2C, 76mm Imm. Cert@ 0, 20, 30, 37, 40, 50C                  | 1         | \$474.78 |      |
| ACC10613SFC   | 1/61C x 0.1C, 76mm Imm. Cert@ 0, 56C                                   | 1         | \$233.31 |      |

## Thermometer, Liquid-in-Glass; Factory Certified, NIST Traceable, Continued (3)

These can be used to calibrate Liquid-In-Glass, RTD, Thermistors, Thermocouples, and Bi-Metal Thermoms.  
 -Calibrated at specific temperatures w/ correction factors  
 -Traceable calibration document included.  
 -Thermometer packed in felt-lined protective case

Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge



| Part #        | Size / Volume                                                          | Sale Qty. | Pk Price | Code |
|---------------|------------------------------------------------------------------------|-----------|----------|------|
| ACC1005BLSFC  | -1/101C x 0.2C, Total Imm. Cert@ 0, 20, 25, 37, 56, 70, 80, 90, 100C   | 1         | \$720.94 |      |
| ACC10053BLSFC | -1/101C x 0.2C, 76mm Imm. Cert@ 0, 20, 25, 37, 56, 70, 80, 90, 100C    | 1         | \$720.94 |      |
| ACC1007BLSFC  | -1/201C, x 0.5C, Total Imm. Cert@ 0, 37, 44.5, 56, 105, 121, 180, 200C | 1         | \$720.94 |      |
| ACC10073BLSFC | -1/201C, x 0.5C, 76mm Imm. Cert@ 25, 37, 44.5, 56, 105, 121, 180, 200C | 1         | \$720.94 |      |
| ACC603FC      | -100/50C x 1.0C, Total Imm. Cert@ -20, 0, 4, 25, 37C                   | 1         | \$413.78 |      |
| ACC603XSFC    | *-100/50C x 1.0C, Total Imm. Cert@ -70, -20, 0, 37C                    | 1         | \$413.78 |      |
| ACC6033FC     | -100/50C x 1.0C, 76mm Imm. Cert@ -20, 0, 4, 25, 37C                    | 1         | \$413.78 |      |

## Thermometer, Liquid-in-Glass; Factory Certified, NIST Traceable, Continued (4)

These can be used to calibrate Liquid-In-Glass, RTD, Thermistors, Thermocouples, and Bi-Metal Thermoms.  
 -Calibrated at specific temperatures w/ correction factors  
 -Traceable calibration document included.  
 -Thermometer packed in felt-lined protective case

Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge



| Part #        | Size / Volume                                                  | Sale Qty. | Pk Price | Code |
|---------------|----------------------------------------------------------------|-----------|----------|------|
| ACC713BLSFC   | +34.5/46C, x 0.1C, 76mm Imm. Cert@ 37, 44.5C                   | 1         | \$179.37 |      |
| ACC713TBLSSCF | +34.5/46C, x 0.1C, 76mm Imm. with Safety Coat. Cert@ 37, 44.5C | 1         | \$194.84 |      |
| ACC10113BLSFC | -1/110C x 0.2C, 76mm Imm. Cert @ 25, 37, 44.6, 56, 105C        | 1         | \$474.78 |      |

## Thermometer, Liquid-in-Glass; SAMA Precision. Partial Immersion (1)

-NIST Traceable  
 -Non-Mercury Red Spirit Filled Thermometers  
 -Individually Serialized

Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge



| Part #     | Size / Volume   | Sale Qty. | Pk Price | Code |
|------------|-----------------|-----------|----------|------|
| ACC6093S   | -35/50C x 1.0C  | 1         | \$36.55  |      |
| ACC6113S   | -20/110C x 1.0C | 1         | \$36.55  |      |
| ACC6113XXS | -20/110C x 0.5C | 1         | \$47.58  |      |
| ACC6133S   | -20/150C x 1.0C | 1         | \$36.55  |      |
| ACC6133XXS | -20/150C x 0.5C | 1         | \$56.22  |      |
| ACC6153S   | -10/200C x 1.0C | 1         | \$36.55  |      |
| ACC6153S   | -10/200C x 1.0C | 1         | \$36.55  |      |
| ACC6083S   | -30/120F x 1.0F | 1         | \$36.55  |      |
| ACC6103S   | 0/230F x 2.0F   | 1         | \$36.55  |      |
| ACC6103XXS | 0/230F x 0.5F   | 1         | \$88.81  |      |
| ACC6103XXS | 0/230F x 0.5F   | 1         | \$88.81  |      |
| ACC6123XS  | +30/300F x 1.0F | 1         | \$81.96  |      |
| ACC6143S   | +20/400F x 2.0F | 1         | \$36.55  |      |
| ACC6013    | -50/+50C x 1.0C | 1         | \$39.63  |      |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change  
 NW TechGlass 503-348-3024

## Thermometer, Liquid-in-Glass; SAMA Precision. Partial Immersion (continued)

- NIST Traceable
- Non-Mercury Red Spirit Filled Thermometers
- Individually Serialized



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #        | Size / Volume                       | Sale Qty. | Pk Price | Code |
|---------------|-------------------------------------|-----------|----------|------|
| ACC6033       | -100/+50C X 1.0C                    | 1         | \$70.36  |      |
| ACC10023S     | +30/124F x 0.2F                     | 1         | \$109.03 |      |
| ACC10033S     | -1/51C x 0.1C                       | 1         | \$109.03 |      |
| ACC10613S     | -1/61C x 0.1C                       | 1         | \$112.57 |      |
| ACC10043S     | +30/214F x 0.2F                     | 1         | \$120.75 |      |
| ACC10053S     | -1/101C x 0.1C                      | 1         | \$158.26 |      |
| ACC10053BSCER | -1/101C x 0.1C, *Blue Spirit, 630mm | 1         | \$149.24 |      |
| ACC10063S     | +30/394F x 0.5F                     | 1         | \$128.95 |      |
| ACC10073S     | -1/201C x 0.2C                      | 1         | \$106.66 |      |
| ACC10073BSCER | -1/201C x 0.2C, *Blue Spirit, 630mm | 1         | \$196.34 |      |
| ACC10113BLS   | -1/110C x 0.2C, Blue Spirit         | 1         | \$109.93 |      |

## Thermometer, Liquid-in-Glass; SAMA Precision. Total Immersion (1)

- NIST Traceable
- Non-Mercury Red Spirit Filled Thermometers
- Individually Serialized



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #    | Size / Volume    | Sale Qty. | Pk Price | Code |
|-----------|------------------|-----------|----------|------|
| ACC609S   | -35/50C x 1.0C   | 1         | \$36.55  |      |
| ACC611S   | -20/110C x 1.0C  | 1         | \$36.55  |      |
| ACC613S   | -20/150C x 1.0C  | 1         | \$36.55  |      |
| ACC615S   | -10/200C x 1.0C  | 1         | \$36.55  |      |
| ACC6151XS | -10/220C x 0.5C  | 1         | \$95.60  |      |
| ACC608S   | -30/120F x 1.0F  | 1         | \$36.55  |      |
| ACC608S   | -30/120F x 1.0F  | 1         | \$36.55  |      |
| ACC612S   | 0/300F x 2.0F    | 1         | \$36.55  |      |
| ACC601    | -50/+50C x 1.0C  | 1         | \$39.63  |      |
| ACC603    | -100/+50C X 1.0C | 1         | \$70.36  |      |
| ACC603    | -100/+50C X 1.0C | 1         | \$70.36  |      |
| ACC1002S  | +30/124F x 0.2F  | 1         | \$109.03 |      |
| ACC1003S  | -1/51C x 0.1C    | 1         | \$109.03 |      |
| ACC1004S  | +30/214F x 0.2F  | 1         | \$120.75 |      |

## Thermometer, Liquid-in-Glass; SAMA Precision. Total Immersion (continued)

- NIST Traceable
- Non-Mercury Red Spirit Filled Thermometers
- Individually Serialized



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #        | Size / Volume                       | Sale Qty. | Pk Price | Code |
|---------------|-------------------------------------|-----------|----------|------|
| ACC1005S      | -1/101C x 0.1C                      | 1         | \$164.13 |      |
| ACC1005BSCERT | -1/101C x 0.1C, *Blue Spirit, 630mm | 1         | \$149.24 |      |
| ACC1006S      | +30/394F x 0.5F                     | 1         | \$136.14 |      |
| ACC1007S      | -1/201C x 0.2C                      | 1         | \$110.40 |      |
| ACC1007BSCERT | -1/201C x 0.2C, *Blue Spirit, 630mm | 1         | \$168.28 |      |
| ACC6110S      | -10/110C x 1.0C                     | 1         | \$19.40  |      |

## Tube, Culture/Test, Rimless; Economy

Pre-cleaned borosilicate glass test tubes without rims.  
 Tubes can be used for hot or cold applications, are reusable, and can be autoclaved.



Mix/match within these codes:  
 US = \$60 min. or \$5 charge  
 EI = \$60 min or \$5 charge  
 VG = \$85 min or \$15 charge  
 SM = \$180.00 min. or \$20 charge

| Part #   | Size / Volume                           | Sale Qty. | Pk Price | Code |
|----------|-----------------------------------------|-----------|----------|------|
|          | <b>Volume (ml) / O.D. x Length (mm)</b> |           |          |      |
| TT9820-A | 3 ml / 10 x 75                          | 72        | \$17.68  | US   |
| TT9820-B | 5 ml / 12 x 75                          | 72        | \$17.68  | US   |
| TT9820-C | 8 ml / 12 x 100                         | 72        | \$21.18  | US   |
| TT9820-D | 15 ml / 15 x 125                        | 72        | \$27.16  | US   |
| TT9820-E | 17 ml / 15 x 150                        | 72        | \$33.95  | US   |
| TT9820-F | 14 ml / 16 x 100                        | 72        | \$30.59  | US   |
| TT9820-G | 24 ml / 18 x 150                        | 72        | \$37.38  | US   |
| TT9820-H | 37 ml / 25 x 100                        | 72        | \$50.93  | US   |
| TT9820-I | 60 ml / 25 x 150                        | 72        | \$54.60  | US   |
| TT9820-J | 75 ml / 25 x 200                        | 48        | \$49.70  | US   |
| TT9820-K | 125 ml / 32 x 200                       | 50        | \$78.58  | US   |
| TT9820-L | 175 ml / 38 x 200                       | 50        | \$105.00 | US   |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

## Tube, Nessler. Economy- Eisco

Nessler Cylinder, Class A. Borosilicate glass, blue ceramic graduations; for colorimetric analysis. Eisco Labs.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #         | Size / Volume | Sale Qty. | Pk Price       | Code      |
|----------------|---------------|-----------|----------------|-----------|
| <u>CH0350A</u> | <u>50 ml</u>  | <u>1</u>  | <u>\$8.01</u>  | <u>EI</u> |
| <u>CH0350B</u> | <u>100 ml</u> | <u>1</u>  | <u>\$14.53</u> | <u>EI</u> |

## Tube, Test / Culture; Disposable Rimless. Economy- United Scientific

Disposable culture tubes are manufactured from high quality 5.1 expansion borosilicate glass. Tubes are packaged in shrink wrapped boxes to keep them particle-free, and four boxes are included in each case.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #              | Size / Volume             | Sale Qty.   | Pk Price        | Code      |
|---------------------|---------------------------|-------------|-----------------|-----------|
| <u>DCT051-0650</u>  | <u>6 X 50 mm, 0.75 ml</u> | <u>2000</u> | <u>\$111.38</u> | <u>US</u> |
| <u>DCT051-1075</u>  | <u>10 x 75mm, 3 ml</u>    | <u>1000</u> | <u>\$59.44</u>  | <u>US</u> |
| <u>DCT051-1275</u>  | <u>12 x 75mm, 5 ml</u>    | <u>1000</u> | <u>\$68.06</u>  | <u>US</u> |
| <u>DCT051-1300</u>  | <u>13 x 100mm, 9 ml</u>   | <u>1000</u> | <u>\$89.25</u>  | <u>US</u> |
| <u>DCT051-1585</u>  | <u>15 X 85 mm, 10 ml</u>  | <u>1000</u> | <u>\$102.00</u> | <u>US</u> |
| <u>DCT051-1610</u>  | <u>16 x 100mm, 14 ml</u>  | <u>1000</u> | <u>\$109.13</u> | <u>US</u> |
| <u>DCT051-1625</u>  | <u>16 x 125mm, 18 ml</u>  | <u>1000</u> | <u>\$117.00</u> | <u>US</u> |
| <u>DCT051-1650</u>  | <u>16 x 150mm, 22 ml</u>  | <u>1000</u> | <u>\$145.13</u> | <u>US</u> |
| <u>DCT051-1850</u>  | <u>18 x 150mm, 28 ml</u>  | <u>500</u>  | <u>\$112.88</u> | <u>US</u> |
| <u>DCT051-20150</u> | <u>20 X 150 mm, 34 ml</u> | <u>500</u>  | <u>\$117.38</u> | <u>US</u> |
| <u>DCT051-25150</u> | <u>25 X 150 mm, 60 ml</u> | <u>500</u>  | <u>\$201.38</u> | <u>US</u> |

## Tube, Test / Culture; With Rim. Economy- United Scientific

Borosilicate glass test tubes with rims. Tubes can be used for hot or cold applications, are reusable, and can be autoclaved.



Mix/match within these codes:

US = \$60 min. or \$5 charge  
EI = \$60 min or \$5 charge  
VG = \$85 min or \$15 charge  
SM = \$180.00 min. or \$20 charge

| Part #          | Size / Volume              | Sale Qty. | Pk Price        | Code      |
|-----------------|----------------------------|-----------|-----------------|-----------|
| <u>TT9800-A</u> | <u>10 x 75 mm, 3 ml</u>    | <u>72</u> | <u>\$20.20</u>  | <u>US</u> |
| <u>TT9800-B</u> | <u>12 x 75 mm, 5 ml</u>    | <u>72</u> | <u>\$20.20</u>  | <u>US</u> |
| <u>TT9800-C</u> | <u>12 x 100 mm, 8ml</u>    | <u>72</u> | <u>\$24.20</u>  | <u>US</u> |
| <u>TT9800-D</u> | <u>15 x 125 mm, 15 ml</u>  | <u>72</u> | <u>\$31.04</u>  | <u>US</u> |
| <u>TT9800-E</u> | <u>15 x 150 mm, 17 ml</u>  | <u>72</u> | <u>\$38.80</u>  | <u>US</u> |
| <u>TT9800-I</u> | <u>16 x 100 mm, 14 ml</u>  | <u>72</u> | <u>\$37.16</u>  | <u>US</u> |
| <u>TT9800-M</u> | <u>16 x 125 mm, 16 ml</u>  | <u>72</u> | <u>\$40.88</u>  | <u>US</u> |
| <u>TT9800-F</u> | <u>18 x 150 mm, 24 ml</u>  | <u>72</u> | <u>\$42.72</u>  | <u>US</u> |
| <u>TT9800-N</u> | <u>20 x 150 mm, 36 ml</u>  | <u>72</u> | <u>\$55.80</u>  | <u>US</u> |
| <u>TT9800-G</u> | <u>25 x 100 mm, 37 ml</u>  | <u>72</u> | <u>\$58.20</u>  | <u>US</u> |
| <u>TT9800-H</u> | <u>25 x 150 mm, 60 ml</u>  | <u>72</u> | <u>\$62.40</u>  | <u>US</u> |
| <u>TT9800-I</u> | <u>25 x 200 mm, 75 ml</u>  | <u>48</u> | <u>\$56.80</u>  | <u>US</u> |
| <u>TT9800-J</u> | <u>32 x 200 mm, 125 ml</u> | <u>50</u> | <u>\$86.60</u>  | <u>US</u> |
| <u>TT9800-K</u> | <u>38 x 200 mm, 175 ml</u> | <u>50</u> | <u>\$114.00</u> | <u>US</u> |

Order minimums- combine with other products within the same code (VG, US, etc.) to meet minimum, or pay listed charge.

Prices subject to change

NW TechGlass 503-348-3024

**Northwest TechGlass also distributes glassware, supplies, and equipment from these companies (among others):**

**Leading brands of laboratory glassware**

**CORNING**  
LIFE SCIENCES



**Value-oriented glass; educational/general lab supply**



**Pipettors and dispensers engineered and built in Japan**

**NICHIRYO**

**Quality temperature measuring  
Instruments- digital, and liquid-in-glass**



**Ovens, incubators, refrigerators, and freezers**

